

Sealfix

Sealfix Ltd is a professional trade supplier to the
Glazing and Building Industries



February Edition CATALOGUE 2024

my**tradecounter**

payments powered by
WorldPay



Business hours

Mon	8:30	-	17:00
Tue	8:30	-	17:00
Wed	8:30	-	17:00
Thu	8:30	-	17:00
Fri	8:30	-	16:30
Sat	Closed		
Sun	Closed		

SOUDAL

STELMAX
Specialist Adhesives



PET-TEK

KONIG

Claypart



Sealfix Ltd is a family business which celebrated 20 years of trading in July 2017. The Company's focus has always been to supply the glazing and building industries with high quality products, with a service to match.

As SOUDAL UK's largest independent distributor, Sealfix has forged strong working relationships with all of our suppliers, ensuring a broad product portfolio that provides a 'one stop shop' for many customers.

Our constantly growing range of over 2500 quality product lines and ability to be responsive to demand allows us to exceed customer expectations at all levels in this competitive market-place. It is our intention to continue working with both new and existing customers for years to come.

CONTENTS

4	SOUDAL Exterior Frame Sealant
5	SOUDAL Silirub 2 & Silirub 2/S
6	SOUDAL Silirub LMN, Silirub LM & Silirub N
7	SOUDAL Silirub A, Silirub S, Silirub AQ, Soudal Aquaswell & Stay Fresh
8	SOUDAL Aquafix, 240FC, SMX506, 4AP, Silirub P2, SOUDASEAL 215LM
9	SOUDAL Repair Express Fillers, Acryrub, Decorators Caulk, Gap Filler
10-11	SOUDAL Silirub Colour
12-13	RAINBOW Coloured Silicone
14	SOUDAL Fire Rated & High Temperature Range
15	SOUDAL Fire Rated & High Temperature Range
16-17	SOUDAL Fix ALL Range
18	Soudabond Easy Gun Fills & Bond, Trade Plasterboard, Soudabond 642 Duo, Soudabond 641
19	SOUDAL Mirror Adhesive, Grip ALL Adhesive
20	SOUDAL Purocol & Wood Adhesive Range
21	SOUDAL Butyrub, Soudaseal & Silirub EPDM, Silirub MA (Marble), Silicone & PU Remover
22	Caulking Guns, Foam Guns
23	SOUDAL SWS Range
24-26	SOUDAFOAM
27	SOUDAL Roofing Range
28-29	SOUDAL Roofing Range & Lead Rolls
30	SOUDAL Waterstop, Butyband Butyl
31-32	SOUDAL Flooring Range
33	SOUDAL Backer Rods & Memory Foam Tape (Soudaband BG1)
34-36	RAL Aerosol Spray Paint Colours
37-41	Automotive Range: Body Repair, Anti-Corrosion, Sealants, Adhesives & Coatings
42-43	SOUDAL Aerosols
44-46	Maintenance Sprays, Lubricants & Primers
47	SOUDAL Solvent, Glass Cleaner, Glass Foam Cleaner, Cream Cleaner, Pvcu Frame Cleaner
48	Multi Wipes, SOUDAL Superglue, Activator, Mitre Kits
49	SEALFIX Paper Rolls, SEALFIX Glass Cleaner
50	Solvent Cleaner, SEALFIX Superglue
51-53	DOW CORNING Silicone
54-55	KONIG
56	STELMAX
57	Masonry Multi-Fix Bolts
58	Concrete Screws & Cover Caps

59-61	Self-Tapping Screws - Countersunk, Pan Head, Flange Head
62-64	Metal Construction Screws
65-69	Collated Drywall Screws, Collated Woodscrews, Dry Wall Screws, Wafer Head - Self-Drilling
70-72	Baypole Screws, Self-Drilling Screws
73-74	Element Screws, Window Screws
75	Window Fabrication Screws, Friction Stay Screws
76-77	Twin Thread Wood Screws, Classic Pan Head Wood Screws
78-79	Solo Yellow Wood Screws
80-81	Classic Yellow Wood Screws
82-84	C2 Advanced Multi-Purpose Screws
85-86	Velocity Pozi Wood Screws, Velocity Torx Head Wood Screws
87	Classic Black Wood Screws, Cover Caps & Wall Plugs
88-91	Paslode Collated Nails & Fuel Cells, FirmaHold Collated Nails & Fuel Cells
92	Multi-Fix Resin
93-94	Poly Top Pins & Nails (A4) & Cladding Pins
95	HSS Jobber Drills & HSS Jobber Drill Set
96-98	Wood Bit Sets, HSS Drill Sets, Mixed Driver Bit Set, Masonry Drill Set
99	HSS Cobalt Jobber Drills & Titanium Jobber Drills Long Series
100	HSS Ground Regular & Ground Long Series Jobber Drill
101-102	SDS Hammer Bits, Professional SDS Plus Hammer Bit
103	Professional Masonry Bits
104-105	Magnetic Bit Holders & Slotted Driver Bits, Screwdriver Bits
106-107	V5 Impact Driver Bits & Sets, Mixed Driver Bit Sets & X6 Impact Driver Bit Sets
108	Sabre Saw Blades, Jigsaw Blades, Brick Cutting Bi-metal Blades, Hack Saw Blades
109	High Carbon Steel Blades, Bi-Metal Jigsaw Blades, High Speed Steel Blades, Jigsaw Blades Set
110-111	Circular Saw Blades, Fibre Cement Blades
112	Irwin Jack Saw, Toolbox Saws, Carpet Knife Blades & Utility Knife Blades, Single Sided Blades
113-115	Cutting & Grinding Discs
116-117	Holesaw - Variable Pitch & Constant Pitch
118-122	Multi Cutter Blades
123-124	Sandpaper Rolls, Sanding Sheets, Discs & Pads
125	Cabin Hooks, Door Chains & Door Restrictors
126-129	Flat Glazing Packers, Bridge Packers, Wedge Packers, Glazing Shovel, Horseshoe Packers
130-131	Staywell Cat Flaps, Pet-Tek Cat Flaps
132	Window Fixing Brackets
133-134	Surface Protection, Protection Film, Safety Glass Film, Rubble Sacks, Plastic Sheets & Accessories, Barrier Fencing
135	Protective Cling Sheet, Sheet Cutter, Ram Board Floor & Door Frame Protection, Ram Board Tapes
136	Security Glazing Tape
137	Handy Wrap, Georgian Bar Tape, Duck Tape, Masking Tape & Packing Tape
138-140	Tools & Glass Lifters
141-168	Cordless & Corded Power Tools
169-171	First Aid & PPE
172	Gloves, Wrist Guards & Overshoes
173	Veto Security : Bungee Cords, Lifting Sling, Brick Line
174	Ratchet Straps & Tie Down
175	Technical Information

Neutral cure building and glazing silicone sealant . Low modulus neutral (LMN) formulation for high movement joints. Fast curing. Flexible and weather-tight seal. Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.



SOUDAL EXTERIOR FRAME SEALANT

BRILLIANT WHITE

Part No.	Colour	Fill	Box Qty	Price
0S121649	Brilliant White	270ml	12	

Exterior Frame Sealant is a high-quality, plasto-elastic one-component joint sealant based on acrylic dispersions.



SOUDAL EXTERIOR FRAME SEALANT

CLEAR

0S128453	Clear	270ml	12	
----------	-------	-------	----	--

Featured properties

- Flexible
- Mould resistant
- Waterproof
- Fast curing
- Very easy to apply
- Colourfast and UV resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Low modulus
- Corrosion free

Applications

Sealing and perimeter pointing of wooden, aluminium and PVCu window and door frames. Sealing and bonding plastic trim and cladding. Glazing. Construction and general purpose joint sealing.

All usual building joints with high movement. Glazing and joint works. Expansion joints between many different construction materials. Sealing between PVC, treated wooden and metal profiles and glass.

SOUDAL SILIRUB 2

Silirub 2 is a **PREMIUM** quality low modulus neutral cure silicone sealant.

- 100% Silicone with no extension
- Permanent colour & UV-resistant
- Compatible with sealed units
- Available in a wide range of colours
- Very good adhesion on many materials
- Low modulus
- Excellent acoustic properties (noise reduction)
- Conforms to ISO11600 F&G 25 LM

For building and construction joints, top sealing at glazing jobs, joints with high movement between different building materials, sealing between treated wood, metal, PVC profiles and glass.



SOUDAL SILIRUB 2 FOIL PACK



SOUDAL SILIRUB 2/S (SANITARY)

Silirub 2/S is a **PREMIUM** quality low modulus neutral cure sanitary silicone sealant.

- 100% Silicone with no extension
- Permanent colour, UV-resistant
- Very good adhesion on many materials
- Low modulus
- Food Safe
- Fungicide conforms to ISO846
- Conforms to ISO11600 F&G 25 LM

Joints in sanitary applications and kitchens, all glazing works, joints in container and cold-storage applications and air conditioning sealing.



Part No.	Colour	Fill	Box Qty	Price
OS114580	Brilliant White	300ml	24	
OS114579	Clear	300ml	24	
OS127153	Mahogany	300ml	24	
OS114576	Caramel	300ml	24	
OS114577	Black	300ml	24	
OS114578	Teak	300ml	24	
OS121452	Toffee	300ml	24	
OS112979	Anthracite 7016	300ml	24	
OS121806	Brown	300ml	24	
OS102423	Bronze	300ml	24	
OS102422	Grey	300ml	15	
OS105960	Terracotta/Rustic Red	300ml	15	
OS105961	Buff	300ml	15	
OS106197	Dark Grey	300ml	15	
OS105962	Portland Stone Cream	300ml	15	
OS103978	Beige	300ml	15	
OS101270	Aluminium Grey	300ml	15	
OS102419	Light Brown	300ml	15	
OS101940	Dark Brown	300ml	15	
OS101080	Oak	300ml	15	
OS100868	Basalt Grey 7012	300ml	15	
OS100335	Stone Ton Pierre	300ml	15	
OS120489	Cement Grey	300ml	15	

OS100727	Brilliant White	600ml	12	
OS104073	Clear	600ml	12	
OS100254	Brown	600ml	12	
OS100252	Grey	600ml	12	
OS100253	Black	600ml	12	

OS107544	Brilliant White	300ml	15	
OS101990	Clear	300ml	15	
OS104846	Grey	300ml	15	
OS102772	Jasmin	300ml	15	
OS103734	Light Ivory	300ml	15	
OS105753	Bahama Beige	300ml	15	
OS105758	Transparent Grey	300ml	15	
OS116521	Concrete Grey	300m	15	
OS102307	Manhattan Grey 7038	300ml	15	
OS105665	Cream 9001	300ml	15	
OS105549	Grey White 9002	300ml	15	
OS104205	Aluminium White 9006	300ml	15	
OS101989	Pure White	300ml	15	

Silirub LMN is a **SUPERIOR** quality low modulus neutral cure silicone sealant.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Available in a wide range of colours
- Very good adhesion on many materials
- Low modulus
- Conforms to ISO11600 F&G 25 LM



For building and construction joints, top sealing at glazing jobs, joints with high movement between different building materials, sealing between treated wood, metal, PVC profiles and glass.



Silirub LM is a **HIGH** quality low modulus neutral cure silicone sealant.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Very good adhesion on many materials
- Low modulus neutral cure
- Conforms to ISO11600 F 12.5 E



For glazing and construction sealing. Perimeter sealing of window, door frame and roofline systems. General maintenance and sealing.

Silirub N is a **GENERAL PURPOSE** low modulus neutral cure silicone sealant which remains permanently elastic.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Very good adhesion on many materials
- Low modulus neutral cure

For building and construction joints, top sealing at glazing jobs, expansion joints between various building materials, sealing between treated wood & glass and between PVC and glass.



SOUDAL SILIRUB LMN

Part No.	Colour	Fill	Box Qty	Price
OS114574	Brilliant White	300ml	24	
OS114573	Clear	300ml	24	
OS120346	Brown	300ml	24	
OS120347	Bronze	300ml	24	
OS120348	Teak	300ml	24	
OS120349	Black	300ml	24	
OS120480	Caramel	300ml	24	
OS122402	Grey	300ml	24	
OS130257	Chartwell Green	300ml	24	
OS130256	Cream RAL 9001	300ml	24	
OS130268	Anthracite Grey RAL 7016	300ml	24	
OS154494	Slate Grey 7015	300ml	24	
OS154495	Agate Grey 7038	300ml	24	

SOUDAL SILIRUB LMN FOIL PACK

OS134883	Anthracite Grey	400ml	25	
OS134882	Black	400ml	25	
OS126523	Caramel	400ml	25	
OS126525	Clear	400ml	25	
OS126527	Teak	400ml	25	
OS126526	White	400ml	25	

SOUDAL SILIRUB LM

OS128335	Brilliant White	300ml	24	
OS127926	Clear	300ml	24	
OS128333	Teak	300ml	24	
OS128334	Black	300ml	24	
OS128336	Caramel	300ml	24	
OS146066	Anthracite Grey (7016)	300ml	24	

SOUDAL SILIRUB N

OS118985	Brilliant White	300ml	24	
OS117857	Clear	300ml	24	
OS117859	Brown	300ml	24	
OS117858	Teak	300ml	24	
OS122401	Black	300ml	24	
OS122400	Caramel	300ml	24	
OS146067	Anthracite Grey	300ml	24	

GENERAL PURPOSE acetoxy silicone sealant. Sanitary, construction and industrial applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Perimeter sealing of wooden window and door frames. Glass to glass sealing joints. Industrial applications. General maintenance sealing.

- Acetoxy cure silicone
- Primerless adhesion on traditional materials
- S1 fungicide



SOUDAL SILIRUB A

Part No.	Colour	Fill	Box Qty	Price
0S114571	Brilliant White	295ml	24	
0S122406	White	295ml	24	
0S114570	Clear	295ml	24	
0S122405	Black	295ml	24	
0S122404	Brown	295ml	24	
0S122403	Grey	295ml	24	

GENERAL PURPOSE acetoxy sanitary silicone sealant. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood).

- Acetoxy cure sanitary sealant
- Conforms to ISO 11600 F 12.5 E
- S1 fungicide



SOUDAL SILIRUB S

0S101450	Clear	310ml	15	
0S101448	White	310ml	15	
0S101533	Grey	310ml	15	
0S102730	Brown	310ml	15	
0S101550	Black	310ml	15	

High modulus acetoxy silicone sealant for elastomeric glass bonding, sealing and the construction of aquaria and terraria.

- Chemically inert after curing
- 100% Silicone with no extension
- Primerless adhesion on most surfaces
- UV resistant



SOUDAL SILIRUB AQ AQUARIA

0S102543	Clear	310ml	15	
0S105751	Black	310ml	15	

Polyurethane sealant which swells in contact with water. Aquaswell is PU based sealant that swells in contact with water. It is designed for the water- and gastight sealing around cable or pipe penetrations and the watertight sealing of joints in concrete and prefabricated elements. Remains flexible and returns to its original shape after swelling.



SOUDAL AQUASWELL

0S124715	Champagne	310ml	12	
0S124909	Champagne	600ml	12	

BRIGHTER.CLEANER.FRESHER

The **ULTIMATE** Anti-mould sealant. Neutral cure silicone. Contains powerful fungicidal and biocidal agents. Shower, Bathrooms & Kitchen.

- 100% Silicone no extension
- Lifetime guarantee
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO11600 F&G 25 LM
- XS1 fungicide
- **Now FOOD SAFE**



SOUDAL STAY FRESH

0S152988	Acetoxy Clear	290ml	12	
0S152987	Acetoxy Ice White	290ml	12	
0S152986	Acetoxy RAL 1013 Oyster White	290ml	12	
0S125788	Ice White	300ml	12	
0S125924	Ivory	300ml	12	
0S125925	Clear	300ml	12	
0S130301	Grey	300ml	12	
0S130302	Black	300ml	12	



Solvent based plasto-elastic sealant that adheres to most surfaces even when damp or underwater. Ideal as an emergency repair product.

- Solvent based sealant
- Can be used on dry, damp and wet surfaces
- Multi surface adhesion
- Highly elastic

Soudaseal 240 FC is a high quality single component joint sealant with high adhesive strength. It is based on MS-Polymer®, chemically neutral and fully elastic.

Glazing sealant for **SELF CLEANING GLASS** based on SMX Technology. Glazing sealant between glass and all usual frame materials: timber, aluminium, steel, PVC. SMX 506 resists temperatures from +5 C to + 35 C.

Soudaseal 4 All Paint is a high quality single component glazing sealant with high adhesive strength. It is based on MS-Polymer, chemically.

PAINTABLE high modulus, neutral cure silicone sealant. Developed to be over-painted with many low solvent and water based paints.

- Over-paintable
- Conforms to ISO11600G20 HM
- Low odour
- Extensive colour range, including RAL CLASSIC colours

Soudaseal 215LM is a high quality, neutral, elastic, 1-component joint sealant based on MS-Polymer. Good adhesion to most common substrates, even on slightly wet substrates. Easy to tool, extrude (even at low temperatures)



SOUDAL AQUAFIX

All Weather Silicone

Part No.	Colour	Fill	Box Qty	Price
OS104789	Clear	300ml	15	

SOUDAL SOUDASEAL 240FC

OS101364	White	290ml	12	
OS104925	Black	290ml	12	
OS105027	Grey	290ml	12	
OS101809	White	600ml	12	
OS106912	Concrete Grey	600ml	12	
OS108148	Black	600ml	12	

SOUDAL SMX 506 (ACTIVE GLASS)

OS120831	White	290ml	12	
OS119538	Black	290ml	12	

SOUDAL SOUDASEAL 4AP WHITE

OS106240	RAL 9010 White	290ml	15	
OS106239	RAL 7004 Signal Grey	290ml	15	

SOUDAL SILIRUB P2 (PAINTABLE)

OS118973	Transparent	310ml	15	
----------	-------------	-------	----	--

SOUDAL SOUDASEAL 215LM

OS103911	Black	600ml	12	
OS102291	White	600ml	12	
OS124645	Anthracite Grey 7016	600ml	12	
OS103011	Natural Stone	600ml	12	
OS135520	Portland Stone	290ml	12	
OS105022	White	290ml	12	
OS137819	Traffic White (9016)	290ml	12	
OS135522	Black	290ml	12	
OS105023	Concrete Grey	290ml	12	
OS135521	Anthracite Grey 7016	290ml	12	
OS107302	Brown	290ml	12	

HIGH SPEED acrylic polymer based, light-weight repair plaster. For an easy and quick reparation or filling in walls & ceiling cracks. Over-paintable once dried. Non-shrinking.

- Smooth finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Very good adhesion on many porous materials



HIGH SPEED acrylic polymer based, Textured repair cement. For an easy and quick reparation or filling in concrete. Over-paintable once dried. Non-shrinking.

- Textured finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Excellent adhesion on many mineral materials



Acryrub is a superior quality acrylic polymer based sealant and filler. Solvent free and virtually odourless, it has very good adhesion on most porous surfaces. Once cured it is fully paintable, as well as both colourfast and waterproof. Due to its unique composition, it heavily reduces any risk of cracking.



GENERAL PURPOSE acrylic polymer based sealant and filler. Solvent free and virtually odourless. Colourfast and waterproof after curing. Paintable. Sealing of window sills, skirting boards, architraves, plasterboard, brickwork etc. Filling of small cracks in plaster.



One part, solvent based, PVC resin for sealing, bonding and filling PVC and PVCu materials. Resistant to UV, rain, snow and ozone, and many chemicals. Sealing, filling and bonding of PVCu window and door frames, window boards, trims and reveals, cladding and roofline, PVC guttering and drainage systems.



SOUDAL REPAIR EXPRESS READY TO USE REPAIR FILLERS

Plaster—Interior

Part No	Description	Fill	Box Qty	Price
OS122525	White	300ml	12	
OS152306	White	900ml	6	
OS122526	White	250ml Tub	12	



Cement—Interior & Exterior

OS125786	Grey	300ml	12	
OS152305	Grey	900ml	6	
OS128000	Beige	300ml	6	
OS152307	Beige	900ml	6	



SOUDAL ACRYRUB

OS147523	Extra White	300ml	24	
OS102598	Grey	310ml	15	
OS102599	Teak	310ml	15	
OS102601	Black	310ml	15	
OS102602	Grey	600ml	12	
OS102603	White	600ml	12	

SOUDAL DECORATORS CAULK

OS115320	White	300ml	24	
OS121638	White	290ml	12	
OS121639	White	380ml	12	

SOUDAL PVCu GAP FILLER

OS111324	White	300ml	24	
----------	-------	-------	----	--





SILIRUB COLOR is a high-quality, neutral cure elastical one-component joint sealant based on silicones. It has been especially developed for colour matched sealing based on the RAL system colours.

- 100% silicone with no extension
- Very easy application
- Permanent colour, UV-resistant
- Stays elastic after curing
- Available in all RAL Classic system colours
- Very good adhesion on many materials
- Low modulus
- High gloss finish .

*** Please note we can source any RAL Colour, on request***

SOUDAL SILIRUB COLOR

Part No	RAL	Description	Fill	Box Qty	Price
OS119643	1002	Sand Yellow	310ml	15	
OS105822	1013	Oyster white	310ml	15	
OS113190	1014	Ivory	310ml	15	
OS105827	1015	Light ivory	310ml	15	
OS114640	1019	Grey Beige	310ml	15	
OS121807	1036	Pearl Gold	310ml	15	
OS117929	2004	Orange	310ml	15	
OS134452	2011	Deep Orange	310ml	15	
OS115681	3004	Purple red	310ml	15	
OS105828	3005	Wine red	310ml	15	
OS115304	3007	Black Red	310ml	15	
OS123396	3011	Brown Red	310ml	15	
OS114294	3020	Traffic red	310ml	15	
OS117165	5002	Ultramarine blue	310ml	15	
OS114148	5003	Sapphire blue	310ml	15	
OS130375	5004	Black Blue	310ml	15	
OS116146	5007	Brilliant blue	310ml	15	
OS114299	5010	Gentian blue	310ml	15	
OS105829	5011	Steel blue	310ml	15	
OS115964	5014	Pigeon Blue	310ml	15	
OS121783	5020	Ocean blue	310ml	15	
OS115185	5024	Pastel Blue	310ml	15	
OS124240	-	Chartwell Green	310ml	15	
OS114007	6003	Olive green	310ml	15	
OS114104	6005	Moss green	310ml	15	
OS117130	6006	Grey olive	310ml	15	
OS105830	6009	Fir green	310ml	15	
OS113227	6010	Grass green	310ml	15	
OS116325	6011	Reseda Green	310ml	15	
OS116617	6012	Black Green	310ml	15	
OS121904	6016	Turquoise green	310ml	15	
OS114116	6019	White green	310ml	15	
OS115986	6021	Pale green	310ml	15	
OS114298	6022	Brown Olive	310ml	15	
OS114243	7001	Silver grey	310ml	15	
OS116632	7004	Signal Grey	310ml	15	
OS115028	7006	Beige grey	310ml	15	
OS114636	7009	Green grey	310ml	15	
OS113838	7010	Tent grey	310ml	15	
OS114481	7011	Iron grey	310ml	15	
OS115682	7012	Basalt grey	310ml	15	
OS114484	7013	Brown grey	310ml	15	
OS116060	7015	Slate grey	310ml	15	
OS105831	7016	Anthracite grey	310ml	15	
OS115271	7021	Grey black	310ml	15	
OS114267	7022	Umbra grey	310ml	15	
OS114170	7023	Concrete grey	310ml	15	
OS120487	7024	Graphite grey	310ml	15	

*** Please note we can
source any RAL Colour,
on request***

OS121199	7026	Granite Grey	310ml	15	
OS113159	7030	Stone grey	310ml	15	
OS115230	7031	Blue grey	310ml	15	
OS110727	7032	Pebble grey	310ml	15	
OS115097	7034	Yellow grey	310ml	15	
OS118489	7035	Light grey	310ml	15	
OS114005	7037	Dusty Grey	310ml	15	
OS114293	7038	Agate grey	310ml	15	
OS113228	7039	Quartz grey	310ml	15	
OS116968	7040	Window Grey	310ml	15	
OS117801	7042	Traffic Grey	310ml	15	
OS116033	7044	Silk Grey	310ml	15	
OS118963	7048	Pearl Mouse Grey	310ml	15	
OS116305	8003	Clay Brown	310ml	15	
OS121808	8007	Fawn brown	310ml	15	
OS114296	8014	Sepia brown	310ml	15	
OS114750	8017	Chocolate brown	310ml	15	
OS116106	8019	Grey brown	310ml	15	
OS124358	8022	Black Brown	310ml	15	
OS116567	8023	Orange Brown	310ml	15	
OS105870	9001	Cream	310ml	15	
OS116322	9002	Grey White	310ml	15	
OS124216	9003	Signal White	310ml	15	
OS115955	9004	Signal Black	310ml	15	
OS127838	9005	Jet Black	310ml	15	
OS106735	9006	Aluminium white	310ml	15	
OS111713	9007	Grey aluminium	310ml	15	
OS118401	9010	Pure white	310ml	15	
OS121497	9018	Papyrus white	310ml	15	

Silirub Color is useful for all building and construction joints which require a colour matched sealant. It is suitable for all glazing works on powder coated aluminium, PVC, painted wood also joints with high movement between different building materials e.g. Brickwork, concrete, etc.



RAINBOW SEALANT

COLOR



Rainbow RAL Coloured Silicone is Suitable for indoor and/or outdoor use. It will bond to many types of surface including Metal, Plastic, Brick and Wood. This product also Contains Anti-Mould Properties, ideal for kitchen , bathroom and sanitary uses. This Low Modulus, Neutral Curing Silicone Sealant which has excellent adhesion to many surfaces is unaffected by water, sun, and in general, by the weather. It does not contract or crack, neither is there any sweating.

*** Please note we can source any RAL Colour, on request***

Part No	RAL	Description	Fill	Box Qty	Price
0C1001B	1001	Beige	300ml	24	
0C1002	1002	Sand Yellow	300ml	24	
0C1003	1003	Signal Yellow	300ml	24	
0C1011	1011	Brown Beige	300ml	24	
0C1013	1013	Oyster White	300ml	24	
0C1015	1015	Light Ivory	300ml	24	
0C1018ZY	1018	Zinc Yellow	300ml	24	
0C1019	1019	Grey Beige	300ml	24	
0C2011	2011	Deep Orange	300ml	24	
0C3000	3000	Flame Red	300ml	24	
0C3001	3001	Signal Red	300ml	24	
0C3002	3002	Carmine Red	300ml	24	
0C3005	3005	Wine Red	300ml	24	
0C3020	3020	Traffic Red	300ml	24	
0C5001	5001	Green Blue	300ml	24	
0C5002	5002	Ultramarine Blue	300ml	24	
0C5008	5008	Grey Blue	300ml	24	
0C5010GB	5010	Gentian Blue	300ml	24	
0C5011	5011	Steel Blue	300ml	24	
0C5012	5012	Light Blue	300ml	24	
0C5014	5014	Pigeon Blue	300ml	24	
0C5021	5021	Water Blue	300ml	24	
0C5024	5024	Pastel Blue	300ml	24	
0C6000	6000	Patina Green	300ml	24	
0C6001	6001	Emerald Green	300ml	24	
0C6003	6003	Olive Green	300ml	24	
0C6005	6005	Moss Green	300ml	24	
0C6009	6009	Fir Green	300ml	24	
0C6013	6013	Reed Green	300ml	24	
0C6015	6015	Black Olive	300ml	24	
0C6019	6019	Pastel Green	300ml	24	
0C6020	6020	Chrome Green	300ml	24	
0C6021	6021	Pale Green	300ml	24	
0C6027	6027	Light Green	300ml	24	
0C6028	6028	Pine Green	300ml	24	
0C7000	7000	Squirrel Grey	300ml	24	
0C7001SG	7001	Silver Grey	300ml	24	
0C7002	7002	Grey	300ml	24	
0C7003	7003	Moss Grey	300ml	24	
0C7004	7004	Signal Grey	300ml	24	
0C7005	7005	Mouse Grey	300ml	24	
0C7006	7006	Beige Grey	300ml	24	
0C7010	7010	Tarpaulin Grey	300ml	24	
0C7011	7011	Iron Grey	300ml	24	
0C7012	7012	Basalt Grey	300ml	24	
0C7015	7015	Slate Grey	300ml	24	
0C7016	7016	Anthracite Grey	300ml	24	
0C7021	7021	Black Grey	300ml	24	
0C7022	7022	Umbra Grey	300ml	24	
0C7023	7023	Concrete Grey	300ml	24	
0C7024	7024	Graphite Grey	300ml	24	
0C7026	7026	Granite Grey	300ml	24	
0C7030	7030	Stone Grey	300ml	24	
0C7031	7031	Blue Grey	300ml	24	
0C7032	7032	Pebble Grey	300ml	24	



0C7033	7033	Cement Grey	300ml	24	
0C7034YG	7034	Yellow Grey	300ml	24	
0C7035	7035	Light Grey	300ml	24	
0C7036	7036	Platinum Grey	300ml	24	
0C7037	7037	Dusty Grey	300ml	24	
0C7038	7038	Agate Grey	300ml	24	
0C7039	7039	Quartz Grey	300ml	24	
0C7040	7040	Window Grey	300ml	24	
0C7042	7042	Traffic Grey A	300ml	24	
0C7043	7043	Traffic Grey B	300ml	24	
0C7044	7044	Silk Grey	300ml	24	
0C7045	7045	Telegrey 1	300ml	24	
0C7046	7046	Telegrey 2	300ml	24	
0C7047	7047	Telegrey 3	300ml	24	
0C8007	8007	Fawn Brown	300ml	24	
0C8014	8014	Sepia Brown	300ml	24	
0C8015	8015	Chestnut Brown	300ml	24	
0C8017	8017	Chocolate Brown	300ml	24	
0C8019	8019	Grey Brown	300ml	24	
0C8022	8022	Black Brown	300ml	24	
0C9001	9001	Cream	300ml	24	
0C9002	9002	Grey White	300ml	24	
0C9003	9003	Signal White	300ml	24	
0C9005	9005	Jet Black	300ml	24	
0C9006	9006	Aluminium White	300ml	24	
0C9007	9007	Alu-Grey	300ml	24	
0C9010	9010	Pure White	300ml	24	
0C9016	9016	Traffic White	300ml	24	

*** Please note we can source any RAL Colour, on request***

Rainbow Ral Coloured Silicone Sealants are a low modulus, neutral curing silicone sealant with excellent adhesion to many surfaces, including metal, plastic, brick and wood. Rainbow Coloured Silicone contains anti-mould properties ideal for kitchen, bathroom and sanitary uses. Rainbow Ral Silicone Sealant can be used indoors and outdoors, and is unaffected by water, sun and most weather conditions. It does not contract or crack, and it does not sweat. 300ml tube size.



FIRE RATED neutral cure, silicone sealant. Solvent free. Virtually odourless. Primerless adhesion on all common construction materials. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance. Conforms to all international standards including CE marking. External and internal. Fire resistance, up to 4 hours depending on joint configuration.

Firecryl resists the passage of fire and smoke, swells when exposed to temperatures in excess of 120°C. Stays elastic and can be painted over after curing, colourfast and waterproof after curing, very good adhesion on many porous surfaces.

Soudafoam FR click&fix is a one component, self expanding, ready to use polyurethane foam. It has been fitted with the unique patented click&fix adaptor system for maximum comfort in use. It contains propellants, which are completely harmless to the ozone layer. It has a fire rating of up to 260 mins.

Soudafoam FR handheld is a single component, self expanding, ready to use polyurethane foam with propellants which are completely harmless to the ozone layer. It has a fire rating of up to 360 mins in certain configurations.

Soudafoam FR is a one component, self expanding, ready to use polyurethane foam. It contains propellants, which are completely harmless to the ozone layer and greenhouse effect. It has a fire rating of up to 240 mins. Gun Grade FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials.



SODAL FIRE SILICONE B1 FR

Part No.	Colour	Fill	Box Qty	Price
OS147413	White	310ml	15	
OS102530	Grey	310ml	15	
OS147411	Black	310ml	15	
OS122156	White	600ml	12	
OS109952	Grey	600ml	12	

SODAL FIRECRYL FR

OS106329	White	310ml	15	
OS107433	Grey	310ml	15	
OS105229	White	600ml	12	
OS110947	Grey	600ml	12	

SODAL Soudafoam FR CLICK&FIX

OS110203		750ml	12	
----------	--	-------	----	--

SODAL Soudafoam FR HANDHELD

OS108289	Pink	750ml	12	
----------	------	-------	----	--

HIGH YIELD FIRE RATED (25% MORE YIELD)

OS153087	Pink	750ml	12	
----------	------	-------	----	--

SODAL Soudafoam FR GUNGRADE

HIGH YIELD FIRE RATED (25% MORE YIELD)

OS153085	Pink	750ml	12	
----------	------	-------	----	--

Trade Expanding Gunfoam B1

OS132730	Blue	750ml	12	
----------	------	-------	----	--



HIGH TEMPERATURE resistant neutral cure silicone sealant. For the sealing of joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Virtually odourless.

- High temperature resistant (up to 280°C)
- External and internal use
- Highly flexible and weatherproof



SOUDAL SILIRUB HT-N

Part No	Description	Fill	Box Qty	Price
0S108266	Black	310ml	15	

HIGH TEMPERATURE resistant acetoxycure silicone sealant. For the sealing of joints which require a high temperature resistance; gaskets, hot water installations, pipework, ovens, furnaces and chimney flues. Virtually odourless

- High temperature resistant (up to 285°C)
- External and internal use
- Highly flexible and weatherproof



SOUDAL SILIRUB HT-A

0S108265	Black	310ml	15	
----------	-------	-------	----	--

HIGH TEMPERATURE resistant fire cement. Excellent adhesion to a wide range of building materials. For the sealing of ovens, furnaces and chimney flues. Hard setting.

- Internal use
- Hard and durable
- High temperature resistant (up to 1500°C)



SOUDAL FIRECEMENT HT

0S108264	Black	310ml	15	
----------	-------	-------	----	--

FIRE RATED non-staining, SMX polymer, sealant and adhesive for use in passive fire protection systems. Totally solvent, silicone and isocyanate free. Highly elastic. Primerless adhesion on most construction materials. Conforms to all international standards including CE marking. For external and internal use.

- Weatherproof
- Paintable with most coatings
- Non staining on porous stone substrates



SOUDAL SOUDASEAL FR

0S113628	Grey	600ml	12	
----------	------	-------	----	--



Fix ALL Flexi is the perfect product if you are in search of one single product which can be used as a sealant and an adhesive to seal or bond in all circumstances.

- All in one Sealant & Adhesive
- Weather & Waterproof
- ALL materials, ALL Surfaces*



SOUDAL FIX ALL FLEXI

Part No	Colour	Fill	Box Qty	Price
OS106036	White	290ml	12	
OS106039	Black	290ml	12	
OS106037	Grey	290ml	12	
OS106038	Brown	290ml	12	

Fix ALL Crystal is the perfect product if you are in search of a sealant-adhesive with the same strong properties as the Fix ALL® Flexi but which is also 100% transparent.

- 100 % Crystal Clear
- Weather & Waterproof
- ALL Materials, ALL Surfaces*



SOUDAL FIX ALL CRYSTAL CLEAR

OS118779	Crystal Clear	290ml	12	
----------	---------------	-------	----	--

Fix ALL High Tack: the strongest. It is the perfect sealant and adhesive to seal and bond in all conditions. Bonds even onto humid surfaces.

- Perfect for heavy bonding
- Weather & Waterproof
- ALL Materials, ALL Surfaces*



SOUDAL FIX ALL HIGH TACK

OS101444	White	290ml	12	
OS101459	Black	290ml	12	
OS101454	Grey	290ml	12	
OS119270	Brown	290ml	12	

Trowellable full surface, elastomeric adhesive. No mixing required. High initial grab. Can be applied on wet and damp surfaces, internally or externally. Mould resistant.



SOUDAL FIX ALL FLOOR & WALL

OS120137	White	4kg	1	
----------	-------	-----	---	--



Fix ALL Turbo is the perfect answer for all super-fast bonding jobs.

- Fixed in 20 minutes
- Perfect for superfast bonding
- ALL Materials, ALL Surfaces*



SODAL FIX ALL TURBO

Part No.	Details	Fill	Box Qty	Price
OS122236	White	290ml	12	
OS146506	Grey	290ml	12	
OS146505	Black	290ml	12	

Super Strong adhesive with high initial tack. Can be applied in all weather conditions. Internal and external use.

- Super clear
- Super strong
- Virtually odourless
- All weather use



SODAL FIX ALL HIGH TACK INVISIBLE

OS131209	Invisible	290ml	12	
----------	-----------	-------	----	--

Extreme duty, high strength adhesive with ULTIMATE initial grab (>400kg/m²). Based on SMX Polymer Technology, X-treme Power provides incredible bond strength and primerless adhesion on most construction materials, including wet and damp surfaces.



SODAL FIX ALL X-TREME POWER

OS127479	White	290ml	12	
----------	-------	-------	----	--

*Not suitable for PE, PP or Teflon



	Food Safe	Paintable	Interior & Exterior	Stays Flexible	Super Strong	UV Resistant	Solvent Free	Mould Resistant
Fix ALL Flexi	✓	✓	✓	✓	✓	✓	✓	✓
Fix ALL High Tack		✓	✓	✓	✓	✓	✓	✓
Fix ALL Crystal	✓	✓	✓	✓	✓	✓	✓	✓
Fix ALL X-Treme Power		✓	✓	✓	✓	✓	✓	✓
Fix ALL Turbo		✓	✓	✓	✓	✓	✓	✓



Soudabond EASY is a high performance polyurethane adhesive foam. Quick and easy to use - no mixing required. Replaces traditional powder based adhesives. The formula combines strong adhesion with filling characteristics, making it suitable for bonding uneven surfaces.



FAST CURING PU plasterboard adhesive that replaces the need for traditional mortar based adhesives; this means no mixing required, avoiding any unnecessary mess. The ready to use adhesive saves time, effort and money. The 600ml Genius Gun canister is capable of bonding up to 9m² of plasterboard panels, which is the equivalent of a 20kg bag of mortar.



SOUDAL SOUDABOND EASY GUN

FILLS & BONDS

Part No	Description	Fill	Box Qty	Price
OS121734	Gun Grade	750ml	12	

Used for the bonding of many building materials, such as insulation panels, plasterboard and the construction of interior walls using lightweight building blocks.

OS128486	Hand Held	750ml	12	
----------	-----------	-------	----	--

OS130426	Genius Gun	750ml	12	
----------	------------	-------	----	--

SOUDAL TRADE PLASTERBOARD

ADHESIVE GUN

OS152328	Orange	750ml	12	
----------	--------	-------	----	--

SOUDABOND 642 DUO

OS152652	Beige	2 x 310ml	6	
----------	-------	-----------	---	--

Soudabond 642 Duo is a high strength 2-component PU assembly adhesive, suitable for the constructional bonding of Aluminium corner angles into cover-frame and wing-frame profiles. Can also be used for bonding of metals in other applications. Suitable for pre- and post-injection systems. Always use in combination with supplied static mixer. Before use, extrude the first 20 g to assure a homogenous mixing of the two components. Functional bonding strength: 5-10h in normal conditions.

SOUDABOND 641

OS130870	Beige	310ml	12	
----------	-------	-------	----	--

Soudabond 641 is a high strength 1-component PU assembly adhesive, suitable for the constructional bonding of aluminum corner angles into cover- and wing-frame profiles. Can also be used for bonding of metals in other applications. Especially developed for pre-injection systems. The functional bonding strength is reached after 24h in normal conditions, full cure in 7 days.



Mirror Adhesive is a high performance, solvent free adhesive used for bonding traditional silver backed mirrors onto all common building substrates such as ceramic tiles, wood, concrete, stone, glass and metal. The highly flexible adhesive provides a strong, permanent bond that remains elastic once cured.



TRADE MIRROR ADHESIVE

0S152327	Grey	290ml	12	
----------	------	-------	----	--

Soudaseal Mirror is a flexible, high strength mirror adhesive based on MS-Polymer®. Compatible with acetone resistant mirrors.



SOUDASEAL MIRROR

0S117339	Light Grey	290ml	12	
----------	------------	-------	----	--

The new **GRIP ALL** series by Soudal combines two different technologies to form the ULTIMATE Grab Adhesive range. The ultra-strong Hybrid Polymer formulation provides superior flexibility within a Grab Adhesive you can rely on for any application. Suitable for use inside and outside, the GRIP ALL Hybrid is a high performance solvent free adhesive that even works on wet and humid surfaces. Once fully cured, it can be painted over with most varieties of paint.



SOUDAL GRIP ALL

SOLVENT FREE

0S152665	Solvent Free	290ml	12	
----------	--------------	-------	----	--

SOLVENT BASED

0S152706	Solvent Based	290ml	12	
----------	---------------	-------	----	--

CLEAR flexible hybrid polymer grab adhesive developed by Soudal using Flexible Bonding Technology. The flexible properties of the adhesive improve the overall durability of the final bond. The grab adhesive can be used inside and outside, in all weather conditions. Can be applied on both damp and humid surfaces.



GRIP ALL HYBRID POLYMER CLEAR

0S152648	Clear	290ml	12	
0S152645	White	290ml	12	
0S152647	Black	290ml	12	
0S152646	Grey	290ml	12	



Polyurethane gun applied, thixotropic construction adhesive.

- Foaming action to fill gaps
- Transparent
- Conforms to DIN EN 204 D4
- Purocol– 15 min open time
- Purocol Express– 5 min open time



SOUDAL PUROCOL

Part No	Description	Fill	Box Qty	Price
0S107300	Purocol	310ml	15	
0S112524	Purocol Express	310ml	12	

PRO 45P liquid wood adhesive.

- Foaming action to fill gaps
- Extra fast
- 5 min open time
- Conforms to DIN EN 204 D4



SOUDAL PRO 45P

0S134052	Brown	750g	6	
0S108982	Brown	5kg	4	

PRO 40P liquid wood adhesive.

- Foaming action to fill gaps
- Extra fast
- 15 min open time
- Conforms to DIN EN 204 D4



SOUDAL PRO 40P

0S108766	Brown	750g	6	
0S108901	Brown	5kg	4	

PRO 30D PVA based wood adhesive.

- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D3



SOUDAL PRO 30D

0S108769	White	750g	6	
0S108900	White	5kg	5	
0S103069	White	20l	1	

PRO 20D PVA based wood adhesive.

- Superfast adhesive
- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D2



SOUDAL PRO 20D

0S108767	White	750g	6	
0S108899	White	5kg	5	
0S103057	White	20l	1	

PRO 10D PVA based wood adhesive.

- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D2



SOUDAL PRO 10D

0S108768	White	750g	6	
0S108898	White	5kg	5	
0S103051	White	20l	1	

Butyrub is a POLYBUTYLENE based, semi-setting elasto-plastic sealant. Very easy to apply. Forms an elastic and tight skin. Can be painted over after 24 hours. Very good adhesion on many building surfaces. UV and weather resistant. Good resistance against chemicals.



BUTYRUB

Part No	Description	Fill	Box Qty	Price
OS101478	Black	310ml	15	
OS102570	Grey	310ml	15	
OS102572	White	310ml	15	

Soudaseal EPDM is a high quality, neutral, elastic, 1-component Hybrid polymer based adhesive sealant for bonding and sealing of EPDM membranes in interior and exterior applications. Soudaseal EPDM is part of Soudal Window System.



SOUDASEAL EPDM

OS130549	Black	600ml	12	
----------	-------	-------	----	--

Neutral cure EPDM sealant

Neutral cure single component silicone based sealant-adhesive in black colour for the sealing and bonding of EPDM based materials.

Silirub MA is specially designed for sealing of joints and bonding of marble and other porous natural stones as well as all glazing jobs.

- 100% Silicone with no extension
- Does not cause staining on porous surfaces such as marble, granite, blue stone
- Suitable for sanitary application
- UV-resistant



SILIRUB EPDM

OS112130	Black	600ml	12	
----------	-------	-------	----	--

SOUDAL SILIRUB MA (MARBLE)

OS105100	Brilliant White	310ml	15	
OS106120	Clear	310ml	15	
OS106252	Black	310ml	15	
OS104547	Travertine	310ml	15	
OS104528	Marble Grey	310ml	15	
OS107725	Portland Stone	310ml	15	
OS114060	Anthracite Grey	310ml	15	
OS117637	Stone Grey	310ml	15	
OS123597	Jasmine	310ml	15	

Silicone Remover is a ready to use gel for the removal of cured sealants. Terpene based. Brush applied. Non sagging.



SOUDAL SILICONE REMOVER

OS102853	100ml	12	
----------	-------	----	--

PU Remover is a ready to use gel for the easy removal of all remains of cured PU Foam.



SOUDAL PU REMOVER

OS115778	100ml	6	
----------	-------	---	--



CAULKING GUNS


Part No	Description	Box Qty	Price
920401	Gun (DIY)	1	
920444	Cox Gun	1	
0S106617	SOUDAL Heavy Duty Caulking Gun	1	



SOUDAL FOAM GUNS



0S110226	Compact PU Foam Gun Click & Fix	1	
0S106016	Design PU Foam Gun Click & Fix	1	
0S119559	SOUDAL Soudatherm Roof Gun (1m)	1	



SEALFIX FOAM GUNS



9207615	Concept Premium Metal Foam Gun 60cm	1	
9207616	Concept Premium Metal Foam Gun 100cm	1	
9207612	Superior Teflon Coated Foam Gun	1	
920763	Premium Metal Foam Gun	1	
920764	Metal Foam Gun	1	



Superior Gun

A fully Teflon coated gun for non stick protection leading to a longer life and with the same easy flow control mechanism as our premium gun this is truly the professional's choice.

Premium Gun

This foam gun has supreme air tightness and with Teflon coated needle and adaptor the gun is easily kept clean for a longer life. Now with easy flow control this foam gun can be used one handed.

Metal Gun

A reliable value for money foam gun with excellent air tightness.

PENOSIL FOAM GUNS

0PEN0-S1FGUN	PENOSIL S1 Easy Foam Gun	1	
--------------	--------------------------	---	--

PENOSIL Foam Gun S1 is a professional foam gun that allows precise dosing and good foam structure.





Thermal insulation



Acoustic insulation



**Insulation of window
& door frames outside**



Airtight Sealing

Soudafoam Window & Door SWS

Part No.	Model	Colour	Fill	Box Qty	Price
OS130577	Gun Grade	Champagne	750ml	12	

AIRTIGHT premium quality polyurethane expanding foam filler for use around windows & doors. Recommended for all A, A+ and A++ windows and doors. Vastly improved thermal and insulation properties. Totally airtight after curing. The product is highly flexible once cured, based on FLEXIFOAM® Technology, which gives improved durability. Can be used at temperatures of between -10 Celsius to +30 Celsius. One component. Rapid curing. Primerless adhesion on most construction materials. Available in Gun Grade. APPLICATIONS Recommended for all A, A+ and A++ windows and doors or any applications where an airtight seal is required. Sealing gaps where improved thermal and acoustic properties are required. Any joint filling which has high and repetitive movement or where vibration resistance is required.



Soudal Acryrub SWS

Part No.	Model	Colour	Fill	Box Qty	Price
OS124483	Cartridge	White	310ml	15	

PREMIUM QUALITY acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces. Highly flexible. Very low emissions - EC-1R PLUS label.

Soudal Silirub Pro N SWS

Part No.	Colour	Fill	Box Qty	Price
OS117152	Clear	310ml	15	
OS121077	Oak	310ml	15	
OS121078	Light Brown	310ml	15	
OS117151	White	310ml	15	
OS121075	Light Concrete	310ml	15	
OS118970	Chocolate Brown	310ml	15	
OS117150	Grey	310ml	15	
OS121076	Manhattan Grey	310ml	15	
OS118969	Black	310ml	15	
OS123754	Brown	310ml	15	

AIRTIGHT, low modulus neutral cure silicone. Virtually odourless. Fast skinning time and final cure. 100% silicone, no shrinkage. Extra thick-bodied. Excellent toolability. Primerless adhesion on common construction materials. High movement capability. Resistant to weathering and many chemicals. High and low temperature resistance. Contains fungicides.





SOUDAFOAM WINDOW & DOOR



Part NO.	Model	Colour	Fill	Box Qty	Price
0S130582	Gun Grade	Champagne	750ml	12	
0S130581	Hand Held	Champagne	750ml	12	

POLYURETHANE expanding foam filler. Window & door filling formulation with high linear expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials

Featured properties:

- Linear yield FEICA TM1002 - 750ml Gun Grade: 26M
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C



SOUDAFOAM WINDOW & DOOR XTRA



0S130578	Gun Grade	Champagne	750ml	12	
----------	-----------	-----------	-------	----	--

Gun Grade high yield polyurethane expanding foam filler. Window & Door filling formulation with high linear expansion. Fills 50% more metres than standard Soudafoam Window & Door. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Gun Grade with DuraValve for improved yield and performance.



SOUDAFOAM GAP FILLER



0S130585	Gun Grade	Champagne	750ml	12	
0S130589	Click & Fix	Champagne	750ml	12	
0S130584	Hand Held	Champagne	750ml	12	
0S130583	Hand Held	Champagne	500ml	12	

POLYURETHANE expanding foam filler. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.

Featured Properties:

- Polyurethane foam filler
- Volume yield FEICA TM1003 - 750ml Gun Grade: 34L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C



SOUDAFOAM GAP FILLER GENIUS

POLYURETHANE expanding foam filler. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.



Part No.	Model	Colour	Fill	Box Qty	Price
0S130590	Genius	Champagne	600ml	12	

SOUDAL B2 FIRE & ACOUSTIC EXPANDING FOAM



0S128450	Gun Grade	Champagne	750ml	12	
0S128449	Hand Held	Champagne	750ml	12	

FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials.

- Fire rated polyurethane foam filler
- EN1366-4 – Fire resistance, up to 2 hours depending on joint configuration
- Fire class DIN 4102 B2
- Acoustic rating - 58 dB
- Insulation factor - 36mW/mK

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

SOUDAFOAM ONE SHOT

ONE SHOT polyurethane expanding foam filler. Small format packaging for minor filling applications. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.



Part No.	Model	Colour	Fill	Box Qty	Price
OS130575	Hand Held	Champagne	150ml	12	

SOUDAFOAM SMX HAND HELD 500ML WHITE

SMX® POLYMER expanding foam. Environmentally friendly, easy to use, one component. No free isocyanate content. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held.



OS130592	Hand Held	White	500ml	12	
----------	-----------	-------	-------	----	--

Soudafoam 2K is a two-component, selfexpanding, ready-to-use polyurethane foam. Due the high strength is it typically foam for mounting.

- Installing of window- and door-frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Creation of a soundproof screen



SOUDAFOAM® 2K HAND HELD

OS104881	Hand Held	Green	400ml	12	
----------	-----------	-------	-------	----	--

SOUDAL FOAM CLEANER

Solvent based aerosol spray applied, polyurethane foam cleaner. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.



Part No.	Details	Fill	Box Qty	Price
OS130576	Gun & Foam Cleaner	500ml	12	
OS102080	Click & Clean	500ml	12	

Soudalead PB is a high-quality neutral, elastical one-component joint sealant based on silicones. Sealings between lead, treated wood, metal, PVC profiles and glass.



ROOFING

SOUDALEAD

Part No	Description	Fill	Box Qty	Price
OS113146	Grey	310ml	15	

Roof and gutter sealant. Slump resistant. Repair product for leaks in roof elements, gutters and sewage pipes. Cold adhesive for all types of roofing. Emergency repairs, even in wet weather.

- Can be used on dry, damp and wet surfaces
- Multi-surface adhesion
- Seals and bonds



SOUDAL SOUDAFALT

OS102668	Black	310ml	15	
----------	-------	-------	----	--

SOUDATHERM ROOF 250*

COMBI-BOX APPLICATOR PACK



OS128609	5 x Soudatherm 250 800ml	Pack	1	
	1 x Soudafoam 500ml Cleaner			
	1 x Compact Gun			

SOUDATHERM ROOF 250

OS126512	Orange	800ml	12	
----------	--------	-------	----	--

Polyurethane adhesive foam in small canister format for the efficient, clean, economical and durable bonding of roofing insulation boards onto most underlying roofing substrates. The filling characteristics of the adhesive make it suitable for uneven surfaces.





PATINATION OIL



Part No.	Details	Weight	Price
6004500	Patination Oil	1l	

Prevents white carbonate staining on newly fitted Lead

Patination Oil is a white spirit based liquid which provides a protective coating against carbonate formation on the surface of Lead Sheet which can discolour surrounding brickwork or tiles. The oil includes compounds designed to remove light oxide staining to produce a clean metallic surface on application.



LEADAX FIXING CLIPS

For use with above-ground masonry. Leadax fixing clips allow you to attach Leadax into masonry joints quickly and easily. To fix joints 6mm-18mm. 25 clips per bag.

CORTEX® EPDM SYSTEM



Part No.	Size	Details	Price
82010020C.6	100mm x 20m x 0.6mm 0600		
82015020C.6	150mm x 20m x 0.6mm 0600		
82020020C.6	200mm x 20m x 0.6mm 0600		
820200206001	200mm x 2m x 0.6mm 0601	Membrane Butyl Strip	
82030020C.6	300mm x 20m x 0.6mm 0600		
82035020C.6	350mm x 20m x 0.6mm 0600		
82040020C.6	400mm x 20m x 0.6mm 0600		
82045020C.6	450mm x 20m x 0.6mm 0600		

CORTEX 0600 Black coloured EPDM Membrane used for sealing interfaces to provide an airtight and weather tight seal.

The material has a textured surface on both sides to ensure maximum bond strength is achieved. Cortex 0600 does not contain solvents which could later migrate into adjacent surfaces. The product has a very long expected service life and is environmentally friendly.

Lengths Available: 20m





BLM Lead Sheet & flashings provide a lasting protection for a wide range of roofing applications including flashings, valley gutters, porches, dormers, flat and pitched roofs. All of BLMs rolled lead sheet is produced to BS EN 12588 using 100% recycled raw material. Extreme malleability makes it the ideal material for all types of flashing. Lead sheet should be fitted in accordance with BS6915 For further fitting details contact the Lead Sheet Association

Applications: flashings, soakers, valley gutters, porches, dormers, cladding, flat and pitched roofs



LEAD ROLLS

Part No.	Size	Weight	Price
60033150	Code 3, 3m x 150mm	7kg	
60033150C	Code 3, 3m x 150mm	7kg, Cast	
60033240	Code 3, 3m x 240mm	11kg	
60033450	Code 3, 3m x 450mm	20kg	
60033600	Code 3, 3m x 600mm	26kg	

60043150	Code 4, 3m x 150mm	9kg	
60043150C	Code 4, 3m x 150mm	9kg, Cast	
60043240	Code 4, 3m x 240mm	15kg	
60043240C	Code 4, 3m x 240mm	15kg, Cast	
60043300	Code 4, 3m x 300mm	18.5kg	
60043300C	Code 4, 3m x 300mm	18kg, Cast	
60043400	Code 4, 3m x 400mm	25kg	
60043400C	Code 4, 3m x 400mm	25kg, Cast	
60043450	Code 4, 3m x 450mm	28kg, Cast	
60043600	Code 4, 3m x 600mm	37kg	
60046600C	Code 4, 3m x 600mm	37kg, Cast	
60043900	Code 4, 3m x 600mm	56kg	

60046150	Code 4, 6m x 150mm	18kg	
60046150C	Code 4, 6m x 150mm	18kg, Cast	
60046240	Code 4, 6m x 240mm	29kg	
60046240C	Code 4, 6m x 240mm	29kg, Cast	
60046300	Code 4, 6m x 300mm	37kg	
60046300C	Code 4, 6m x 300mm	37kg, Cast	
60046330	Code 4, 6m x 330mm	40kg	
60046390	Code 4, 6m x 390mm	48kg	
60046450	Code 4, 6m x 450mm	55kg	
60046500	Code 4, 6m x 500mm	61kg	
60046600	Code 4, 6mx 600mm	73kg	

60053150	Code 5, 3m x 150mm	11kg	
60053450	Code 5, 3m x 450mm	34kg	
60053100	Code 5, 3m x 1000mm	78kg, Cast	
60056240	Code 5, 6m x 240mm	37kg	
60056300	Code 5, 6m x 300mm	54kg	
600561000	Code 5, 6m x 1000mm	152kg	



SOUDAL WATERSTOP



Part No.	Description	Fill	Box Qty	Price
OS112595	Grey	4KG	1	

Brushable waterproof coating for instant repair in dry, damp and wet conditions. Emergency repair and renovating of roofs, gutters, cupolas etc. Waterproofing of cracks in roofing.

- Can be used on dry, damp and wet surfaces
- Multi-surface adhesion
- UV resistant

BUTYBAND BUTYL



LEAD

Part No	Description	Colour	Box Qty	
OS111088	10m x 75mm	LEAD	8	
OS111089	10m x 100mm	LEAD	8	
OS111090	10m x 150mm	LEAD	4	
OS111091	10m x 225mm	LEAD	4	
OS111092	10m x 300mm	LEAD	4	

BUTYL rubber based, ready to use, self-adhesive, elastoplastic flashing and sealing tape. Fast and excellent adhesion to many substrates. Waterproof. Flexible even when cold. UV and weather resistant. Self-adhesive. Sealing around chimneys, air vents, skylights, window sills and sliding doors. Universal sealing and repairing tape. Sealing of glass constructions. Sealing in general and metal sheet working (e.g. sealing of sectional elements in metal constructions)

- Can be cut, shaped and formed
- Choice of lead or aluminium colour



Applications:

Sealing around chimneys, air vents, skylights, window sills and sliding doors

Universal sealing and repairing tape

Sealing of glass constructions

Sealing in general and metal sheet working (E.g. sealing of sectional elements in constructions)

ALUMINIUM



OS111083	10m x 75mm	ALU	8	
OS111084	10m x 100mm	ALU	8	
OS111085	10m x 150mm	ALU	4	
OS111086	10m x 225mm	ALU	4	
OS111087	10m x 300mm	ALU	4	

FLOORING



SMX-30 PLUS

Part No	Description	Fill	Box Qty	Price
OS124166	Light Brown	16kg	1	

OS124036	3 x 6kg Bags in a Bucket		1	
----------	--------------------------	--	---	--

PREMIUM QUALITY trowellable, SMX polymer based, universal parquet adhesive. Suitable for bonding many types of parquet floors onto suitable indoor substrates. Ready to use, single component, no mixing required. Very high final bond strength - more than 2N/mm². Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood, chipboard and OSB board. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- SMX polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 2 hours
- Sandable - 12 hours
- High final bond strength - more than 2N/mm²
- Suitable for underfloor heating

MS-30 PLUS



OS124204	Light Brown	6kg	1	
----------	-------------	-----	---	--

OS124163	Light Brown	16kg	1	
----------	-------------	------	---	--

OS124167	3 x 6kg Bags in a Bucket		1	
----------	--------------------------	--	---	--

SUPERIOR QUALITY trowellable, hybrid polymer based, parquet adhesive. For bonding many types of parquet onto indoor substrates. Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 3 hours
- Sandable - 16 hours
- High final bond strength - more than 2N/mm²
- Suitable for underfloor heating



MS-20 PLUS

Part No	Description	Fill	Box Qty	Price
OS124203	Light Brown	6kg	1	
OS124165	Light Brown	16kg	1	
OS124164	3 x 6kg Bags in a Bucket		1	

HIGH QUALITY trowellable, hybrid polymer based parquet adhesive. For bonding many types of parquet onto indoor substrates. Single component, no mixing required. Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 160mm with solid wood, 200mm with engineered wood.

- Hybrid polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 8 hours
- Sandable - 24 hours
- High final bond strength - 1.2N/mm²
- Suitable for underfloor heating

SODAL PARQUET & TIMBER SEALANT

High Quality water based acrylic polymer, plasto-elastic one component sealant. Ready to use. Solvent free. Very easy to apply. Colourfast and waterproof. Can be varnished after curing.

- Water based acrylic
- Solvent free
- Fills and seals
- Colour matched to many wood types
- Virtually odourless



OS125587	Ash Maple	300ml	6	
OS125588	Cherry	300ml	6	
OS125589	Medium Oak	300ml	6	
OS125590	Light Oak	300ml	6	
OS125591	Beech	300ml	6	
OS125592	Mocca	300ml	6	
OS125595	Merbau	300ml	6	
OS127174	Dark Grey	300ml	6	
OS127175	Light Grey	300ml	6	
OS132208	Pearl White	300ml	6	

TROWEL

Professional quality notched trowel adhesive spreader. Available in two sizes



OS112946	Small Bead Size (Nr 3)	1	
OS112945	Large Bead Size (Nr 11)	1	




BACKER RODS PU GREY



Part No	Details	Box Qty	Price
OS110283	15mm x 1m	250	
OS110284	20mm x 1m	200	
OS110285	25mm x 1m	100	
OS110286	30mm x 1m	100	
OS110287	40mm x 1m	50	
OS110288	50mm x 1m	50	

Polyurethane based open cell backer rods in 1m lengths

Used to control depth and shape of sealant joints and avoid 3 sided adhesion.



MEMORY FOAM TAPE—Soudaband PRO BG 1

Part No	Description	Colour	Box Qty	Price
OS110265	10mm X 1mm-2mm X 20m	Anthracite	30	
OS121842	12mm X 2mm-6mm x 12m	Anthracite	25	
OS122339	15mm X 6mm-15mm X 4.3m	Anthracite	20	
OS122844	15mm X 5mm-12mm X 5.6m	Anthracite	20	
OS121840	15mm X 4mm-9mm X 8m	Anthracite	20	
OS110268	15mm X 2mm-6mm X 12M	Anthracite	20	
OS110267	15mm X 1mm-4mm X 13m	Anthracite	20	
OS122845	20mm X 9mm-20mm X 3.3m	Anthracite	15	
OS121839	20mm X 6mm-15mm X 4.3m	Anthracite	15	
OS126629	20mm X 4mm-9mm X 8m	Anthracite	15	
OS121841	20mm X 2mm-6mm X 12m	Anthracite	15	
OS126658	20mm X 1mm-4mm x 13m	Anthracite	15	
OS124794	25mm X 11mm-25mm x 2.6m	Anthracite	12	
OS123455	30mm X 4mm-9mm X 8m	Anthracite	10	
OS124793	35mm X 18mm-34mm x 3.3m	Anthracite	8	
OS124795	40mm X 24mm-42mm x 2.6m	Anthracite	7	

Pre-compressed open cell polyurethane foam sealant tape. The tape is impregnated with an adhesive and can be used without primer.

Suitable for interior and exterior use. Sealing between aluminium, PVCu and wooden windows and door frames and walls. Sealing of concrete, steel, timber, brickwork, blockwork and prefabricated constructions.

- Weather resistant to at least 600Pa
- Full UV and rain resistant
- Provides long term thermal and acoustic insulation





AEROSOL SPRAY CANS—CUSTOM FILLED

*** AVAILABLE IN ALL RAL CLASSIC SYSTEM COLOURS**

DIRECTIONS

1. The surface must be clean, dry and dust-free
2. Shake aerosol for at least two minutes, after agitator ball is free
3. Apply in cross coats from distance of 250mm from object
4. Drying time 10-25 minutes
5. After use, turn aerosol upside down and empty valve

Part No	Description	Fill	Box Qty	Price
A610ALFCMC1013	Aerosol Oyster White RAL (1013)	400ml	1	
6101014	Aerosol Ivory RAL (1014)	400ml	1	
610ALFCMI	Aerosol Light Ivory RAL (1015) Gloss	400ml	1	
610ALFC3001	Aerosol Signal Red RAL (3001)	400ml	1	
610DAVBCPRR	Aerosol Ruby Red RAL (3003)	400ml	1	
610ALFCMC3004	Aerosol Purple Red RAL (3004)	400ml	1	
610ALFCMC3005	Aerosol Wine Red RAL (3005)	400ml	1	
610DAVBCPT	Aerosol Tomaten Red RAL (3013)	400ml	1	
610ALFCMC3020	Aerosol Traffic Red RAL (3020)	400ml	1	
610ALFC5001	Aerosol Steel Blue RAL (5001)	400ml	1	
610ALFCMC5002	Aerosol Ultramarine Blue RAL (5002)	400ml	1	
610ALFCMC5003	Aerosol Sapphire Blue RAL (5003)	400ml	1	
610ALFCMC5007	Aerosol Brilliant Blue RAL (5007)	400ml	1	
610ALFCMC5009M	Aerosol Azure Blue RAL (5009)	400ml	1	
610ALFCMC5010	Aerosol Gentian Blue RAL (5010)	400ml	1	
610ALFCMC5011	Aerosol Steel Blue RAL (5011)	400ml	1	
610ALFCMC5020	Aerosol Ocean Blue RAL (5020)	400ml	1	
610ALFCMC6003	Aerosol Olive Green RAL (6003)	400ml	1	
610ALFCMC6005	Aerosol Moss Green RAL (6005)	400ml	1	
610ALFCMC6006	Aerosol Grey Olive RAL (6006)	400ml	1	
610AG6009FG	Aerosol Fir Green RAL (6009)	400ml	1	
610ALFCMC6010	Aerosol Grass Green RAL (6010)	400ml	1	
610ALFCMCBO	Aerosol Black Olive (6015)	400ml	1	
610ALFCMC6016	Aerosol Turquoise Green RAL (6016)	400ml	1	



Automotive Paint Supplies



610ALFCMC6019	Aerosol White Green RAL (6019)	400ml	1	
610DAVBPG	Aerosol Pale Green RAL (6021) Gloss	400ml	1	
610ALFCMC7000	Aerosol Squirrel Grey RAL (7000) Matt	400ml	1	
610ALFCMC7001	Aerosol Silver Grey RAL (7001) Satin	400ml	1	
610ALFCM7	Aerosol Signal Grey RAL (7004) Satin	400ml	1	
610ALFCM	Aerosol Mouse Grey RAL (7005)	400ml	1	
610ALFCMC7006	Aerosol Beige Grey RAL (7006)	400ml	1	
610ALFC7009	Aerosol Green Grey RAL (7009)	400ml	1	
610DAVBC	Aerosol Tarpaulin Grey RAL (7010) Matt	400ml	1	
610ALFCMC7011	Aerosol Iron Grey RAL (7011)	400ml	1	
610DAVBBCPA	Aerosol Basalt Grey (7012) Matt	400ml	1	
610ALFCMC7013	Aerosol Brown Grey RAL (7013)	400ml	1	
610ALFCM7015SG	Aerosol Slate Grey RAL (7015)	400ml	1	
610DAVBBCB	Aerosol Anthracite Grey RAL (7016)	400ml	1	
610DAVBBCBM	Aerosol Anthracite Grey 7016 Matt	400ml	1	
610ALFCMC7016AGG	Aerosol Anthracite Grey RAL (7016) GLOSS	400ml	1	
610ALFCMCBG	Aerosol Black Grey RAL (7021)	400ml	1	
610ALFCMCBGM	Aerosol Black Grey (7021) Matt	400ml	1	
610ALFCMCUG	Aerosol Umbra Grey RAL (7022)	400ml	1	
610ALFCMC7023	Aerosol Concrete Grey RAL (7023)	400ml	1	
610ALFCMC7024	Aerosol Graphite Grey RAL (7024)	400ml	1	
610ALFCMC7030	Aerosol Stone Grey RAL (7030)	400ml	1	
610ALFCMC7031	Aerosol Blue Grey RAL (7031)	400ml	1	
610ALFCMC7032	Aerosol Pebble Grey RAL (7032)	400ml	1	
610ALFCMC7033	Aerosol Cement Grey RAL (7033)	400ml	1	
610ALFCMC7034	Aerosol Yellow Grey RAL (7034)	400ml	1	
610ALFCMC7035	Aerosol Light Grey RAL (7035)	400ml	1	
610ALFCMCDG	Aerosol Dusty Grey RAL (7037)	400ml	1	
610AG7038	Aerosol Agate Grey RAL (7038) Satin	400ml	1	
610DAVBBCPM	Aerosol Agate Grey (7038) Matt	400ml	1	
610ALFCMC7039	Aerosol Quartz Grey RAL (7039)	400ml	1	
610ALFCMC7040	Aerosol Window Grey RAL (7040)	400ml	1	
610ALFCMC7042	Aerosol Traffic Grey A RAL (7042)	400ml	1	
610ALFCMC7043	Aerosol Traffic Grey B RAL (7043)	400ml	1	
610ALFCMCSG	Aerosol Silk Grey RAL (7044)	400ml	1	
610ALFCMC7045	Aerosol Telegrey 1 RAL (7045)	400ml	1	



Part No	Description	Fill	Box Qty	Price
610ALFCMC7046	Aerosol Telegrey 2 RAL (7046)	400ml	1	
610ALFCMCTG	Aerosol Dusty Grey RAL (7047)	400ml	1	
610ALFCMC7047	Aerosol Telegrey 3 RAL (7047)	400ml	1	
610OB8011	Aerosol Ochre Brown RAL (8001) Matt	400ml	1	
610ALFCMC8003	Aerosol Clay Brown RAL (8003)	400ml	1	
610ALFCMC8007	Aerosol Fawn Brown RAL (8007)	400ml	1	
610ALFCMC8014	Aerosol Sepia Brown RAL (8014)	400ml	1	
610ALFCMC8015	Aerosol Chestnut Brown RAL (8015)	400ml	1	
610ALFCMC8017M	Aerosol Chocolate Brown RAL (8017)	400ml	1	
610ALFCMCGB	Aerosol Grey Brown (RAL 8019) Matt	400ml	1	
610DAVBPCB	Aerosol Schwarz Brown RAL (8022)	400ml	1	
610ALFCM8028	Aerosol Terra Brown RAL (8028)	400ml	1	
610ALFCMC9001	Aerosol Grey Cream RAL (9001) Satin	400ml	1	
610ALFCMC9002	Aerosol Grey White RAL (9002) Satin	400ml	1	
610ALFCMC9003	Aerosol Signal White RAL (9003)	400ml	1	
610DALFCMC	Aerosol Signal Black RAL (9004) Satin	400ml	1	
610ALFCMC9005BK	Aerosol Black RAL 9005 Matt	400ml	1	
610ALFCMCJB	Aerosol Jet Black RAL (9005) Matt	400ml	1	
610ALFCMC9005JB	Aerosol Jet Black RAL (9005) Satin	400ml	1	
610TEX481929	Aerosol Plastic Coating Matt Black	400ml	1	
610ALF9006	Aerosol Aluminium White RAL (9006)	400ml	1	
610ALFCMC9007	Aerosol Grey Aluminium RAL (9007) Satin	400ml	1	
610ALFCMC9010	Aerosol Pure White RAL (9010)	400ml	1	
610ALFCMC9016	Aerosol Traffic White RAL (9016)	400ml	1	
610ALFCMC9018	Aerosol Papyrus White RAL (9018)	400ml	1	
610ALFCMC9022	Aerosol Pearl Light Grey RAL (9022)	400ml	1	
610DAVBPCP	Aerosol Chartwell Green	400ml	1	

ETCH PRIMER AEROSOL

Part No	Description	Fill	Box Qty	Price
610ALFPROETCH	Aerosol ETCH PRIMER	500ml	1	

AUTOMOTIVE RANGE

BODY REPAIR

Finishing filler for body repair

Single component nitro-cellulose based finishing putty for the repair of light damage and scratches. Also suited as a finishing layer prior to varnishing or spray painting.



Soudal Celluplast Tube

Part No.	Consistency	Fill	Box Qty	Price
0SA102477	Paste	175ml	12	



Soudal Universal Body-Filler

0SA110347	Paste	2kg	6	
-----------	-------	-----	---	--

Polyester based filler for body repair

Universal application, high quality polyester body filler. Improved performance on zinc and galvanised surfaces. Top quality polyester body filler with excellent adhesion on all types of metals, even when zinc-coated and galvanised. Can be used as a filler and finishing layer.



Soudal Metal Plastic Extra Fine

0SA103425	Paste	2kg	6	
-----------	-------	-----	---	--

Polyester based filler for body repair. Extra fine, high quality two component polyester based body filler for the finishing of damaged surfaces prior to painting. The extra fine formulation is very easy to sand and smoothen.



Soudal Soft Body-Filler

0SA105975	Paste	2kg	6	
-----------	-------	-----	---	--

Sandable, high quality, two component polyester body filler for the repair of damaged surfaces (scratches, dents, tears) in metal. Soft formulation, very easy to mix and apply. Extra soft finish to allow easier sanding of the finished product.




Soudal Spray Filler

0SA100315	Fluid	1L	6	
-----------	-------	----	---	--

Sprayable filler for body repair. Sprayable 2-component Polyester body filler for large surfaces. Can be sanded and finished both wet and dry.

AUTOMOTIVE RANGE

BODY REPAIR



SOUDAL POLY LIQUID

Part No.	Consistency	Fill	Box Qty	Price
OSA103438	Fluid	1kg	6	

Polyester resin for body repair. Pre-accelerated two-component Polyester Resin, to be used in combination with fibre glass tissue for the repair of holes, gaps and cracks in metal, timber and polyester surfaces.



SOUDAL POLYSET

OSA103437	Fluid	1kg	6	
OSA103436	Fluid	250g	12	

Ready to use, all in one repair set. For large scale repairs on metal, wood and polyster surfaces. Contains a pre-accelerated polyester resin, hardener, non-woven fibreglass matting tissue, mixing container, brush and spatula.



SOUDAL POLYFIBER CLEAR

OSA103435	Paste	1.5kg	6	
-----------	-------	-------	---	--

Transparent, high quality and fast curing, glass fibre reinforced two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Pure polyester resin without fillers, reinforced with fibre-glass. Very easy to mix and apply. The glass fibres add additional strength to weakened car body parts.



SOUDAL POLYFIBER

OSA103434	Paste	1.5kg	6	
OSA103431	Paste	250g	12	

High quality, glass fibre reinforced, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes. The glass fibres add additional strength to weakened car body parts.

AUTOMOTIVE RANGE

ANTI-CORROSION

Anti corrosion protection for body repair
Bitumen based coating for the protection of the underbody of cars and trucks and for wheel openings. Creates a flexible noise absorbant layer which protects against rust, corrosion, humidity.



SOUDAL UNDERBODY PROTECTION GUN

Part No.	Consistency	Fill	Box Qty	Price
0SA106703	Tixotropic liquid	1kg	12	

Anti corrosion protection for body repair
Bitumen based coating for the protection of the underbody of cars and trucks and for wheel openings. Creates a flexible noise absorbant layer which protects against rust, corrosion, humidity.



SOUDAL UNDERBODY PROTECTION AEROSOL

Part No.	Consistency	Fill	Box Qty	Price
0SA106702	Tixotropic liquid	500ml	12	

Anti corrosion protection for body repair
Durable flexible coating which protects against stone chips and corrosion to be applied onto spoilers and below the car-body. Creates a fast setting, noise absorbant layer which can be painted.



SOUDAL ANTI GRAVEL AEROSOL

Part No.	Colour	Fill	Box Qty	Price
0SA106706	Black	500ml	12	
0SA106709	Grey	500ml	12	

Anti corrosion protection for body repair
Synthetic rubber based stonechip protective coating. Provides a tough elastic film against rust, salt, sand, stones and gravel. Creates a sound absorbing protective Does not contain bitumen nor asphalt



SOUDAL ANTI GRAVEL GUN

Part No.	Colour	Fill	Box Qty	Price
0SA106707	Black	1kg	12	
0SA106710	Grey	1kg	12	
0SA106708	White	1kg	12	

Anti corrosion protection for body repair
Sprayable coating which protects cavities against rust and corrosion. Fast drying, forming a water repellent, durable brown film once dry.



SOUDAL INCOAT ML AEROSOL

Part No.	Consistency	Fill	Box Qty	Price
0SA106711	Fluid	500ml	12	

AUTOMOTIVE RANGE

ANTI-CORROSION

Anti corrosion protection for body repair
Incoat ML Wax is a ready-to-use anti-corrosion coating, which forms a protective layer inside of wheel arches and empty cavities. The highly water-repellent wax-based cavity sealant forms a durable, waxy, film layer after drying.



SODAL INCOAT ML WAX

Part No.	Consistency	Fill	Box Qty	Price
0SA106713	Fluid	1L	12	


Incoat ML is a ready to use anti-corrosion sprayable coating. The highly water-repellent wax-based cavity sealant forms a durable, waxy, film layer after drying. The coating provides a protective layer in cavities (i.e. wheel arches) against rust and corrosion. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.



SODAL INCOAT ML GUN

Part No.	Consistency	Fill	Box Qty	Price
0SA106712	Fluid	1L	12	

Bitumen based underbody coating. Solvent based. Absorbs heat and noise. Protects the underbody of cars and trucks and wheel openings.



SODAL UNDERBODY

PROTECTION BRUSH

Part No.	Consistency	Fill	Box Qty	Price
0SA106704	Tixotropic liquid	1kg	12	

AUTOMOTIVE RANGE

SEALANTS, ADHESIVES & COATINGS

Heat resistant sealant for engines and heating units. High temperature resistant acetoxysilicone gasket sealant. Withstands temperatures of -60°C up to 285°C. Highly flexible and weatherproof. Can be used to create a temperature resistant gasket for motor parts, sealing between metal parts, sealing applications in motors, pumps and heating units.



SODAL GASKETSEAL

Part No.	Colour	Fill	Box Qty	Price
0SA103460	Red	310ml	12	

Self levelling floor coating
Two component polyurethane based, self-levelling floor coating. High wear resistance. Excellent resistance to many chemicals. Stays elastic. Solvent free. Easy to maintain. To be applied with special roller to prevent air inclusion.



SODAL SODAFLOOR SL2

Part No.	Consistency	Fill	Box Qty	Price
0SA103483	Fluid	10kg	1	

AUTOMOTIVE RANGE

SEALANTS, ADHESIVES & COATINGS

PU sealant adhesive for body repair

High modulus PU sealant-adhesive with excellent mechanical performance and chemical resistance for a wide range of bonding and sealing applications on metals and polyester.



SODAL CARBOND 940FC

Part No.	Colour	Fill	Box Qty	Price
0SA103445	Black	300ml	12	
0SA103446	Grey	300ml	12	
0SA103447	White	300ml	12	

Seam sealer for body repair

Hybrid Polymer based sealant for welding seams. Very good resistance against all weather conditions, water, oil and gasoline. Easy to apply with specialist MS Sealer applicator gun. Can be painted wet-on-wet with waterborn paints. Professional OEM-like finish. Available in 290ml cartridges in beige and grey.



SODAL MS SEAM SEALER (SPRAYABLE)

Part No.	Colour	Fill	Box Qty	Price
0SA110326	Grey	290ml	12	
0SA110327	Beige	ml	12	

PU sealant adhesive for body repair

Polyurithane based waterproof wind-screen adhesive with airbag homologation. Available in black in 310ml cartridges.



SODAL CARBOND 955DG

Part No.	Consistency	Fill	Box Qty	Price
0SA105894	Stable Paste	310ml	6	

Primer PU sealant adhesive for body repair. Specialist primer to be used on glass prior to the application of Carbond 955 DG. Available in alu bottle of 30ml.



SODAL CARBOND 955DG PRIMER

Part No.	Consistency	Fill	Box Qty	Price
0SA105928	Liquid	30ml	6	

Cleaner PU sealant adhesive for body repair. Specialist cleaner and activator for surfaces prior to the application of Carbond 955DG Primer and Carbond 955DG. Available in alu bottle of 30ml.



SODAL CARBOND 955DG CLEANER

Part No.	Consistency	Fill	Box Qty	Price
0SA105927	Liquid	30ml	6	

Sealant for body repair

Synthetic rubber based sealant for welding seams. Brushable or sprayable, single component sealer. Excellent resistance to water, mineral oil and fuels. Can be painted once dry.



SODAL CAR SEALER (BRUSHABLE)

Part No.	Consistency	Fill	Box Qty	Price
0SA102352	Liquid paste	1kg	6	

Quick-drying cleaner and degreaser for various maintenance and assembly jobs. Cleaning & degreasing mechanical parts. Also suitable for the preparation of surfaces for the application of sealants or adhesives. For the removal of uncured excess MS, PU or silicone sealants, tar residue, grease, wax. Can be used on most surfaces (metal, plastic).



SOUDAL CLEANER/DEGREASER

Part No.	Consistence	Fill	Box Qty	Price
OS119708	Solvent Liquid	400ml	6	

A universal cleaning spray that sprays foam, cleans and degreases, highly soluble, does not drip and does not leave a residue.



SOUDAL MULTI CLEANER

OS119711	Waterbased Cleaning Foam	400ml	6	
----------	--------------------------	-------	---	--

Soudal Sealant Remover is a ready-to-use and fast-working spray based on terpenes for removing hardened silicones and MS polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.



SOUDAL SEALANT REMOVER

OS119709	Mixture based on terpenes	400ml	6	
----------	---------------------------	-------	---	--

Cleaner and degreaser for use prior to the application of Soudal window fabrication products. It can also be used for the removal of excess Aluseal, PU, silicone and hybrid polymers. Cleaning and degreasing window profiles and other non-porous surfaces. Removing excess product (before curing) from surfaces.



SOUDAL SURFACE CLEANER

OS107789	Solvent mixture	500ml	6	
----------	-----------------	-------	---	--

Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.



SOUDAL ADHESIVE REMOVER

Part No.	Consistence	Fillq	Box Qty	Price
0S121929	Solvent mixture	400ml	6	

Silicone Spray is a transparent spray with lubricating and anti-adhesive characteristics based on high-grade silicone oil.



SOUDAL SILICONE SPRAY

0S119704	Water-repellent	400ml	6	
----------	-----------------	-------	---	--

Lithium soap and PTFE based penetrating lubricant and grease. Waterproof. Double action effect; applies like oil, then sets like grease. Anti-corrosive properties.



SOUDAL WHITE GREASE

0S119706	Water-repellent	400ml	6	
----------	-----------------	-------	---	--

High-quality universal spray with 8-fold action: rust dissolver, lubricant, cleaner, water-repellent, penetrating oil, corrosion-resistant, contact spray, shock spray



SOUDAL MULTI SPRAY

0S119707	Water-repellent	400ml	6	
----------	-----------------	-------	---	--

Lubricant oil for all metal and composite parts with LONG LASTING protective PTFE coating. Safe on carbon frames.

General purpose cleaning and lubricant oil spray lubricant that stops oxidation rust and salt corrosion on metal surfaces. It also loosens rusted or corroded nuts and bolts and is ideal for workshop and DIY use. Displaces moisture, prevents rust, and dries out electrical systems. Protects metal from rust and corrosion.



GT85 PTFE MAINTENANCE SPRAY 400ML

WDPGT85400	Water-displacer	400ml		
------------	-----------------	-------	--	--



BUILDING CHEMICALS



Maintenance Sprays & Lubricants



Paints



Fillers



Admixtures

TIMCO multi-purpose lubricant has been developed to penetrate, loosen, maintain, protect and clean metal surfaces.

- Premium quality oil suspended in a low viscosity dispersing fluid
- Specially formulated to rapidly penetrate into hard to reach areas
- Excellent moisture repelling properties
- Maintains lasting performance of a variety of metal components
- Heat resistant from -50°C to +200°C



MULTI-PURPOSE LUBRICANT

Part No.	Key Feature	Fill	Box Qty	Price
237789	Water Resistant	480ml	12	

TIMCO Silicone Lubricant is specifically formulated for long lasting, low odour and non-staining lubrication of plastic, vinyl and rubber materials and components. Ideal for: Window seals and slides, runners, bearings, O-rings, textile equipment and more.

- Low odour
- Long lasting
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening
- Heat resistant from -50°C to +200°C



SILICONE LUBRICANT

237357	Temperature Resistant	380ml	12	
--------	-----------------------	-------	----	--

TIMCO Copper anti-seize is a premium pure copper lubricant with a graphite additive, suspended in a high quality grease. It maintains and protects stainless steel, cast iron, copper & brass components from high temperatures, corrosion and seizure.

- Protects metal against heat, rust, seizure & corrosion
- Copper formulation resists high temperatures
- Heat resistant up to +1100°C



COPPER ANTI-SIZE

237456	Extreme Temperature	380ml	12	
--------	---------------------	-------	----	--

TIMCO white lithium grease is an opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance.

- Highly visible
- Extremely effective in areas requiring water resistance
- Heat resistant from -20°C to +140°C



WHITE LITHIUM GREASE

237482	Temperature Resistant	380ml	12	
--------	-----------------------	-------	----	--

TIMCO chain lubricant is designed to penetrate maintain, protect and clean chain, wire rope and moving metal parts. The high viscosity formula gives excellent lubricant retention, preventing "fling off" and unnecessary wear and maintenance.

- The Molybdenum disulfide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments



CHAIN LUBRICANT

Part No.	Key Feature	Fill	Box Qty	Price
237123	Water Resistant	380ml	12	

TIMCO cutting & tapping lubricant is formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life and ensure a consistent high quality surface finish.

- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tool accuracy
- Suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel
- Complete with an easy-to-use 360° spray nozzle, for precise application in hard to reach and confined spaces



CUTTING & TAPPING LUBRICANT

237159	Anti-Galling	380ml	12	
--------	--------------	-------	----	--

TIMCO welder's anti-spatter is specifically formulated to prevent spatter adhesion to welds, working areas and equipment. Eliminates the need to remove unsightly spatter from welds, significantly reducing working time.

- Can be easily removed after welding
- Low odour and colourless
- Silicone and petroleum free, so does not interfere with post-welding coatings



WELDER'S ANTI-SPATTER

237560	Quick Drying	300ml	12	
--------	--------------	-------	----	--

TIMCO air & gas leak detector is a professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems. 100% non-flammable, water based solutions will react instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak.

- Water based
- Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak



AIR & GAS LEAK DETECTOR

237023	Instant Reaction	300ml	12	
--------	------------------	-------	----	--

A solvent based degreaser, which penetrates, lifts and easily removes heavy oils, grease and tar deposits from most metals and hard plastic surfaces.

Ideal for: automotive, industrial, general workshop maintenance, and surface preparation prior to applying paints, sealants and adhesives.

- Powerful degreasing performance
- Highly effective at penetrating and lifting unwanted contaminants
- Immediately emulsifies with water



OIL & GREASE REMOVER

237156	Removes Dirt & Grime	380ml	12	
--------	----------------------	-------	----	--



Formulated to maximise the adhesion of finishing paints to metals and hard plastics. Ideal for protecting exposed metal surfaces after welding and fabrication.

- The corrosion resistant properties enhance the finish paint performance
- Protects exposed metal surfaces after welding and fabrication
- Excellent high-build formula fills and masks surface imperfections, resulting in a smooth and consistent finish
- Heat resistant from -50°C to +80°C



A multi-purpose acrylic finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals, stainless steel, aluminium, plaster, wood and some plastics.

- The fast drying, UV resistant and flexible formula gives a drip-free application
- Enhanced colour pigments for a long lasting finish
- Heat resistant from -50°C to +80°C



A premium quality zinc spray that gives excellent corrosion resistance, as either a primer or topcoat of metals after grinding, welding, cutting and drilling. The sacrificial zinc coating forms a hard wearing bond to ferrous metals, actively fighting rust and corrosion.

- Sacrificial zinc coating forms a hardwearing bond to ferrous metals
- Actively fights rust and corrosion
- The high zinc purity blends with previous galvanised coatings



Is a durable, corrosion resistant coating formulated to withstand temperatures of up to 650°C. The primerless fast drying formula gives a non-drip, run free application and requires only a single coat.

- During the curing process a heat resistant silicone matrix is formed
- A hardwearing heat and flame resistant protective coating for metal surfaces subjected to extreme heat
- Heat resistant to +650°C



A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces. Ideal for: Highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting and much more.

- Contains built-in bright colour pigments for a bold finish after one pass
- Includes a heavy duty, non-clogging nozzle for inverted use
- Resists all but the most severe chemical and mechanical erasure



PRIMER

Part No.	Colour	Fill	Box Qty	Price
237320	Red Oxide	380ml	12	
237480	Grey	380ml	12	

FINISHING PAINT

237128	Matt Black	380ml	12	
237190	Gloss Black	380ml	12	

COLD GALVANASING PAINT

237750	Galvanised	380ml	12	
--------	------------	-------	----	--

VERY HIGH TEMPERATURE PAINT

237896	Black	380ml	12	
--------	-------	-------	----	--

SURVEY & SPOT MARKER-750ML

Part No.	Colour	Applications	Box Qty	Price
237369	White	General Marker	12	
237025	Yellow	General Marker	12	
237798	Blue	Water	12	
237206	Red	Electricity	12	
237047	Green	Cablework	12	
237225	Black	Covering Old Lines	12	
237900	Orange	Hazards	12	

Solvent based cleaner for PVCu surfaces.

- Solvent based
- Fast acting & drying
- Non smear
- Multi-purpose usage



SOUDAL PVCu FRAME CLEANER

Part No.	Detail	Fill	Box Qty	Price
OS113621	Frame Cleaner	1L	12	

High performance, alcohol based cleaner for the cleaning of different types of glass and glass materials. Fast drying. Non smear formula.

- Alcohol based
- Suitable for industrial scale applications



SOUDAL GLASS & MIRROR CLEANER

OS113620	Glass Cleaner	1L	12	
----------	---------------	----	----	--

Professional quality, sprayable cleaning agent that provides a spotless streak-free finish. Suitable for cleaning most types of glass, mirrors, plastics and other hard surfaces.

- High yield
- No streaks
- Non-drip
- Fast drying



GLASS & MIRROR FOAM CLEANER

OS156176	Foam Glass Cleaner	750ml	12	
----------	--------------------	-------	----	--

Solvent Free cream cleaner for a sparkling finish on PVCu and other materials. Removes ingrained dirt. Can be buffed to a deep and attractive sheen.

- Solvent free cleaner
- Fast acting and drying
- Smear free
- Works on PVCu



SOUDAL CREAM CLEANER

OS113619	Cream Cleaner	1L	12	
----------	---------------	----	----	--

Highly effective, fast acting and drying spray cleaner that removes ingrained dirt and marks on white PVCu frames and other plastics. Also suitable for removing most ingrained dirt, grease, uncured sealant, pencil and pen marks and for cleaning plastic garden furniture.



PVC SPRAY CLEANER

OS156175	Spray Cleaner	750ml	12	
----------	---------------	-------	----	--



Heavy-duty non-woven wipes, designed for the quick and effective removal of sealants, oils, paints and greases from hands, tools and non-porous surfaces.

- Heavy duty cleaning wipes
- Removes many types of contaminants
- Suitable for hands and tools
- Kind to skin



SODAL MULTI WIPES

OS113551	Non Woven Wipes	100 Wipes	6	
----------	-----------------	-----------	---	--

Multi-use wipes formulated to clean and remove wet and semi-cured paint, grease, glues, sealant, adhesive, bitumen, tar, uncured expanding foam, oil, silicone and permanent marker. Contains aloe vera and an anti-bacterial additive.



EXTRA TOUGH BUILDERS WIPES

920SCRUB	Shield Tough Builders Wipes	100 Wipes	6	
----------	-----------------------------	-----------	---	--

A heavy duty textured wipe designed to remove the most stubborn substances such as paint, grease, glue, sealant, adhesives, bitumen, tar, uncured expanding foam and many other wet and semi-cured substances.



TEXTURED HEAVY DUTY BUILDERS WIPES

920HDSCRUB	Shield Textured Heavy Duty Wipes	75 Wipes	6	
------------	----------------------------------	----------	---	--

Super fast solvent adhesive based on cyanoacrylate. For use on non-porous surfaces, high end strength, fast curing. Superglue

Activator can also be used in conjunction with Soudal Superglue. Reduces blooming and odour and improves adhesion time.



SODAL SUPER GLUE

Part No.	Detail	Fill	Box Qty	Price
OS114747	Medium Viscosity	20g	25	
OS124042	High Viscosity	20g	25	
OS124041	Medium Viscosity	50g	25	
OS115107	High Viscosity	50g	25	

Solvent based aerosol spray activator, used in conjunction with Soudal Superglue. Spray applied. Reduces blooming and odour. Improves adhesion time. Non-yellowing.



SODAL ACTIVATOR

OS114746	Activator	200ml	12	
----------	-----------	-------	----	--

Mitre Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator.

- Hi bond strength
- Non yellowing



SODAL MITRE KITS

OS115103	200ml Activator & 50g Glue	12	
----------	----------------------------	----	--

PAPER ROLL TWIN PLY



800150600	195mm x 150m Twin Ply White	6	
973508	150m x 175mm Centrefeed Rolls - Blue	6	
973359	150m x 175mm Centrefeed Rolls - White	6	
973169	66m x 175mm Centrefeed Rolls - Blue - Economy	6	

8001506	195mm x 150m Twin Ply White Embossed	6	
---------	--------------------------------------	---	--

SOUDAL PAPER ROLL

0S123870	150m White 2ply	6	
0S124193	400m White 2ply	2	

PAPER ROLL JUMBO



800480	400m x 28cm Twin Ply White	2	
--------	----------------------------	---	--

TOILET PAPER ROLLS



800100125	320 Sheets	36	
-----------	------------	----	--

Removes grease and dirt. Quick acting, non smearing cleaner. Directions: Lightly spray 15 - 20cm away from the surface to be cleaned. Wipe over using a clean lint free cloth then buff to a sparkling clear finish. Limitations: It is the user's responsibility to determine suitability.



SEALFIX GLASS CLEANER

READY TO USE

Part No.	Description	Box Qty	Price
6001130	Professional Cleaner 1l	12	
6001132	Trade Cleaner 1l	12	
60015	5l	1	

Removes grease and dirt. Quick acting, non smearing cleaner. To dilute: 1:10 concentrate to water ratio for perfect use. Directions: Lightly spray 15 - 20cm away from the surface to be cleaned. Wipe over using a clean lint free cloth then buff to a sparkling clear finish.



SEALFIX GLASS CLEANER CONCENTRATE DILUTE 10-1

60010015	5l	1	
----------	----	---	--

Removes stubborn dirt, grease and sealant residues. Directions: Use strong solvent resistant protective gloves. Put Sealfix Heavy Duty solvent cleaner onto a clean cloth and rub contaminated area. On damaged areas of PVC use ultra fine scotch pad or roll. Polish using Sealfix cream cleaner.



SEALFIX SOLVENT CLEANER

600111	1l	12	
--------	----	----	--

Sealfix Ultraclean is a flammable solvent for the cleaning of marked or soiled PVC. Ultraclean is designed to clean lightly/heavily soiled PVC and PVC-coated components.



SEALFIX ULTRACLEAN SOLVENT CLEANER

6001000	1l	12	
---------	----	----	--

Professional instant super strength bond fast acting, low odour low viscosity solvent based. It is fast acting and ensures a quick bond to most substrates, such as uPVC window trims, wood to wood and porous surfaces. It is suitable for use with most cyanoacrylate adhesives (superglues)



SEALFIX SUPER GLUE ACTIVATOR

600200	200ml	12	
6002004	400ml	12	

SEALFIX SUPER GLUE



Part No	Description	Size	Box Qty	Price
60020	Low Viscosity Super Glue	20g	25	
60021	High Viscosity Super Glue	20g	25	

Cyanoacrylate adhesive. Bonds to PVCu, metal, aluminium and Ceramics.

60050	Low Viscosity Super Glue	50g	25	
60051	High Viscosity Super Glue	50g	25	

DOW CORNING 791

EXTERNAL WEATHERPROOFING

Dow Corning 791 is a one part, weatherproofing silicone sealant that gives excellent unprimed adhesion to most porous and non-porous construction substrates including brickwork, masonry, timber, PVC, glass and most metals.



Part No.	Colour	Fill	Box Qty	Price
DC791B	Black	310ml	12	
DC791W	White	310ml	12	
DC791C310	Clear	310ml	12	
DC791AG	Anthracite Grey	310ml	12	
DC791G310	Grey	310ml	12	
DC791BR	Bronze	310ml	12	

- Excellent weathering characteristics, including resistance to ozone, UV radiation and temperature extremes
- 20-30 minutes working time
- Fast cure—tack free in 30 minutes
- Highly flexible
- Joint movement capacity +/- 50%
- Application temperature range -25 to +50°C

DOW CORNING 784

GLAZING SILICONE SEALANT

A one-part sealant, which has excellent adhesion to a range of porous and nonporous substrates including PVCu, glass, anodised and painted aluminium, metal cladding, brickwork, painted and unpainted wood.



DC784B	Black	310ml	12	
DC784W	White	310ml	12	
DC784C	Clear	310ml	12	
DC784BR	Brown	310ml	12	
DC784A	Aluminium	310ml	12	
DC784G	Grey	310ml	12	

DOW CORNING 799 GLAZE &

GO SILICONE SEALANT

For use in glazing applications that utilise polycarbonate sheeting and for perimeter pointing of door and window frames.



DC799B	Black	310ml	12	
DC799BW	Brilliant White	310ml	12	
DC799G	Grey	310ml	12	
DC799BR	Brown	310ml	12	
DC799C	Clear	310ml	12	
DC799FG	Fir Green	310ml	12	
DC799MG	Moss Green	310ml	12	
DC799WR	Wine Red	310ml	12	

DOW CORNING 781 ACETOXY SILICONE SEALANT

One component, ready to use silicone sealant, which offers fast cure and good weathering characteristics. The excellent adhesive properties of Dow Corning 781 makes it suitable for use on aluminium, glass formica and most other nonporous surfaces.



Part No.	Colour	Fill	Box Qty.	Price
DC781B	Black	310ml	12	
DC781W	White	310ml	12	
DC781G	Grey	310ml	12	
DC781A	Aluminium	310ml	12	
DC781C	Clear	310ml	12	

DOW CORNING 796 PVCU, ALUMINIUM & WOOD SILICONE SEALANT

A neutral silicone suitable for weathersealing between PVCu: aluminium and wood door and window frames and most common construction substrates.



DC796B	Black	310ml	12	
DC796W	White	310ml	12	
DC796G	Grey	310ml	12	
DC796BR	Brown	310ml	12	
DC796BW	Brilliant White	310ml	12	
DC796WW	Warm White	310ml	12	
DC796M	Mahogany	310ml	12	
DC796RW	Rosewood	310ml	12	
DC796CA	Caramel	310ml	12	
DC796GO	Golden Oak	310ml	12	
DC796LB	Light Brown	310ml	12	
DC796FL	French Limestone	310ml	12	
DC796O	Oak	310ml	12	

DOW CORNING 757 WEATHERPROOFING SEALANT FOR PHOTOCATALYTIC CLEAN GLASS

A neutral, Si-hybrid based, component, low modulus Sealant. Designed for use in direct contact with photocatalytic, hydrophilic glass and standard glass.



DC757B	Black	290ml	12	
--------	-------	-------	----	--



DOW CORNING C60 LOW MODULUS SILICONE

A one-part sealant, which has excellent adhesion to a range of porous and nonporous substrates including PVCu, glass, anodised and painted aluminium, metal cladding, brickwork, painted and unpainted wood.



Part No.	Colour	Fill	Box Qty.	Price
DC-C60B	Black	380ml	12	
DC-C60W	White	380ml	12	
DC-C60BR	Brown	380ml	12	
DC-C60PS	Portland Stone	380ml	12	
DC-C60BRE	Brick Red	380ml	12	
DC-C60G	Grey	380ml	12	
DC-C60BUFF	Buff	380ml	12	
DC-C60AG	Anthracite Grey	380ml	12	
DC-C60TR	Translucent	380ml	12	
DC-60MG	Mid Grey	380ml	12	
DC-60MA	Magnolia	380ml	12	

DOW CORNING 895 STRUCTURAL GLAZING SEALANT

One component silicone sealant for structural glazing.

Designed specifically for the structural bonding of glass, metal, and other building components.



DC895BL	Black	310ml	12	
DC895BL600	Black Foil	600ml	12	
DC895WH	White	310ml	12	

- Excellent adhesion to a wide range of substrates
- Odourless and non-corrosive cure system
- One-component product
- Resistant to ozone and temperature extremes

High Performance Construction Sealants



Light Maple
176

Natural Maple
178

Pine
203

Birch
201

Medium Pine
206

Natural Pine
Sap
207

Light Beech
156

Medium
Beech
154

Natural Pine
Heart
208

Medium Maple
Red
179

Beech Decor
155

Natural Oak
140

Spruce/Fir
202

Transparent
900

Transparent
Yellow
901

Transparent
Honey
902

Desert Sand
363

Eggshell
356

Dark
Off-White
355

Pearl White
354

Greyish White
353

Light
Eggshell
352

Light
Off-White
351

Bright White
300

Blue
919

Green
918

Red
917

Yellow
915

Jet Black
RAL 9005

Moss Green
RAL 6005

Window Gray
RAL 7040

Agate Gray
RAL 7038



Light Gray
RAL 7035

Blue Gray
RAL 7031

Traffic White
RAL 9016

Pure White
RAL 9010

Signal White
RAL 9003



KONIG WINDOW DOCTOR

Part No.	Detail	Box Qty	Price
K0614206	Kit	1	

Suitable for repairing minor scratches, dents or bruises to UPVC windows. Contains White, Anthracite Grey, Rosewood, Mahogany, golden Oak and Irish Oak effect UPVC filler.

Various wax colours also sold separately.

KONIG PF COVERING LACQUER

K039614706	White	400ml	
c	Anthracite Grey (RAL 7016)	400ml	

A pigmented covering lacquer with a silk matt finish, available in a range of colours. Suitable for plastic surfaces, lightfast and weather resistant, this lacquer is excellent for the window and door sector.

*Other colours available on request.

KONIG COLOURED PENS

K02437038	Agate Grey RAL 7038	10	
K02439349	Anthracite Grey RAL 7016	10	
K0243164	Antique Walnut	10	
K0243158	Beech	10	
K0243201	Birch	10	
K024302984	Black Brown	10	
K0243144	Brown	10	
K024362090	Brown Red RAL 3011	10	
K0243302	Brownish Oak	10	
K02438000	Chartwell Green	10	
K0243118593	Cherrybase Pen (Golden Oak)	10	
K0243103	Cherrywood	10	
K024373713B	Cream White Pen 73713 /111315	10	
K0243162	Dark Alder Honey	10	
K0243106	Dark Elm Pen	10	
K02431318	Dark Green Pen	10	
K0243122	Dark Macore Pen	10	
K0243114	Dark Mahogany Pen	10	
K0243143	Dark Oak Pen	10	
K0243120	Dark Pear Pen	10	
K0243139	Dark Rosewood Pen	10	
K0243111	Dark Walnut Pen	10	
K024347500	Fabrication White Pen (47500)	10	

Oyster White
RAL 1013

Cream
RAL 9001

Grey White
RAL 9002

A highly pigmented solvent based acrylic resin paint pen with weather resistant properties. The unique valve mechanism in the neck of the pen improves paint flow. This is designed for painting in mitre joints or corner grooves. Featuring a bullet tip for good general coverage.

7

Limba 126	Light Oak 141	Light Elm 105	Dark Elm 106	PTK 43 Rustic Oak 303	Teak 138	PTK 45 Brown Oak 302	PTK 21 Light Walnut 109	PTK 41 Medium Oak 142	Green Oak 301	PTK 44 Dark Oak 143	Sen Ash 211	Medium Alder 160
--------------	------------------	------------------	-----------------	-----------------------------	-------------	----------------------------	-------------------------------	-----------------------------	------------------	---------------------------	----------------	------------------------



K024396006	Irish Oak Pen (960 06)	10	
K02439005	Jet Black Pen RAL 9005	10	
K0243105	Light Elm	10	Dark Beech 158
K02437032	Pebble Grey Pen RAL 7032	10	
K02437035	Light Grey RAL 7035	10	
K0243121	Light Macore Pen	10	PTK 17 Larch 159
K0243113	Light Mahogany	10	
K0243141	Light Oak Pen	10	Medium Alder Decor 161
K0243165	Light Rosewood	10	
K0243109	Light Walnut Pen	10	Dark Alder Honey 162
K0243126	Limba	10	
K02433986B	Mahogany (339 86)	10	
K0243161	Medium Alder Decor	10	
K0243160	Medium Alder	10	Medium Cherrywood 117
K0243142	Medium Oak	10	
K0243119	Medium Pearwood	10	
K0243118596E	Medium Steel Blue	10	
K0243110	Medium Walnut	10	
K0243147615	Moss Green	10	
K0243157	Mud Oak	10	Light Pearwood 118
K0243178	Natural Maple	10	
K0243208	Natural Pine Heart	10	
K0243207	Natural Pine Sapwood	10	
K0243203	Pine	10	PTK 30 Cherrywood 103
K024336486	Poppy Red (3054.05)	10	
K02439010	Pure PX White (168013)	10	
K0243104	Red Cherrywood	10	
K0243303	Rustic Oak	10	Medium Pearwood 119
K0243300	Signal White RAL 9003	10	
K02436229	Silver Grey	10	
K02437015	Slate Grey RAL 7015	10	
K0243138	Teak	10	Dark Pearwood 120
K02439016	Traffic White RAL 9016	10	
K0243112	Walnut Brown Pen	10	
K0243166	Wenge	10	Light Macore 121
K024319814	Wine Red Ren (3005.05-167)	10	

***Konig 0245 Fine Point Pens are available on request**

Please use the colour charts as a guide only. We cannot guarantee exact colour likeness. Photographs and printed colours will vary depending on screen settings and resolutions.

Mud Oak 157	PTK 33 Dark Mahogany 114	Brown Mahogany 163	Walnut Brown 112	Wenge 166	Antique Walnut 164	PTK 11 Dark Walnut 111	Dark Rosewood 139	PTK 10/35 Medium Walnut 110	Dark Macore 122	Brown 144	PTK 36/37 Light Mahogany 113	Red Cherrywood 104
----------------	-----------------------------------	--------------------------	---------------------	--------------	--------------------------	------------------------------	-------------------------	--------------------------------------	--------------------	--------------	---------------------------------------	--------------------------

STELMAX PVC GAP FILLER & SEALANT

Stelmax 1965 & 1961 PVC Gap Filler & Adhesive

For sealing and joining PVC and PVCu to itself and most porous substrates such as brickwork. Product will skin rapidly to prevent penetration of the product surface from foreign bodies and when fully cured will give a water resistant colourfast seal.

Part No.	Details	Colour	Box Qty	Price
998132	PVC Gap Filler 1965 132g	White	16	
998300	PVC Gap Filler 1961 300g	White	20	
9983001	PVC Gap Filler 1961 300g	Mahogany	20	
9983002	PVC Gap Filler 1961 300g	Rosewood	20	
9983003	PVC Gap Filler 1961 300g	Grey	20	
9983004	PVC Gap Filler 1961 300g	Toffee	20	
9983005	PVC Gap Filler 1961 300g	Black	20	

*Other colours available on request



Stelmax 1985 Adhesive

An easily applied PVC resin and solvent based mix. 1985 Adhesive is particularly suitable where bonding is only possible over a small and narrow surface area. When dry, the product will exhibit weathering, UV and chemical resistance similar to that of a good quality rigid PVC.

STELMAX 1985 ADHESIVE

998135W	PVC Adhesive 1985 135g	White	16	
998135C	PVC Adhesive 1985 135g	Clear	16	



Stelmax PVC Filler & Repair Paste

A mix of PVC resins, pigments, plasticiser and solvents that will gap fill and bond readily to form maintenance free joints of exceptional strength when used to bond and fill rigid and plasticized PVC and PVC coated metal.

STELMAX PVC FILLER & REPAIR PASTE

9981325	PVC Filler & Repair Paste 132g	Clear	16	
9983006	PVC Filler & Repair Paste 300g	Anthracite	16	



MULTI-FIX BOLT - HEX HEAD

Part No.	Details	Box Qty	Price
MF650	6.0 x 50mm Hex Flange	100	
MF675	6.0 x 75mm Hex Flange	100	
MF6100	6.0 x 100mm Hex Flange	100	
MF6130	6.0 x 130mm Hex Flange	100	
MF6150	6.0 x 150mm Hex Flange	75	
MF860	8.0 x 60mm Hex Flange	100	
MF875	8.0 x 75mm Hex Flange	100	
MF8100	8.0 x 100mm Hex Flange	50	
MF8130	8.0 x 130mm Hex Flange	50	
MF8150	8.0 x 150mm Hex Flange	50	
MF1060	10.0 x 60mm Hex Flange	50	
MF1075	10.0 x 75mm Hex Flange	50	
MF10100	10.0 x 100mm Hex Flange	50	
MF10130	10.0 x 130mm Hex Flange	50	
MF10150	10.0 x 150mm Hex Flange	25	
MF1275	12.0 x 75mm Hex Flange	50	
MF12100	12.0 x 100mm Hex Flange	25	
MF12130	12.0 x 130mm Hex Flange	25	
MF12150	12.0 x 150mm Hex Flange	25	
MF12200	12.0 x 200mm Hex Flange	25	
MF16100	16.0 x 100mm Hex Flange	10	
MF16150	16.0 x 150mm Hex Flange	10	

This stress free, non-expansion through fixing is the new solution for heavy duty anchoring into concrete, brick, stone, wood and concrete block replacing the need for traditional anchors such as throughbolts, shield, sleeve and drop-in anchors.

- Designed to replace traditional expansion anchors
- TIMCO micro plating technology gives a higher resistance to corrosion and enhances speed of installation
- High-Low parallel threads for ease of insertion and high pull-out values
- Removable & adjustable non-expansion through fixing
- Unique concave thread configuration
- All steel, non-flammable fixing conforming to BS 7671 standard's 18th edition, which requires wiring systems to be supported by materials which are unlikely to prematurely collapse in the event of a fire.



MULTI-FIX BOLT - COUNTERSUNK HEAD

MF860C	8.0 x 60mm CSK Head	100	
MF875C	8.0 x 75mm CSK Head	100	
MF8100C	8.0 x 100mm CSK Head	50	
MF1060C	10.0 x 60mm CSK Head	50	
MF1075C	10.0 x 75mm CSK Head	50	
MF10100C	10.0 x 100mm CSK Head	50	

MULTI-FIX BOLT - PAN HEAD

MF860P	8.0 x 60mm Pan Head	100	
MF875P	8.0 x 75mm Pan Head	100	
MF8100P	8.0 x 100mm Pan Head	50	
MF1060P	10.0 x 60mm Pan Head	50	
MF1075P	10.0 x 75mm Pan Head	50	
MF10100P	10.0 x 100mm Pan Head	50	



For fixing of window and door frames, timber beams, battens, wooden laths, facades, metal profiles, panels etc. into masonry.

SEALFIX RECOMMENDATION:

Brick—6.5mm Drill Block—6mm Drill

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings.



CONCRETE SCREWS



COUNTERSUNK

Part No.	Details	Box Qty	Outer Qty	Price
YELLOW				
145TI7540	7.5mm x 40mm	100	18	
145TI7550	7.5mm x 50mm	100	12	
145TI7560	7.5mm x 60mm	100	12	
145TI7570	7.5mm x 70mm	100	10	
145TI7580	7.5mm x 80mm	100	10	
145TI7590	7.5mm x 90mm	100	10	
145TI75100	7.5mm x 100mm	100	10	
145TI75110	7.5mm x 110mm	100	10	
145TI75120	7.5mm x 120mm	100	8	
145TI75130	7.5mm x 130mm	100	8	
145TI75150	7.5mm x 150mm	100	8	
145TI75180	7.5mm x 180mm	100	6	
145TI75200	7.5mm x 200mm	100	6	



COUNTERSUNK

ZINC				
145TI7580Z	7.5mm x 80mm	100	10	
145TI75100Z	7.5mm x 100mm	100	10	
145TI75120Z	7.5mm x 120mm	100	8	
145TI75150Z	7.5mm x 150mm	100	8	



PANHEAD

ZINC				
145TI7580P	7.5mm x 80mm	100	10	
145TI75100P	7.5mm x 100mm	100	10	
145TI75120P	7.5mm x 120mm	100	8	

CONCRETE PLASTIC COVER CAPS

145100	White Plastic Cover Caps	100	
145103	Brown Plastic Cover Caps	100	
145111	White Dome Cover Caps	100	
145113	Black Dome Cover Caps	100	

SELF-TAPPING SCREWS - PZ - COUNTERSUNK



Used for stitching metal or attaching to metal. A pre-drilled hole is required.

- Countersunk head gives a discreet finish into pre-countersunk holes
- Plated in Trivalent Chromium (Cr3) Zinc
- 60° self-tapping thread for ease of insertion



THIN SHEET



STEEL

Part No	Description	Driver Bit size	Box Qty	Price
ZINC				
400438CCAZ	4 x 3/8" (2.9 x 9.5mm)	No.1	1000	
400612CCAZ	6 x 1/2" (3.5 x 13mm)	No.2	1000	
400658CCAZ	6 x 5/8" (3.5 x 16mm)	No.2	1000	
40061CCAZ	6 x 1" (3.5 x 25mm)	No.2	1000	
4006114CCAZ	6 x 1 1/4" (3.5 x 32mm)	No.2	1000	
4006112CCAZ	6 x 1 1/2" (3.5 x 38mm)	No.2	1000	
00812CCAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000	
400834CCAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000	
40081CCAZ	8 x 1" (4.2 x 25mm)	No.2	1000	
4008114CCAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000	
4008112CCAZ	8 x 1 1/2" (4.2 x 38mm)	No.2	1000	
4008134CCAZ	8 x 1 3/4" (4.2 x 44mm)	No.2	500	
40082CCAZ	8 x 2" (4.2 x 50mm)	No.2	500	
4001034CCAZ	10 3/4" (4.8 x 19mm)	No.2	1000	
400101CCAZ	10 x 1" (4.8 x 25mm)	No.2	1000	
40010114CCAZ	10 x 1 1/4" (4.8 x 32mm)	No.2	1000	
40010112CCAZ	10 x 1 1/2" (4.8 x 38mm)	No.2	500	
400102CCAZ	10 x 2" (4.8 x 50mm)	No.2	500	
40012112CCAZ	12 x 1 1/2" (5.5 x 38mm)	No.3	500	

A2/AUST. STAINLESS STEEL				
2913CCASS	4 x 1/2" (2.9x 13mm)	No.1	200	
2919CCASS	4 x 3/4" (2.9 x 19mm)	No.1	200	
3525CCASS	6 x 1" (3.5 x 25mm)	No.2	200	
3995CCASS	7 x 3/8" (3.9 x 9.5mm)	No.2	200	
3913CCASS	7 x 1/2" (3.9 x 13mm)	No.2	200	
3925CCASS	7 x 1" (3.9 x 25mm)	No.2	200	
3938CCASS	7 x 1 1/2" (3.9 x 38mm)	No.2	200	
4295CCASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200	
4213CCASS	8 x 1/2" (4.2 x 13mm)	No.2	200	
4216CCASS	8 x 5/8" (4.2 x 16mm)	No.2	200	
4219CCASS	8 x 3/4" (4.2 x 19mm)	No.2	200	
4225CCASS	8 x 1" (4.2 x 25mm)	No.2	200	
4232CCASS	8 x 1 1/4" (4.2 x 32mm)	No.2	200	
4238CCASS	8 x 1 1/2" (4.2 x 38mm)	No.2	200	
4819CCASS	10 x 3/4" (4.8 x 19mm)	No.2	200	
4850CCASS	10 x 2" (4.8 x 50mm)	No.2	200	



SELF-TAPPING SCREWS - PZ - PAN HEAD



Used for stitching metal or attaching to metal. A pre-drilled hole is required. Pan head for improved clamping.

- Pan head for extra clamping
- Plated in Trivalent Chromium (Cr3) Zinc
- 60° self-tapping thread for ease of insertion



THIN SHEET



STEEL

Part No	Description	Driver Bit Size	Box Qty	Price
ZINC				
02516CPAZ	2 x 5/16" (2.25 x 8mm)	No.1	1000	
00438CPAZ	4 x 3/8" (2.9 x 9.5mm)	No.1	1000	
00412CPAZ	4 x 1/2" (2.9 x 13mm)	No.1	1000	
00614CPAZ	6 x 1/4" (3.5 x 6.5mm)	No.2	1000	
00638CPAZ	6 x 3/8" (3.5 x 9.5mm)	No.2	1000	
00612CPAZ	6 x 1/2" (3.5 x 13mm)	No.2	1000	
00658CPAZ	6 x 5/8" (3.5 x 16mm)	No.2	1000	
00634CPAZ	6 x 3/4" (3.5 x 19mm)	No.2	1000	
00061CPAZ	6 x 1" (3.5 x 25mm)	No.2	1000	
00838CPAZ	8 x 3/8" (4.2 x 9.5mm)	No.2	1000	
00812CPAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000	
00858CPAZ	8 x 5/8" (4.2 x 16mm)	No.2	1000	
00834CPAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000	
00081CPAZ	8 x 1" (4.2 x 25mm)	No.2	1000	
08114CPAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000	
08112CPAZ	8 x 1 1/2" (4.2 x 38mm)	No.2	1000	
00082CPAZ	8 x 2" (4.2 x 50mm)	No.2	500	
01058CPAZ	10 x 5/8" (4.8 x 16mm)	No.2	1000	
01034CPAZ	10 x 3/4" (4.8 x 19mm)	No.2	1000	
00101CPAZ	10 x 1" (4.8 x 25mm)	No.2	1000	
10114CPAZ	10 x 1 1/4" (4.8 x 32mm)	No.2	1000	
10112CPAZ	10 x 1 1/2" (4.8 x 38mm)	No.2	500	
00102CPAZ	10 x 2" (4.8 x 50mm)	No.2	500	
01212CPAZ	12 x 1/2" (5.5 x 13mm)	No.3	500	
00121CPAZ	12 x 1" (5.5 x 25mm)	No.3	1000	
12112CPAZ	12 x 1 1/2" (5.5 x 38mm)	No.3	500	
01434CPAZ	14 x 3/4" (6.3 x 19mm)	No.3	1000	
A2/AUST. STAINLESS STEEL				
2965CPASS	4 x 1/4" (2.9 x 6.5mm)	No.1	200	
2995CPASS	4 x 3/8" (2.9 x 9.5mm)	No.1	200	
3595CPASS	6 x 3/8" (3.5 x 9.5mm)	No.2	200	
3513CPASS	6 x 1/2" (3.5 x 13mm)	No.2	200	
3519CPASS	6 x 3/4" (3.5 x 19mm)	No.2	200	
3525CPASS	6 x 1" (3.5 x 25mm)	No.2	200	
3938CPASS	7 x 1 1/2" (3.9 x 38mm)	No.2	200	
4295CPASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200	
4213CPASS	8 x 1/2" (4.2 x 13mm)	No.2	200	
4216CPASS	8 x 5/8" (4.2 x 16mm)	No.2	200	
4219CPASS	8 x 3/4" (4.2 x 19mm)	No.2	200	
4225CPASS	8 x 1" (4.2 x 25mm)	No.2	200	
4232CPASS	8 x 1 1/4" (4.2 x 32mm)	No.2	200	
4825CPASS	10 x 1" (4.8 x 25mm)	No.2	200	

SELF-TAPPING SCREWS - PZ –PAN HEAD –CONTINUED

A2/AUST. STAINLESS STEEL				
4832CPASS	10 x 1 1/4" (4.8 x 32mm)	No.2	200	
4838CPASS	10 x 1 1/2" (4.8 x 38mm)	No.2	200	
4850CPASS	10 x 2" (4.8 x 50mm)	No.2	200	
5519CPASS	12 x 3/4" (5.5 x 19mm)	No.3	200	
5525CPASS	12 x 1" (5.5 x 25mm)	No.3	200	

SELF-TAPPING SCREWS - PZ - FLANGE HEAD

Part No	Description	Driver Bit size	Box Qty	Price
ZINC				
00634CFAZ	6 x 3/4" (3.5 x 19mm)	No.2	1000	
00838CFAZ	8 x 3/8" (4.2 x 9.5mm)	No.2	1000	
00812CFAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000	
00858CFAZ	8 x 5/8" (4.2 x 16mm)	No.2	1000	
00834CFAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000	
00081CFAZ	8 x 1" (4.2 x 25mm)	No.2	1000	
08114CFAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000	
01034CFAZ	10 x 3/4" (4.8 x 19mm)	No.2	1000	



THIN SHEET



STEEL

Used for stitching metal or attaching to metal. A pre-drilled hole is required.

- Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw
- 60° self-tapping thread for ease of insertion

A light duty metal to metal screw with a reduced pan to give a flush finish. Silver or organic plated to withstand over 500 hours salt spray test.



A light duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required.



A medium duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required.



A light duty metal to metal screw with a square recess used for interior applications.



A2/AUST. STAINLESS STEEL				
4295CFASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200	
4213CFASS	8 x 1/2" (4.2 x 13mm)	No.2	200	
4219CFASS	8 x 3/4" (4.2 x 19mm)	No.2	200	

METAL FRAMING SCREWS - PH - LOW PROFILE PAN

Part No	Description	Box Qty	Price
116LPP16	4.8mm x 16mm	500	

METAL FRAMING SCREWS - PH - LOW PROFILE WAFER

22LPW	4.8mm x 22mm	200	
-------	--------------	-----	--

METAL FRAMING SCREWS - PH - LOW PROFILE PANCAKE

FP19	5.5mm x 19mm	500	
FP26	5.5mm x 26mm	500	

METAL FRAMING SCREWS - SQUARE RECESS - PAN

00812SPSD	4.2mm x 13mm	1000	
-----------	--------------	------	--

A light duty metal to metal screw with a phillips recess used for interior applications.



METAL FRAMING SCREWS - PH - PAN HEAD

Part No	Description	Box Qty	Price
00658PPSD	3.5mm x 16mm	1000	
00061PPSD	3.5mm x 25mm	1000	
07716PPSD	3.9mm x 11mm	1000	
00812PPSD	4.2mm x 13mm	1000	
812PSD	4.2mm x 13mm	200	
00834PPSD	4.2mm x 19mm	1000	
834PSD	4.2mm x 19mm	200	
00081PPSD	4.2mm x 25mm	1000	
81PSD	4.2mm x 25mm	200	


WING-TIP SELF-DRILLING SCREWS - COUNTERSUNK - PH

FOR TIMBER TO LIGHT SECTION STEEL

Part No	Description	Recess Type (mm)	Box Qty	Price
BI-METAL SCREWS				
BMLW38	4.8mm x 38mm	PH2	200	
BMLW65	5.5mm x 65mm	PH3	200	
BMLW85	5.5mm x 85mm	PH3	100	
EXTERIOR PLATED SCREWS				
LW38S	4.8mm x 38mm	PH2	200	
LW50S	5.5mm x 50mm	PH3	200	
LW65S	5.5mm x 65mm	PH3	200	
LW85S	5.5mm x 85mm	PH3	100	
LW100S	5.5mm x 100mm	PH3	100	
ZINC PLATED SCREWS				
LW32B	4.2mm x 32mm	PH2	200	
LW38B	4.8mm x 38mm	PH2	200	
LW50B	5.5mm x 50mm	PH3	200	
LW65B	5.5mm x 65mm	PH3	200	
LW85B	5.5mm x 85mm	PH3	100	
LW100B	5.5mm x 100mm	PH3	100	
LW130B	5.5mm x 130mm	PH3	100	
LW150B	5.5mm x 150mm	PH3	100	

Specifically designed to attach wood to light section steel (Max. 4mm). Coarse self-tapping thread with wings designed to ream out the timber, so the screw can achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal.

- Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body
- Exterior plating gives a reliable and durable corrosion resistant coating which resists 1,000 hours salt-spray




WING-TIP SELF-DRILLING SCREWS - COUNTERSUNK - PH

FOR TIMBER TO HEAVY SECTION STEEL

BI-METAL SCREWS				
BMHW55	5.5mm x 55mm	PH3	200	
BMHW65	5.5mm x 65mm	PH3	200	
BMHW85	5.5mm x 85mm	PH3	100	
BMHW120	5.5mm x 120mm	PH3	100	
ZINC PLATED SCREWS				
HW45B	5.5mm x 45mm	PH3	200	
HW65B	5.5mm x 65mm	PH3	200	
HW85B	5.5mm x 85mm	PH3	100	
HW100B	5.5mm x 100mm	PH3	100	
HW120B	5.5mm x 120mm	PH3	100	

Specifically designed to attach wood to metal (Max. 12mm). Metric thread with wings designed to ream out the timber, so the screw can achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal.

- Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body



SELF-DRILLING SCREWS - HEX - FOR LIGHT SECTION COMPOSITE PANEL - BI-METAL - WITH EPDM WASHER

Specifically designed to attach composite panel to light section steel (Max. 5mm). Self-drilling point with hexagon head and split thread.

- Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body



Part No	Description	Fixed Washer (mm)	EPDM Washer	Box Qty	Price
BI-METAL SCREWS					
BMLH70W16	5.5/6.3mm x 70mm	12.0	16.0	100	
BMLH100W16	5.5/6.3mm x 100mm	12.0	16.0	100	
EXTERIOR PLATED SCREWS					
LH82W16B	5.5/6.3mm x 82mm	12.0	16.0	100	
LH98W16B	5.5/6.3mm x 98mm	12.0	16.0	100	
LH115W16B	5.5/6.3mm x 115mm	12.0	16.0	100	

SLASH POINT SCREWS - HEX - FOR TIMBER - EXTERIOR - SILVER - WITH EPDM WASHER

Designed to attach sheet metal (max 0.8mm) to timber. Once installed the EPDM washer prevents water ingress. Exterior plating gives a reliable and durable corrosion resistant coating which resists over 1,000 hours salt-spray.

- Exterior plating gives a reliable and durable corrosion resistant coating which resists 1,000 hours salt-spray
- Single slash point to reduce torque and the risk of timber splitting at low edge distance



Part No	Description	Fixed Washer (mm)	EPDM Washer (mm)	Box Qty	Price
EXTERIOR PLATED SCREWS					
DS25W16B	6.3mm x 25mm	12.0	16.0	100	
DS32W16B	6.3mm x 32mm	12.0	16.0	100	
DS45W16B	6.3mm x 45mm	12.0	16.0	100	
DS45W19B	6.3mm x 45mm	12.0	19.0	100	
DS60W16B	6.3mm x 60mm	12.0	16.0	100	
DS60W19B	6.3mm x 60mm	12.0	19.0	100	
DS80W16B	6.3mm x 80mm	12.0	16.0	100	
DS100W16B	6.3mm x 100mm	12.0	16.0	100	
DS125W16B	6.3mm x 125mm	12.0	16.0	100	
DS150W16B	6.3mm x 150mm	12.0	16.0	100	
ZINC PLATED SCREWS					
ZDS25W16	6.3mm x 25mm	13.0	16.0	100	
ZDS32W16	6.3mm x 32mm	13.0	16.0	100	
ZDS45W16	6.3mm x 45mm	13.0	16.0	100	
ZDS60W16	6.3mm x 60mm	13.0	16.0	100	
ZDS80W16	6.3mm x 80mm	13.0	16.0	100	
ZDS100W16	6.3mm x 100mm	13.0	16.0	100	

EPDM WASHERS - GALVANISED

Metal washer with rubber (EPDM), used to prevent washer ingress.



Part No	Washer (mm)	Hole (mm)	Washer Type	Box Qty	Price
WG16	16	6.8	Galv. Steel	100	
WG19	19	5.8	Galv. Steel	100	
WA29	29	6.8	Aluminium	100	

STITCHING SCREWS - HEX - FOR SHEET STEEL - BI-METAL - WITH EPDM WASHER

Used for stitching two metal roofing sheets together without the need to pre-drill a hole (Max. 1.6mm). Self-drilling point and tapered shank, with a washered hexagon head.

- Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body



Part No	Description	Fixed Washer (mm)	Box Qty	Price
BI-METAL SCREWS				
BMS22W16	6.3mm x 22mm	11.0	100	
EXTERIOR PLATED SCREWS				
S22W16B	6.3mm x 22mm	12.0	100	
S25W16B	6.3mm x 25mm	12.0	100	
ZINC PLATED SCREWS				
ZS22W16	6.3mm x 22mm	11.0	100	

SELF-DRILLING SCREWS - HEX - FOR HEAVY SECTION STEEL - ZINC

Used for attaching metal to heavy section steel (Max. 12mm) without the need to pre-drill a hole



Part No	Description	Fixed Washer (mm)	EPDM Washer	Box Qty	Price
ZINC PLATED SCREWS					
ZH32W16	5.5mm x 32mm	11.0	16.0	100	
ZH38W16	5.5mm x 38mm	11.0	16.0	100	
ZH55W16	5.5mm x 55mm	11.0	16.0	100	
ZH80W16	5.5mm x 80mm	11.0	16.0	100	

SELF-DRILLING SCREWS - HEX - FOR LIGHT SECTION STEEL - BI-METAL



Hex head self-drilling screws, for joining roofing sheets to light section steel (Max. 5.0mm) without the need to pre-drill a hole.

- Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

Part No	Description	Fixed Washer (mm)	EPDM Washer	Box Qty	Price
BI-METAL SCREWS					
BML25	5.5mm x 25mm	11.0	-	100	
BML25W16	5.5mm x 25mm	11.0	16.0	100	
BML32	5.5mm x 32mm	11.0	-	100	
BML38	5.5mm x 38mm	11.0	-	100	
BML38W16	5.5mm x 38mm	11.0	16.0	100	
BML50	5.5mm x 50mm	11.0	-	100	
BML50W16	5.5mm x 50mm	11.0	16.0	100	
BML70	5.5mm x 70mm	11.0	-	100	
BML100	5.5mm x 100mm	11.0	-	100	
BML100W16	5.5mm x 100mm	11.0	16.0	100	



COLLATED DRYWALL SCREWS - COARSE

THREAD - PH - BUGLE - BLACK

Part No.	Details	Box Qty	Price
00025COLDYS	3.5mm x 25mm	1000	
00032COLDYS	3.5mm x 32mm	1000	
4013535COLDYS	3.5mm x 35mm	1000	
4010038COLDYS	3.5mm x 38mm	1000	
00045COLDYS	3.5mm x 45mm	1000	
00050COLDYS	3.5mm x 50mm	1000	
00055COLDYS	3.5mm x 55mm	1000	
00065COLDYS	4.2mm x 65mm	500	
00075COLDYS	4.2mm x 75mm	500	

Used to secure plasterboard to timber stud work. The collated strips are specifically designed to be compatible with all leading power tool brands.

- The collated strips are specifically designed to be compatible with all leading power tool brands



TIMBER STUD WORK



*Partially threaded from 65mm.

COLLATED DRYWALL SCREWS - FINE

THREAD - PH - BUGLE - ZINC

00025COLDZYS	3.5mm x 25mm	1000	
00032COLDZYS	3.5mm x 32mm	1000	
00035COLDZYS	3.5mm x 35mm	1000	
00038COLDZYS	3.5mm x 38mm	1000	
00042COLDZYS	3.5mm x 42mm	1000	
00050COLDZYS	3.5mm x 50mm	1000	
00055COLDZYS	3.5mm x 55mm	1000	

Used to secure plasterboard to drywall and ceiling track systems with a max. of 0.6mm thickness. The collated strips are specifically designed to be compatible with all leading power tool brands.

- The collated strips are specifically designed to be compatible with all leading power tool brands



METAL STUD WORK



COLLATED DRYWALL SCREWS - SELF-

DRILLING - PH - BUGLE - ZINC

00035COLLSD	3.5mm x 35mm	1000	
00040COLLSD	3.5mm x 40mm	1000	
00045COLLSD	3.5mm x 45mm	1000	
00050COLLSD	3.5mm x 50mm	1000	

Self-drilling point to aid fixing plasterboard to wall/ceiling track systems with a max. of 2.0mm thickness. The collated strips are specifically designed to be compatible with all leading power tool brands.

- The collated strips are specifically designed to be compatible with all leading power tool brands



METAL STUD WORK




COLLATED WING-TIP SELF-DRILLING SCREWS -


PH - COUNTERSUNK - EXTERIOR - SILVER

00044COLLW	4.8mm x 44mm	1000	
4865COLLW	4.8mm x 65mm	500	

Specifically designed to attach wood to metal (Max. 4.0mm). Coarse self-tapping thread with wings designed to ream out the timber, this helps the screw achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal. Exterior plating to achieve a high corrosion resistance.



All the features and superior performance of the Classic Multi-Purpose Screw manufactured from A2 Stainless Steel. Ideal where ultimate corrosion resistance is required when fixing to softwoods, hardwood (pre-drilled), chip-board, MDF and plastic. The collated strips are specifically designed to be compatible with all leading power tool brands. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.



COLLATED CLASSIC SCREWS - PZ - DOUBLE COUNTERSUNK - STAINLESS STEEL

Part No.	Details	Box Qty	Price
4040CLASSCOL	4.0mm x 40mm	1000	
4050CLASSCOL	4.0mm x 50mm	1000	

A premium decking screw using the C2 twin-cut technology. Coated with a patented multi-layer corrosion resistant plating to withstand up to 1,000 hours in a salt spray cabinet. This new and innovative design enables the screw to rapidly penetrate the timber, cleanly countersink and securely clamp the decking board to the joists. The collated strips are specifically designed to be compatible with all leading power tool brands.



COLLATED C2 DECKING SCREWS - SQ - COUNTERSUNK - EXTERIOR - GREEN

65C2DCOLL	4.5mm x 65mm	500	
-----------	--------------	-----	--

A single thread woodscrew mainly used in various types of timber and man-made boards.

- The collated strips are specifically designed to be compatible with all leading power tool brands
- Dual thread to assist with clamping



COLLATED SOLO SCREWS - PH - DOUBLE COUNTERSUNK - YELLOW

40SCOLY	4.2mm x 40mm	1000	
50SCOLY	4.2mm x 50mm	1000	
55SCOLY	4.2mm x 55mm	1000	
60SCOLY	4.5mm x 60mm	500	
70SCOLY	4.5mm x 70mm	500	

For attaching internal flooring sheets and planks to timber joists.

- The collated strips are specifically designed to be compatible with all leading power tool brands



COLLATED FLOORING SCREWS - SQ - COUNTERSUNK - YELLOW

401000550COLLF	4.2mm x 55mm	1000	
----------------	--------------	------	--

DRY WALL SCREWS- SELF DRILL

Phillips Bugle Head-Self Drill
Used to secure plasterboard to drywall track and ceiling track systems



Part No.	Details	Box Qty	Price
ZINC			
4013525PSDD	3.5 x 25mm Self Drill	1000	
4013532PSDD	3.5 x 32mm Self Drill	1000	
4013538PSDD	3.5 x 38mm Self Drill	1000	
4013542PSDD	3.5 x 42mm Self Drill	1000	
4013550PSDD	3.5 x 50mm Self Drill	1000	
4013555PSDD	3.5 x 55mm Self Drill	500	
4013965PSDD	3.9 x 65mm Self Drill	500	
4014275PSDD	4.2 x 75mm Self Drill	500	
40148100PSDD	4.8 x 100mm Self Drill	500	
40148125PSDD	4.8 x 125mm Self Drill	100	

SHARP POINT- FINE THREAD

Phillips Bugle Head– Fine Thread
Used to secure plasterboard to drywall track and ceiling track systems



ZINC			
4013525DRYZ	3.5 x 25mm Sharp Point	1000	
4013532DRYZ	3.5 x 32mm Sharp Point	1000	
4013538DRYZ	3.5 x 38mm Sharp Point	1000	
4013542DRYZ	3.5 x 42mm Sharp Point	1000	
4013545DRYZ	3.5 x 45mm Sharp Point	1000	
4013550DRYZ	3.5 x 50mm Sharp Point	1000	
4013555DRYZ	3.5 x 55mm Sharp Point	500	
4013560DRYZ	3.5 x 60mm Sharp Point	500	
4014265DRYZ	4.2 x 65mm Sharp Point	500	
4014275DRYZ	4.2 x 75mm Sharp Point	500	
4014890DRYZ	4.8 x 90mm Sharp Point	500	
40148100DRYZ	4.8 x 100mm Sharp Point	500	
40148125DRYZ	4.8 x 125mm Sharp Point	100	
40148150DRYZ	4.8 x 150mm Sharp Point	100	

SHARP POINT- COARSE THREAD

Phillips Bugle Head– Coarse Thread
Used to secure plasterboard to timber stud work



BLACK			
4013525DRYC	3.5 x 25mm Sharp Point	1000	
4013532DRYC	3.5 x 32mm Sharp Point	1000	
4013535DRYC	3.5 x 35mm Sharp Point	1000	
4013538DRYC	3.5 x 38mm Sharp Point	1000	
4013542DRYC	3.5 x 42mm Sharp Point	1000	
4013545DRYC	3.5 x 45mm Sharp Point	1000	
4013550DRYC	3.5 x 50mm Sharp Point	1000	
4014265DRYC	4.2 x 65mm Sharp Point	500	
4014275DRYC	4.2 x 75mm Sharp Point	500	
40148100DRYC	4.8 x 100mm Sharp Point	500	

Used to secure plasterboard to timber stud work. NOTE: Partially threaded.

- Phillips No.2 recess for a positive drive
- Bugle head to reduce likelihood of damaging the board surface
- 25° super sharp point for ease of penetration
- Coarse thread for extreme hold



DRYWALL SCREWS - COARSE THREAD - PH - BUGLE - YELLOW

Part No	Description	Box Qty	Price
00125DRYCY	4.8mm x 125mm	100	
00150DRYCY	4.8mm x 150mm	100	

Used to secure plasterboard to drywall and ceiling track systems with a max. of 0.6mm thickness.

- Phillips No.2 recess for a positive drive
- Bugle head to reduce likelihood of damaging the board surface
- 25° super sharp point for ease of penetration
- 60° twin-thread offers excellent pull-out values and insertion speed



DRYWALL SCREWS - FINE THREAD - PH - BUGLE - BLACK

00025DRY	3.5mm x 25mm	1000	
00032DRY	3.5mm x 32mm	1000	
00035DRY	3.5mm x 35mm	1000	
00038DRY	3.5mm x 38mm	1000	
00042DRY	3.5mm x 42mm	1000	
00045DRY	3.5mm x 45mm	1000	
4013550DRY	3.5mm x 50mm	1000	
00055DRY	3.5mm x 55mm	500	
00060DRY	3.5mm x 60mm	500	
00065DRY	4.2mm x 65mm	500	
00075DRY	4.2mm x 75mm	500	
00090DRY	4.8mm x 90mm	500	
00100DRY	4.8mm x 100mm	500	

Designed for attaching dense board to timber stud work. The super sharp point and high low thread is specially designed for an excellent fixing into timber.

- Phillips No.2 recess for a positive drive
- Reduced countersunk head for improved countersinking into the dense board
- High-Low thread for increased pull-out value into both timber and thin sheet metal
- Coarse thread for extreme hold
- 25° super sharp point for ease of penetration



DRYWALL SCREWS - DENSE BOARD - PH - REDUCED COUNTERSUNK - BLACK

00030DRYD	3.9mm x 30mm	1000	
00045DRYD	3.9mm x 45mm	1000	
00055DRYD	3.9mm x 55mm	1000	

For fixing dense board or hard boards to wall/ceiling track system with a max. of 0.6mm thickness. The reverse thread is designed to assist countersinking for a flush finish.

- Phillips No.2 recess for a positive drive
- Bugle head to reduce likelihood of damaging the board surface
- 25° super sharp point for ease of penetration
- Reverse thread under the head to assist countersinking into hard/dense boards



DRYWALL SCREWS - REVERSE THREAD - PH - BUGLE - BLACK

00038DRYR	3.9mm x 38mm	1000	
00042DRYR	3.9mm x 42mm	1000	

CEMENT BOARD SCREWS - COUNTER-SUNK WAFER - PH TWIN-CUT



Specifically designed for fixing cement board to timber and thin sheet metal (max. 0.6mm). Self countersinking head for a secure and flush finish. Twin-cut point with a hi-low thread. Exterior grade coating for superior corrosion resistance in damp or corrosive environments, when compared to standard fasteners.

- Organic plating withstands 1,500 hours in salt spray test
- Fixing to timber and thin sheet metal (max. 0.6mm)
- Twin-cut for rapid "pick-up" and reduce torque
- Ribs under the head for improved countersinking

Part No	Description	Box Qty	Price
217283	4.2mm x 32mm	200	
217796	4.2mm x 42mm	200	

CEMENT BOARD SCREWS - COUNTERSUNK WAFER - PH - SELF-DRILLING



217154	4.2mm x 32mm	200	
217228	4.2mm x 42mm	200	

SELF-DRILLING SCREWS - PH - WAFER - ZINC



Used when constructing drywall track and ceiling track systems to stitch the track together (Max. 3.0mm) without the need to pre-drill a hole.

117TI13WHSD	4.2mm x 13mm	1000	
117TI16WHSD	4.2mm x 16mm	1000	
117TI19WHSD	4.2mm x 19mm	1000	
117TI25WHSD	4.2mm x 25mm	1000	

SHARP POINT SCREWS - PH - WAFER - ZINC



Used when constructing drywall track and ceiling track systems to stitch the track together (Max. 0.6mm) without the need to pre-drill a hole.

1178926WHSP	4.2mm x 13mm	1000	
-------------	--------------	------	--

BAYPOLE SCREWS

Baypole Screws

Head: Wafer Flange

Thread: Self Tapping with V
Flute

Tip Design: Self-Drilling
Phillips recess



Part No	Description	Box Qty	Outer Qty	Price
ZINC				
117TI289Z	4.8mm x 40mm	200	15	
117TI290Z	4.8mm x 50mm	200	16	
117TI291Z	4.8mm x 60mm	200	12	
117TI292Z	4.8mm x 70mm	200	12	
117TI293Z	4.8mm x 80mm	200	8	
117TI294Z	4.8mm x 90mm	200	8	
117TI295Z	4.8mm x 100mm	200	8	

REINFORCED FRAME SCREWS

Reinforced Frame Screws

Head: Pan

Thread: Self Tapping with
V Flute

Tip Design: Self-Drilling
Phillips recess



ZINC				
113TI130Z	4.2mm x 13mm	1000		
113TI131Z	4.2mm x 16mm	1000		
113TI132Z	4.2mm x 19mm	1000		
113TI133Z	4.2mm x 25mm	1000		
STAINLESS STEEL MARTENSITIC + RUSP.				
113TI130SS	4.2mm x 13mm	1000		
113TI131SS	4.2mm x 16mm	1000		
113TI132SS	4.2mm x 19mm	1000		
113TI133SS	4.2mm x 25mm	1000		

CILL SCREWS

Cill Screws

Head: Bugle

Thread: Twin

Tip Design: Self-Drilling
Phillips recess



ZINC				
120TI225Z	4.2mm x 50mm	500		
120TI226Z	4.2mm x 55mm	500		
120TI227Z	4.2mm x 65mm	200		

WEATHER BAR SCREWS

Weather Bar Screws

Head: Nipple

Thread: Self Tapping

Tip Design: Self-Drilling
Phillips recess



ZINC				
110TI241Z100	4.2mm x 13mm	100		
110TI241Z	4.2mm x 13mm	1000		

COUNTERSUNK HEAD, SELF-TAPPING THREAD,

SELF-DRILLING POINT

Self Drilling Screws

Head: Countersunk

Thread: Self Tapping

Tip Design: Self-Drilling
Phillips recess



ZINC				
110TI423Z	4.8mm x 25mm	1000		
110TI424Z	4.8mm x 32mm	500		
110TI425Z	4.8mm x 38mm	500		
110TI427Z	4.8mm x 45mm	500		
110TI429Z	4.8mm x 60mm	200		

COUNTERSUNK HEAD, METRIC THREAD, SELF-DRILLING POINT

Self Drilling Screws

Head: Countersunk

Thread: Metric

Tip Design: Self-Drilling
Phillips recess



Part No.	Details	Box Qty	Price
ZINC			
122TI150Z	M4 x 16mm	1000	
122TI151Z	M4 x 19mm	1000	
122TI153Z	M4 x 25mm	1000	
122TI154Z	M4 x 32mm	1000	
122TI155Z	M4 x 38mm	500	

YELLOW			
122TI150Y	M4 x 16mm	1000	
122TI151Y	M4 x 19mm	1000	
122TI153Y	M4 x 25mm	1000	
122TI154Y	M4 x 32mm	1000	
122TI155Y	M4 x 38mm	500	

COUNTERSUNK HEAD, METRIC THREAD, SELF-DRILLING POINT

Self Drilling Screws

Head: Countersunk Facet

Thread: Metric

Tip Design: Self-Drilling
Phillips recess



ZINC			
122TI230Z	M4 x 13mm	1000	
122TI231Z	M4 x 16mm	1000	
122TI232Z	M4 x 19mm	1000	
MARTENSITIC SS + SILVER ORGANIC PLATING			
122TI231SS	M4 x 16mm	1000	

SHALLOW PAN, SELF-TAPPING THREAD, SELF-DRILLING POINT

Self Drilling Friction Stay Screws

Head: Shallow Pan
Countersunk

Thread: Self Tapping

Tip Design: Self-Drilling
Phillips recess



ZINC			
114TI135Z	3.9mm x 16mm	1000	
114TI136Z	3.9mm x 19mm	1000	
114TI137Z	3.9mm x 25mm	1000	
114TI138Z	3.9mm x 29mm	1000	
114TI141Z	4.8mm x 16mm	1000	
114TI142Z	4.8mm x 19mm	1000	
114TI143Z	4.8mm x 23mm	1000	

STAINLESS STEEL MARTENSITIC + RUSP.			
114TI135SS	3.9mm x 16mm	1000	
114TI136SS	3.9mm x 19mm	1000	
114TI137SS	3.9mm x 25mm	1000	
114TI138SS	3.9mm x 29mm	1000	
114TI143SS	4.8mm x 23mm	1000	

SELF DRILLING HEX HEAD SCREWS—*LIGHT DUTY*

Part No.	Details	Box Qty	Price
ZINC			
112L25W16B	5.5mm x 25mm—16mm washer	100	
112L32W16B	5.5mm x 32mm—16mm washer	100	
112L38W16B	5.5mm x 38mm—16mm washer	100	
112L50W16B	5.5mm x 50mm—16mm washer	100	
112L70W16B	5.5mm x 70mm—16mm washer	100	
112L100W16B	5.5mm x 100mm—16mm washer	100	
112L25B	5.5mm x 25mm—no washer	100	
112L32B	5.5mm x 32mm—no washer	100	
112L38B	5.5mm x 38mm—no washer	100	
112L50B	5.5mm x 50mm—no washer	100	
112L70B	5.5mm x 70mm—no washer	100	
112L100B	5.5mm x 100mm—no washer	100	

Self Drilling Hex Head Light Section Steel

Exterior

For urban & industrial
areas with a low salt atmosphere



SELF DRILLING HEX HEAD SCREWS—*HEAVY DUTY*

ZINC			
112H32B	5.5mm x 32mm—no washer	100	
112H38B	5.5mm x 38mm—no washer	100	
112H55B	5.5mm x 55mm—no washer	100	
112H100B	5.5mm x 100mm—no washer	100	
112H32W16B	5.5mm x 32mm—16mm washer	100	
112H38W16B	5.5mm x 38mm—16mm washer	100	
112H55W16B	5.5mm x 55mm—16mm washer	100	
112H65W16B	5.5mm x 65mm—16mm washer	100	
112H80W16B	5.5mm x 80mm—16mm washer	100	
112H100W16B	5.5mm x 100mm—16mm washer	100	

Self Drilling Hex Head Heavy Section Steel

For Urban & Industrial

areas with a low salt atmosphere



SELF DRILLING HEX HEAD SCREWS

ZINC			
112812HWSD	4.2mm x 13mm	1000	
112834HWSD	4.2mm x 19mm	1000	
1121012HWSD	4.8mm x 13mm	1000	
1121058HWSD	4.8mm x 16mm	1000	
1121034HWSD	4.8mm x 19mm	1000	
1121234HWSD	5.5mm x 19mm	500	
112121HWSD	5.5mm x 25mm	500	
11212114HWSD	5.5mm x 32mm	500	
112112HWSD	5.5mm x 38mm	500	
112134HWSD	5.5mm x 45mm	500	

Self Drilling Hex Head Washer Face

Zinc -

For Clean Dry & Low
Humidity Environments



ELEMENT SCREWS

Mechanical jointing screw with special truncated head for fixing either frame to frame or frame to mullions.



Part No.	Details	Box Qty	Price
YELLOW			
116TI191Y	4.8mm x 55mm	200	
116TI192Y	4.8mm x 65mm	200	
116TI193Y	4.8mm x 80mm	200	
116TI194Y	4.8mm x 95mm	200	

WINDOW SCREW—COUNTERSUNK HEAD, SELF-TAPPING THREAD, SELF-DRILLING POINT

Self Drilling Screws

Head: Countersunk
(# with ribs)

Thread: Self Tapping

Tip Design: Self-Drilling
Phillips recess



ZINC			
110TI120Z (#)	3.9mm x 13mm	1000	
110TI121Z	3.9mm x 16mm	1000	
110TI122Z (#)	3.9mm x 19mm	1000	
110TI123Z	3.9mm x 25mm	1000	
110TI126Z	3.9mm x 29mm	1000	
110TI124Z	3.9mm x 32mm	1000	
110TI125Z	3.9mm x 38mm	1000	
110TI127Z	3.9mm x 45mm	500	

YELLOW			
110TI120Y (#)	3.9 mm x 13mm	1000	
110TI121Y (#)	3.9mm x 16mm	1000	
110TI122Y (#)	3.9mm x 19mm	1000	
110TI123Y	3.9mm x 25mm	1000	
110TI124Y	3.9mm x 32mm	1000	
110TI125Y	3.9mm x 38mm	1000	
110TI127Y	3.9mm x 45mm	500	

STAINLESS STEEL MARTENSITIC + RUSP.			
110TI121SS (#)	3.9mm x 16mm	1000	
110TI122SS (#)	3.9mm x 19mm	1000	
110TI123SS	3.9mm x 25mm	1000	
110TI124SS	3.9mm x 32mm	1000	
110TI125SS	3.9mm x 38mm	1000	

WINDOW SCREW—COUNTERSUNK HEAD WITH RIBS, SINGLE THREAD, GIMLET TIP



Part No.	Details	Box Qty	Price
ZINC			
100TI201Z	4.3mm x 16mm	1000	
100TI202Z	4.3mm x 20mm	1000	
100TI204Z	4.3mm x 25mm	1000	
100TI205Z	4.3mm x 30mm	1000	
100TI203Z	4.3mm x 35mm	1000	
100TI206Z	4.3mm x 40mm	1000	
100TI207Z	4.3mm x 45mm	500	
100TI208Z	4.3mm x 55mm	500	

Window Fabrication Screws

Head: Shallow Countersunk
with Ribs

Thread: Single Deep

Tip Design: Gimlet
Phillips recess

YELLOW			
100TI201Y	4.3mm x 16mm	1000	
100TI202Y	4.3mm x 20mm	1000	
100TI204Y	4.3mm x 25mm	1000	
100TI205Y	4.3mm x 30mm	1000	
100TI203Y	4.3mm x 35mm	1000	
100TI206Y	4.3mm x 40mm	1000	
100TI207Y	4.3mm x 45mm	500	
100TI208Y	4.3mm x 55mm	500	

Multiple uses for fitting a variety of hardware to frames where there is no steel or aluminium reinforcement present. Countersunk head with ribs under head for improved countersinking.



STAINLESS STEEL A2			
100TI201SS	4.3mm x 16mm	1000	
100TI202SS	4.3mm x 20mm	1000	
100TI204SS	4.3mm x 25mm	1000	
100TI205SS	4.3mm x 30mm	1000	
100TI203SS	4.3mm x 35mm	1000	
100TI206SS	4.3mm X 40mm	1000	

Multiple uses for fitting a variety of hardware to frames where there is no steel or aluminium reinforcement present. Stainless steel should be used where there is a corrosive environment. Countersunk head with ribs under head for improved countersinking.

COUNTERSUNK HEAD WITH RIBS, SINGLE THREAD, GIMLET TIP

Window Fabrication Screws

Head: Shallow Countersunk
with Ribs

Thread: Single Deep

Tip Design: Gimlet
Phillips recess



Part No.	Details	Box Qty	Price
ZINC			
101TI209Z	4.8mm x 25mm	1000	
101TI210Z	4.8mm x 38mm	1000	
YELLOW			
101TI209Y	4.8mm x 25mm	1000	
STAINLESS STEEL A2			
101TI209SS	4.8mm x 25mm	1000	

SHALLOW PAN COUNTERSUNK HEAD, SINGLE THREAD, GIMLET TIP

Friction Stay to PVCu

Head: Shallow Pan
Countersunk

Thread: Single Deep

Tip Design: Gimlet
Phillips recess



ZINC			
115TI213Z	4.3mm x 16mm	1000	
115TI211Z	4.3mm x 20mm	1000	
115TI212Z	4.3mm x 25mm	1000	
STAINLESS STEEL A2			
115TI213SS	4.3mm x 16mm	1000	
115TI211SS	4.3mm x 20mm	1000	
115TI212SS	4.3mm x 25mm	1000	

SHALLOW PAN WITH SERRATIONS, SINGLE THREAD, GIMLET TIP

Friction Stay to PVCu

Head: Shallow Pan
with Serrations

Thread: Single Deep

Tip Design: Gimlet
Phillips recess



ZINC			
115TI215Z	4.8mm x 16mm	1000	
115TI216Z	4.8mm x 20mm	1000	
115TI217Z	4.8mm x 25mm	1000	
115TI218Z	4.8mm x 30mm	1000	
STAINLESS STEEL A2			
115TI215SS	4.8mm x 16mm	1000	
115TI216SS	4.8mm x 20mm	1000	
115TI217SS	4.8mm x 25mm	1000	
115TI218SS	4.8mm x 30mm	1000	

SHALLOW PAN COUNTERSUNK HEAD, HI-LOW THREAD, SLASH TIP

Friction Stay to PVCu

Head: Shallow Pan
Countersunk

Thread: High/Low

Tip Design: Double Slash
Phillips recess



ZINC			
115TI111Z	4.3mm x 20mm	1000	
115TI112Z	4.3mm x 25mm	1000	

TWIN THREADED WOODSCREWS



Twin Thread Wood Screws

For general applications into soft-woods and various types of hard-wood.

- Designed and manufactured to BS 1210 Standards - major diameter and threads excepted.
- 25° sharp point and single leading thread for a fast start and improved thread acceptance.
- Surface hardened up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.
- Double countersunk, reduces the likelihood of head shear and assists completion of countersinking.



Softwood



Hardwood

Part No.	Details	Box Qty	Price
4" ZINC			
200412CWZ	4 x 1/2" (3.0 x 12mm)	200	
200458CWZ	4 x 5/8" (3.0 x 16mm)	200	
200434CWZ	4 x 3/4" (3.0 x 20mm)	200	
213041CWZ	4 x 1" (3.0 x 25mm)	200	
5" ZINC			
200558CWZ	5 x 5/8" (3.3 x 16mm)	200	
200534CWZ	5 x 3/4" (3.3 x 20mm)	200	
6 INCH			
200612CWZ	6 x 1/2" (3.5 x 12mm)	200	
200658CWZ	6 x 5/8" (3.5 x 16mm)	200	
200634	6 x 3/4" (3.5 x 20mm)	200	
20061	6 x 1" (3.5 x 25mm)	200	
2006114	6 x 1 1/4" (3.5 x 30mm)	200	
206112CWZ	6 x 1 1/2" (3.5 x 40mm)	200	
2006134CWZ	6 x 1 3/4" (3.5 x 45mm)	200	
200062CWZ	6 x 2" (3.5 x 50mm)	200	
7" ZINC			
20758CWZ	7 x 5/8" (3.9 x 16mm)	200	
200734CWZ	7 x 3/4" (3.9 x 20mm)	200	
200071CWZ	7 x 1" (3.9 x 25mm)	200	
207114CWZ	7 x 1 1/4" (3.9 x 33mm)	200	
207112CWZ	7 x 1 1/2" (3.9 x 40mm)	200	
8" ZINC			
200812CWZ	8 x 1/2" (4.0 x 12mm)	200	
200858CWZ	8 x 5/8" (4.0 x 16mm)	200	
200834CWZ	8 x 3/4" (4.0 x 20mm)	200	
20081CWZ	8 x 1" (4.0 x 25mm)	200	
2008114CWZ	8 x 1 1/4" (4.0 x 30mm)	200	
2008112CWZ	8 x 1 1/2" (4.0 x 40mm)	200	
2008134CWZ	8 x 1 3/4" (4.0 x 45mm)	200	
20082CWZ	8 x 2" (4.0 x 50mm)	200	
2008214CWZ	8 x 2 1/4" (4.0 x 55mm)	200	
2008212CWZ	8 x 2 1/2" (4.0 x 60mm)	200	
20083CWZ	8 x 3" (4.0 x 80mm)	200	



TWIN THREADED WOODSCREWS—CONTINUED

Twin Thread Wood Screws

For general applications into softwoods and various types of hardwood.

- Designed and manufactured to BS 1210 Standards - major diameter and threads excepted.
- 25° sharp point and single leading thread for a fast start and improved thread acceptance.
- Surface hardened up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.
- Double countersunk, reduces the likelihood of head shear and assists completion of countersinking.



Softwood



Hardwood

Part No.	Details	Box Qty	Price
10" ZINC			
2001034CWZ	10 x 3/4" (5.0 x 20mm)	200	
200101CWZ	10 x 1" (5.0 x 25mm)	200	
20010114CWZ	10 x 1 1/4" (5.0 x 30mm)	200	
20010112CWZ	10 x 1 1/2" (5.0 x 40mm)	200	
20010134CWZ	10 x 1 3/4" (5.0 x 45mm)	200	
200102CWZ	10 x 2" (5.0 x 50mm)	200	
20010214CWZ	10 x 2 1/4" (5.0 x 55mm)	200	
20010212CWZ	10 x 2 1/2" (5.0 x 60mm)	200	
200103CWZ	10 x 3" (5.0 x 80mm)	200	
20010312CWZ	10 x 3 1/2" (5.0 x 90mm)	100	
200104CWZ	10 x 4" (5.0 x 100mm)	100	
12" ZINC			
200121CWZ	12 x 1" (6.0 x 25mm)	200	
20012114CWZ	12 x 1 1/4" (6.0 x 30mm)	200	
20012112CWZ	12 x 1 1/2" (6.0 x 40mm)	200	
200122CWZ	12 x 2" (6.0 x 50mm)	200	
20012212CWZ	12 x 2 1/2" (6.0 x 60mm)	200	
200123CWZ	12 x 3" (6.0 x 80mm)	100	
200123CWZ	12 x 3 1/2" (6.0 x 90mm)	100	
200124	12 x 4" (6.0 x 100mm)	100	

CLASSIC PAN HEAD SCREWS



YELLOW			
22435012CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 12mm	200	
22435016CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 16mm	200	
22435020CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 20mm	200	
22435025CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 25mm	200	
22440016CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 16mm	200	
22440020CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 20mm	200	
22440025CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 25mm	200	
22440030CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 30mm	200	
22440035CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 35mm	200	
22440040CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 40mm	200	
22440050CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 50mm	200	
22450030CLAP	Classic Wood Screw PZ2 Panhead 5.0 x 30mm	200	
22450050CLAP	Classic Wood Screw PZ2 Panhead 5.0 x 50mm	200	



SOLO YELLOW WOODSCREWS

- 25° sharp point tip for easy penetration into wood and chipboard.
- Double Countersunk
- Made from C10-18 steel.
- 40° deep single thread to provide a secure fixing with high pull-out resistance.
- Fully threaded up to 70mm

Also available in:



Zinc



Part No.	Details	Box Qty	Price
YELLOW			
21030012SOLOC	Solo PZ1 3.0 x 12mm	200	
21030015SOLOC	Solo PZ1 3.0 x 15mm	200	
21030017SOLOC	Solo PZ1 3.0 x 17mm	200	
21030020SOLOC	Solo PZ1 3.0 x 20mm	200	
21030025SOLOC	Solo PZ1 3.0 x 25mm	200	
21030030SOLOC	Solo PZ1 3.0 x 30mm	200	
21035012SOLOC	Solo PZ2 3.5 x 12mm	200	
21035015SOLOC	Solo PZ2 3.5 x 15mm	200	
21035017SOLOC	Solo PZ2 3.5 x 17mm	200	
21035020SOLOC	Solo PZ2 3.5 x 20mm	200	
21035025SOLOC	Solo PZ2 3.5 x 25mm	200	
21035030SOLOC	Solo PZ2 3.5 x 30mm	200	
21035035SOLOC	Solo PZ2 3.5 x 35mm	200	
21035040SOLOC	Solo PZ2 3.5 x 40mm	200	
21035050SOLOC	Solo PZ2 3.5 x 50mm	200	
21040015SOLOC	Solo PZ2 4.0 x 15mm	200	
21040017SOLOC	Solo PZ2 4.0 x 17mm	200	
21040020SOLOC	Solo PZ2 4.0 x 20mm	200	
21040025SOLOC	Solo PZ2 4.0 x 25mm	200	
21040030SOLOC	Solo PZ2 4.0 x 30mm	200	
21040035SOLOC	Solo PZ2 4.0 x 35mm	200	
21040040SOLOC	Solo PZ2 4.0 x 40mm	200	
21040045SOLOC	Solo PZ2 4.0 x 45mm	200	
21040050SOLOC	Solo PZ2 4.0 x 50mm	200	
21040060SOLOC	Solo PZ2 4.0 x 60mm	200	
21040070SOLOC	Solo PZ2 4.0 x 70mm	200	
21040080SOLOC	Solo PZ2 4.0 x 80mm	200	
21045020SOLOC	Solo PZ2 4.5 x 20mm	200	
21045030SOLOC	Solo PZ2 4.5 x 30mm	200	
21045035SOLOC	Solo PZ2 4.5 x 35mm	200	
21045040SOLOC	Solo PZ2 4.5 x 40mm	200	
21045045SOLOC	Solo PZ2 4.5 x 45mm	200	
21045050SOLOC	Solo PZ2 4.5 x 50mm	200	
21045060SOLOC	Solo PZ2 4.5 x 60mm	200	
21045070SOLOC	Solo PZ2 4.5 x 70mm	200	
21045080SOLOC	Solo PZ2 4.5 x 80mm	200	



Plastic



Softwood



Chipboard



Hardwood



SOLO YELLOW WOODSCREWS CONTINUED

Also available in:



Zinc



Part No.	Details	Box Qty	Price
YELLOW			
21050025SOLOC	Solo PZ2 5.0 x 25mm	200	
21050030SOLOC	Solo PZ2 5.0 x 30mm	200	
21050035SOLOC	Solo PZ2 5.0 x 35mm	200	
21050040SOLOC	Solo PZ2 5.0 x 40mm	200	
21050045SOLOC	Solo PZ2 5.0 x 45mm	200	
21050050SOLOC	Solo PZ2 5.0 x 50mm	200	
21050060SOLOC	Solo PZ2 5.0 x 60mm	200	
21050070SOLOC	Solo PZ2 5.0 x 70mm	200	
21050075SOLOC	Solo PZ2 5.0 x 75mm	200	
21050080SOLOC	Solo PZ2 5.0 x 80mm	200	
21050090SOLOC	Solo PZ2 5.0 x 90mm	100	
21050100SOLOC	Solo PZ2 5.0 x 100mm	100	
21050120SOLOC	Solo PZ2 5.0 x 120mm	100	
21060040SOLOC	Solo PZ3 6.0 x 40mm	200	
21060050SOLOC	Solo PZ3 6.0 x 50mm	200	
21060060SOLOC	Solo PZ3 6.0 x 60mm	200	
21060070SOLOC	Solo PZ3 6.0 x 70mm	200	
21060080SOLOC	Solo PZ3 6.0 x 80mm	200	
21060090SOLOC	Solo PZ3 6.0 x 90mm	100	
21060100SOLOC	Solo PZ3 6.0 x 100mm	100	
21060120SOLOC	Solo PZ3 6.0 x 120mm	100	
21060130SOLOC	Solo PZ3 6.0 x 130mm	100	
21060150SOLOC	Solo PZ3 6.0 x 150mm	100	
21060200SOLOC	Solo PZ3 6.0 x 200mm	100	



Plastic



Softwood



Chipboard



Hardwood

A single thread woodscrew mainly used in various types of timber and man-made boards or into masonry with the use of a plastic plug.

- Double countersunk reduces the likelihood of head shear and assists completion of countersinking
- Wax lubricated to enhance screw insertion time, extra driving torque and resistance to corrosion
- 40° deep single thread to provide a secure fixing with high pull-out resistance
- 25° sharp point and single lead for a fast start and improved thread acceptance
- All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length




CLASSIC MULTI PURPOSE SCREWS



- Double Countersunk
- Fully Threaded to 70mm
- Special Thread configuration
- Surface Hardened
- 25° Sharp Point
- Molecular Lubrication

Also available in:



Zinc (222)



A2 Stainless Steel (223)



Plastic



Sheet Metal



Softwood



Chipboard



Hardwood



MDF

Product Code	Description	Box Qty	Price
YELLOW			
22130012CLAF	Classic Wood Screw PZ1 3.0 x 12mm	200	
22130016CLAF	Classic Wood Screw PZ1 3.0 x 16mm	200	
22130020CLAF	Classic Wood Screw PZ1 3.0 x 20mm	200	
22130025CLAF	Classic Wood Screw PZ1 3.0 x 25mm	200	
22130030CLAF	Classic Wood Screw PZ1 3.0 x 30mm	200	
22130035CLAF	Classic Wood Screw PZ1 3.0 x 35mm	200	
22130040CLAF	Classic Wood Screw PZ1 3.0 x 40mm	200	
22135012CLAF	Classic Wood Screw PZ2 3.5 x 12mm	200	
22135016CLAF	Classic Wood Screw PZ2 3.5 x 16mm	200	
22135020CLAF	Classic Wood Screw PZ2 3.5 x 20mm	200	
22135025CLAF	Classic Wood Screw PZ2 3.5 x 25mm	200	
22135030CLAF	Classic Wood Screw PZ2 3.5 x 30mm	200	
22135035CLAF	Classic Wood Screw PZ2 3.5 x 35mm	200	
22135040CLAF	Classic Wood Screw PZ2 3.5 x 40mm	200	
22135045CLAF	Classic Wood Screw PZ2 3.5 x 45mm	200	
22135050CLAF	Classic Wood Screw PZ2 3.5 x 50mm	200	
22140012CLAF	Classic Wood Screw PZ2 4.0 x 12mm	200	
22140016CLAF	Classic Wood Screw PZ2 4.0 x 16mm	200	
22140020CLAF	Classic Wood Screw PZ2 4.0 x 20mm	200	
22140025CLAF	Classic Wood Screw PZ2 4.0 x 25mm	200	
22140030CLAF	Classic Wood Screw PZ2 4.0 x 30mm	200	
22140035CLAF	Classic Wood Screw PZ2 4.0 x 35mm	200	
22140040CLAF	Classic Wood Screw PZ2 4.0 x 40mm	200	
22140045CLAF	Classic Wood Screw PZ2 4.0 x 45mm	200	
22140050CLAF	Classic Wood Screw PZ2 4.0 x 50mm	200	
22140055CLAF	Classic Wood Screw PZ2 4.0 x 55mm	200	
22140060CLAF	Classic Wood Screw PZ2 4.0 x 60mm	200	
22140070CLAF	Classic Wood Screw PZ2 4.0 x 70mm	200	
22140080CLAF	Classic Wood Screw PZ2 4.0 x 80mm	200	
22145016CLAF	Classic Wood Screw PZ2 4.5 x 16mm	200	
22145020CLAF	Classic Wood Screw PZ2 4.5 x 20mm	200	
22145025CLAF	Classic Wood Screw PZ2 4.5 x 25mm	200	
22145030CLAF	Classic Wood Screw PZ2 4.5 x 30mm	200	
22145035CLAF	Classic Wood Screw PZ2 4.5 x 35mm	200	
22145040CLAF	Classic Wood Screw PZ2 4.5 x 40mm	200	

CLASSIC MULTI PURPOSE SCREWS CONTINUED



- Double Countersunk
- Fully Threaded to 70mm
- Special Thread configuration
- Surface Hardened
- 25' Sharp Point
- Molecular lubrication

Also available in:



Zinc (222)



A2 Stainless Steel (223)



Plastic



Sheet Metal



Softwood



Chipboard



Hardwood



MDF

Product Code	Description	Box Qty	Price
YELLOW			
22145045CLAF	Classic Wood Screw PZ2 4.5 x 45mm	200	
22145050CLAF	Classic Wood Screw PZ2 4.5 x 50mm	200	
22145055CLAF	Classic Wood Screw PZ2 4.5 x 55mm	200	
22145060CLAF	Classic Wood Screw PZ2 4.5 x 60mm	200	
22145070CLAF	Classic Wood Screw PZ2 4.5 x 70mm	200	
22145080CLAF	Classic Wood Screw PZ2 4.5 x 80mm	200	
22150020CLAF	Classic Wood Screw PZ2 5.0 x 20mm	200	
22150025CLAF	Classic Wood Screw PZ2 5.0 x 25mm	200	
22150030CLAF	Classic Wood Screw PZ2 5.0 x 30mm	200	
22150035CLAF	Classic Wood Screw PZ2 5.0 x 35mm	200	
22150040CLAF	Classic Wood Screw PZ2 5.0 x 40mm	200	
22150045CLAF	Classic Wood Screw PZ2 5.0 x 45mm	200	
22150050CLAF	Classic Wood Screw PZ2 5.0 x 50mm	200	
22150055CLAF	Classic Wood Screw PZ2 5.0 x 55mm	200	
22150060CLAF	Classic Wood Screw PZ2 5.0 x 60mm	200	
22150070CLAF	Classic Wood Screw PZ2 5.0 x 70mm	200	
22150075CLAF	Classic Wood Screw PZ2 5.0 x 75mm	200	
22150080CLAF	Classic Wood Screw PZ2 5.0 x 80mm	200	
22150090CLAF	Classic Wood Screw PZ2 5.0 x 90mm	100	
22150100CLAF	Classic Wood Screw PZ2 5.0 x 100mm	100	
22150120CLAF	Classic Wood Screw PZ2 5.0 x 120mm	100	
22160040CLAF	Classic Wood Screw PZ3 6.0 x 40mm	200	
22160045CLAF	Classic Wood Screw PZ3 6.0 x 45mm	200	
22160050CLAF	Classic Wood Screw PZ3 6.0 x 50mm	200	
22160060CLAF	Classic Wood Screw PZ3 6.0 x 60mm	200	
22160070CLAF	Classic Wood Screw PZ3 6.0 x 70mm	200	
22160080CLAF	Classic Wood Screw PZ3 6.0 x 80mm	200	
22160090CLAF	Classic Wood Screw PZ3 6.0 x 90mm	100	
22160100CLAF	Classic Wood Screw PZ3 6.0 x 100mm	100	
22160120CLAF	Classic Wood Screw PZ3 6.0 x 120mm	100	
22160130CLAF	Classic Wood Screw PZ3 6.0 x 130mm	100	
22160150CLAF	Classic Wood Screw PZ3 6.0 x 150mm	100	
22160180CLAF	Classic Wood Screw PZ3 6.0 x 180mm	100	
22160200CLAF	Classic Wood Screw PZ3 6.0 x 200mm	100	

C2 MULTI-PURPOSE ADVANCED SCREWS - PZ -

DOUBLE COUNTERSUNK - YELLOW



Using the most modern manufacturing methods and design techniques, the C2 is a revolutionary high performance multi-purpose screw. Designed to give ultimate performance in a multitude of materials, the patented twin-cut point gives a consistent and rapid "pick-up" and reduces timber splitting. These unique features coupled with a synthetic lubrication and dual angle thread results in 52% less insertion torque and 43% quicker insertion time. NOTE: Partially threaded.

- Deep recess to prevent 'cam-out', giving a precise and positive drive control on every screw
- Ribs under head for improved countersinking and to give a smooth and flush finish, also prevents splitting and material damage
- Coated with a high-molecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating
- Dual angle thread gives an ultimate performance and an exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting
- All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length



Plastic



Chipboard



Sheet Metal



Hardwood



Softwood



MDF

Product Code	Description	Box Qty	Price
YELLOW			
23035012C2	3.5mm x 12mm	200	
23035016C2	3.5mm x 16mm	200	
23035020C2	3.5mm x 20mm	200	
23035025C2	3.5mm x 25mm	200	
23035030C2	3.5mm x 30mm	200	
23035040C2	3.5mm x 40mm	200	
23035050C2	3.5mm x 50mm	200	
23040025C2	4.0mm x 25mm	200	
23040030C2	4.0mm x 30mm	200	
23040035C2	4.0mm x 35mm	200	
23040040C2	4.0mm x 40mm	200	
23040045C2	4.0mm x 45mm	200	
23040050C2	4.0mm x 50mm	200	
23040060C2	4.0mm x 60mm	200	
23040070C2	4.0mm x 70mm	200	
23040080C2	4.0mm x 80mm	200	
23045030C2	4.5mm x 30mm	200	
23045040C2	4.5mm x 40mm	200	
23045050C2	4.5mm x 50mm	200	
23045060C2	4.5mm x 60mm	200	
23045070C2	4.5mm x 70mm	200	
23045080C2	4.5mm x 80mm	200	
23050030C2	5.0mm x 30mm	200	
23050040C2	5.0mm x 40mm	200	
23050045C2	5.0mm x 45mm	200	
23050050C2	5.0mm x 50mm	200	
23050060C2	5.0mm x 60mm	200	
23050070C2	5.0mm x 70mm	200	
23050075C2	5.0mm x 75mm	200	
23050080C2	5.0mm x 80mm	200	
23050090C2	5.0mm X 90mm	100	
23050100C2	5.0mm x 100mm	100	
23050120C2	5.0mm x 120mm	100	
23060050C2	6.0mm x 50mm	200	

C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK - CONTINUED



Part No.	Details	Box Qty	Price
YELLOW			
23060060C2	6.0mm x 60mm	200	
23060070C2	6.0mm x 70mm	200	
23060080C2	6.0mm x 80mm	200	
23060090C2	6.0mm x 90mm	100	
23060100C2	6.0mm x 100mm	100	
23060120C2	6.0mm x 120mm	100	
23060130C2	6.0mm x 130mm	100	
23060150C2	6.0mm x 150mm	100	
23060180C2	6.0mm x 180mm	100	
23060200C2	6.0mm x 200mm	100	

C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK



Part No.	Details	Tub Qty	Price
35025C2TUB	3.5 mm x 25mm Yellow	2000	
35030C2TUB	3.5mm x 30mm Yellow	1800	
40025C2TUB	4.0mm x 25mm Yellow	1700	
40030C2TUB	4.0mm x 30mm Yellow	1500	
40040C2TUB	4.0 mm x 40mm Yellow	1200	
40050C2TUB	4.0mm x 50mm Yellow	800	
40060C2TUB	4.0mm x 60mm Yellow	600	
40070C2TUB	4.0mm x 70mm Yellow	500	
40080C2TUB	4.0mm x 80mm Yellow	400	
45040C2TUB	4.5mm x 40mm Yellow	1000	
45050C2TUB	4.5mm x 50mm Yellow	700	
45080C2TUB	4.5mm x 80mm Yellow	375	
50040C2TUB	5.0mm x 40mm Yellow	800	
50050C2TUB	5.0mm x 50mm Yellow	600	
50060C2TUB	5.0mm x 60mm Yellow	400	
50070C2TUB	5.0mm x 70mm Yellow	375	
50080C2TUB	5.0mm x 80mm Yellow	350	
50090C2TUB	5.0mm x 90mm Yellow	325	
50100C2TUB	5.0mm x 100mm Yellow	300	
60100C2TUB	6.0mm x 100mm Yellow	225	



C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK - EXTERIOR - SILVER



Part No.	Details	Tub Qty	Price
40030C2S	4.0mm x 30mm	400	
40040C2S	4.0mm x 40mm	350	
40050C2S	4.0mm x 50mm	300	
40060C2S	4.0mm x 60mm	200	
40070C2S	4.0mm x 70mm	170	
50040C2S	5.0mm x 40mm	200	
50050C2S	5.0mm x 50mm	180	
50060C2S	5.0mm x 60mm	150	
50070C2S	5.0mm x 70mm	120	
50080C2S	5.0mm x 80mm	110	
50100C2S	5.0mm x 100mm	80	
60040C2S	6.0mm x 40mm	150	
60050C2S	6.0mm x 50mm	120	
60070C2S	6.0mm x 70mm	90	
60100C2S	6.0mm x 100mm	60	

All the features and superior performance of the C2 screw complete with an organic plating for optimal corrosion resistance when used in the harshest of environments. Silver colour to match commonly used ironmongery. Ideal for many general external applications.

- Ribs under head for improved countersinking
- Special plating to give 1,000 hours salt spray resistance
- Multi-layer coating consisting of organic top coat barrier and a zinc base layer
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting
- All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length



VELOCITY WOOD SCREWS



- Self-Gripping Double Countersunk Head
- Superior Corrosion Resistance
- Partially Threaded from 40mm
- Anti-Friction Lubrication
- Extreme Grip Thread
- Rapid Twist Shank
- Quick Start Point



Part No.	Details	Box Qty	Price
YELLOW			
25030016VY	Velocity Screw PZ1 3.0 x 16mm	200	
25030020VY	Velocity Screw PZ1 3.0 x 20mm	200	
25030030VY	Velocity Screw PZ1 3.0 x 30mm	200	
25030040VY	Velocity Screw PZ1 3.0 x 40mm	200	
25035012VY	Velocity Screw PZ2 3.5 x 12mm	200	
25035016VY	Velocity Screw PZ2 3.5 x 16mm	200	
25035020VY	Velocity Screw PZ2 3.5 x 20mm	200	
25035025VY	Velocity Screw PZ2 3.5 x 25mm	200	
25035030VY	Velocity Screw PZ2 3.5 x 30mm	200	
25035035VY	Velocity Screw PZ2 3.5 x 35mm	200	
25035040VY	Velocity Screw PZ2 3.5 x 40mm	200	
25035045VY	Velocity Screw PZ2 3.5 x 45mm	200	
25035050VY	Velocity Screw PZ2 3.5 x 50mm	200	
25040012VY	Velocity Screw PZ2 4.0 x 12mm	200	
25040016VY	Velocity Screw PZ2 4.0 x 16mm	200	
25040020VY	Velocity Screw PZ2 4.0 x 20mm	200	
25040025VY	Velocity Screw PZ2 4.0 x 25mm	200	
25040030VY	Velocity Screw PZ2 4.0 x 30mm	200	
25040035VY	Velocity Screw PZ2 4.0 x 35mm	200	
25040040VY	Velocity Screw PZ2 4.0 x 40mm	200	
25040045VY	Velocity Screw PZ2 4.0 x 45mm	200	
25040050VY	Velocity Screw PZ2 4.0 x 50mm	200	
25040060VY	Velocity Screw PZ2 4.0 x 60mm	200	
25040070VY	Velocity Screw PZ2 4.0 x 70mm	200	
25040080VY	Velocity Screw PZ2 4.0 x 80mm	200	
25045030VY	Velocity Screw PZ2 4.5 x 30mm	200	
25045040VY	Velocity Screw PZ2 4.5 x 40mm	200	
25045050VY	Velocity Screw PZ2 4.5 x 50mm	200	
25045055VY	Velocity Screw PZ2 4.5 x 55mm	200	
25045060VY	Velocity Screw PZ2 4.5 x 60mm	200	
25045070VY	Velocity Screw PZ2 4.5 x 70mm	200	
25045080VY	Velocity Screw PZ2 4.5 x 80mm	200	
25050030VY	Velocity Screw PZ2 5.0 x 30mm	200	
25050040VY	Velocity Screw PZ2 5.0 x 40mm	200	
25050045VY	Velocity Screw PZ2 5.0 x 45mm	200	
25050050VY	Velocity Screw PZ2 5.0 x 50mm	200	
25050060VY	Velocity Screw PZ2 5.0 x 60mm	200	
25050070VY	Velocity Screw PZ2 5.0 x 70mm	200	
25050075VY	Velocity Screw PZ2 5.0 x 75mm	200	
25050080VY	Velocity Screw PZ2 5.0 x 80mm	200	
25050090VY	Velocity Screw PZ2 5.0 x 90mm	100	
25050100VY	Velocity Screw PZ2 5.0 x 100mm	100	



VELOCITY WOOD SCREWS CONTINUED



Part No.	Details	Box Qty	Price
YELLOW			
25060040VY	Velocity Screw PZ3 6.0 x 40mm	200	
25060045VY	Velocity Screw PZ3 6.0 x 45mm	200	
25060050VY	Velocity Screw PZ3 6.0 x 50mm	200	
25060060VY	Velocity Screw PZ3 6.0 x 60mm	200	
25060070VY	Velocity Screw PZ3 6.0 x 70mm	200	
25060080VY	Velocity Screw PZ3 6.0 x 80mm	200	
25060090VY	Velocity Screw PZ3 6.0 x 90mm	100	
25060100VY	Velocity Screw PZ3 6.0 x 100mm	100	
25060120VY	Velocity Screw PZ3 6.0 x 120mm	100	
25060130VY	Velocity Screw PZ3 6.0 x 130mm	100	
25060150VY	Velocity Screw PZ3 6.0 x 150mm	100	
25060180VY	Velocity Screw PZ3 6.0 x 180mm	100	
25060200VY	Velocity Screw PZ3 6.0 x 200mm	100	



VELOCITY TORX HEAD WOOD SCREWS



YELLOW			
24050050VYTX	Velocity Screw Torx.25 5.0 x 50mm	200	
24050060VYTX	Velocity Screw Torx.25 5.0 x 60mm	200	
24050070VYTX	Velocity Screw Torx.25 5.0 x 70mm	200	
24050080VYTX	Velocity Screw Torx.25 5.0 x 80mm	200	
24050100VYTX	Velocity Screw Torx.25 5.0 x 100mm	100	
24060080VYTX	Velocity Screw Torx.30 6.0 x 80mm	200	
24060180VYTX	Velocity Screw Torx.30 6.0 x 180mm	100	

The unique patented Velocity screw with a TX drive recess for a more positive drive. The unique patented Velocity screw has been specifically designed to give rapid installation into many different materials, whilst achieving exceptional pull-out resistance. It has been designed to give the user a consistent and reliable product that can be used in a variety of applications. Note: Partially threaded.



CLASSIC BLACK WOOD SCREWS




Part No.	Details	Box Qty	Price
BLACK			
22035016CLAB	Classic Wood Screw PZ2 3.5 x 16mm	200	
22035025CLAB	Classic Wood Screw PZ2 3.5 x 25mm	200	
22040025CLAB	Classic Wood Screw PZ2 4.0 x 25mm	200	
22040030CLAB	Classic Wood Screw PZ2 4.0 x 30mm	200	
22040040CLAB	Classic Wood Screw PZ2 4.0 x 40mm	200	
22045030CLAB	Classic Wood Screw PZ2 4.5 x 30mm	200	
22050030CLAB	Classic Wood Screw PZ2 5.0 x 30mm	200	
22050040CLAB	Classic Wood Screw PZ2 5.0 x 40mm	200	
22050080CLAB	Classic Wood Screw PZ2 5.0 x 80mm	200	

TOILET SEAT COVER CAPS



Part No.	Details	Colour	Box Qty	Price
2108101	4mm Wood Screw	White	1000	
2108102	4mm Wood Screw	Brown	1000	
2108103	4mm Wood Screw	Black	1000	
2108105	4mm Wood Screw	7016 AG	1000	
2108105100	4mm Wood Screw	7016 AG	100	
2108121	5mm Wood Screw	White	1000	
2108122	5mm Wood Screw	Brown	1000	
2108123	5mm Wood Screw	Black	1000	
2108125	5mm Wood Screw	7016 AG	1000	
2108125100	5mm Wood Screw	7016 AG	100	

PUSH FIT COVER CAPS



21010002	4mm Wood Screw	White	1000	
210100022	4mm Wood Screw	Brown	200	
210100023	4mm Wood Screw	Caramel	200	
21010003	5mm Wood Screw	White	1000	
210100033	5mm Wood Screw	Brown	1000	

WALL PLUGS



2801	Red Plug 5mm	100	
2802	Brown Plug 7mm	100	
2803	Blue Plug 10mm	40	
28060MIX	Rawlplug Uno Plug Mix	60	
280600R	Rawlplug Fix Expansion Plug Red 6 x 30mm	600	
280400B	Rawlplug Fix Expansion Plug 7 x 35mm	400	


PASLODE COLLATED NAIL & FUEL CELLS PACKS



IM360CI NAIL & FUEL PACKS

Best in class nails that offer optimum performance and the best quality finish. The bright finish is suitable for indoor applications

- Suitable for indoor applications



Best in class nails that offer optimum performance and the best quality finish. The galvanised plus finish is suitable for external protected applications

- Suitable for indoor and covered outdoor applications

Part No.	Size (mm)	Head Type	Shank Type	Box Qty	Price
TRADE PACK—WITH FUEL CELLS					
BRIGHT					
PAS141083	2.8 x 51 /3CFC	Fully Round	Ring	3300	
PAS141078	2.8 x 63 /3CFC	Fully Round	Ring	3300	
PAS141081	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS141082	3.1 x 90 /2CFC	Fully Round	Ring	2200	
PAS141076	3.1 x 90 /2CFC	Fully Round	Plain	2200	
GALVANISED+					
PAS141075	2.8 x 51 /3CFC	Fully Round	Ring	3300	
PAS141071	2.8 x 63 /3CFC	Fully Round	Ring	3300	
PAS141073	3.1 x 63 /2CFC	Fully Round	Ring	2200	
PAS141072	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS141074	3.1 x 90 /2CFC	Fully Round	Ring	2200	
PAS141070	3.1 x 90 /2CFC	Fully Round	Plain	2200	
HOT DIPPED GALVANISED					
PAS140631	2.8 x 63 /3CFC	Fully Round	Ring	3300	
PAS140625	3.1 x 63 /2CFC	Fully Round	Ring	2200	
PAS140630	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS140628	3.1 x 90 /2CFC	Fully Round	Ring	2200	
PAS140629	3.1 x 90 /2CFC	Fully Round	Plain	2200	

RETAIL PACK—WITH FUEL CELLS					
GALVANISED+					
PAS141080	2.8 x 51 /1CFC	Fully Round	Ring	1100	
PAS141079	2.8 x 63 /1CFC	Fully Round	Ring	1100	
PAS141077	3.1 x 90 /1CFC	Fully Round	Plain	1100	
A2 STAINLESS STEEL					
PAS140624	2.8 x 51 /1CFC	Fully Round	Ring	1100	
PAS140626	2.8 x 63 /1CFC	Fully Round	Ring	1100	
PAS140627	3.1 x 80 /1CFC	Fully Round	Ring	1100	
A4 STAINLESS STEEL					
PAS140632	2.8 x 63 /1CFC	Fully Round	Ring	1100	



Best in class nails that offer optimum performance and the best quality finish. The bright finish is suitable for indoor applications

- Suitable for indoor applications




Best in class nails that offer optimum performance and the best quality finish. The stainless steel material is suitable for external applications

- Suitable for outdoor applications

Paslode hardened twist nails can be used for nailing connectors and hangers into solid wood. CE marked & EC5 compliant. The electro galvanized finish is suitable for external protected applications



The stronger, stiffer 16 gauge nail ensures consistent drivability and creates a smaller hole to provide excellent finishing. The electro galvanized finish is suitable for indoor applications.



IM350+ NAIL & FUEL PACKS

Part No.	Size (mm)	Head Type	Shank Type	Box Qty	Price
TRADE PACK—WITH FUEL CELLS					
BRIGHT					
PAS141202	2.8 x 51 /3CFC	Clipped	Ring	3300	
PAS141208	2.8 x 63 /3CFC	Clipped	Ring	3300	
PAS141226	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS141233	3.1 x 90 /2CFC	Fully Round	Plain	2200	
GALVANISED+					
PAS141204	2.8 x 51 /3CFC	Clipped	Ring	3300	
PAS141210	2.8 x 63 /3CFC	Clipped	Ring	3300	
PAS141221	3.1 X 63 /2CFC	Clipped	Ring	2200	
PAS141227	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS141234	3.1 x 90 /2CFC	Fully Round	Plain	2200	
HOT DIPPED GALVANISED					
PAS141205	2.8 x 51 /3CFC	Clipped	Ring	3300	
PAS141211	2.8 x 63 /3CFC	Clipped	Ring	3300	
PAS141222	3.1 x 63 /2CFC	Fully Round	Ring	2200	
PAS141228	3.1 x 75 /2CFC	Fully Round	Ring	2200	
PAS141236	3.1 x 90 /2CFC	Fully Round	Uni Lock	2200	
PAS141235	3.1 x 90 /2CFC	Fully Round	Plain	2200	

RETAIL PACK—WITH FUEL CELLS					
GALVANISED+					
PAS141256	2.8 x 51 /1CFC	Clipped	Ring	1100	
PAS141259	2.8 x 63 /1CFC	Clipped	Ring	1100	
HOT DIPPED GALVANISED					
PAS141265	3.1 x 75 /1CFC	Fully Round	Ring	1100	
PAS141267	3.1 x 90 /1CFC	Fully Round	Plain	1100	
A2 STAINLESS STEEL					
PAS141257	2.8 x 51 /1CFC	Clipped	Ring	1100	
PAS141261	2.8 x 63 /1CFC	Clipped	Ring	1100	
PAS141266	3.1 X 80 /1CFC	Fully Round	Ring	1100	

PPN35CI TWIST SHANK NAIL & FUEL PACK

TRADE PACK—WITH FUEL CELLS					
ELECTRO GALVANISED					
PAS141185	3.4 x 35 /2CFC	Fully Round	Twist	2500	

IM65 STRAIGHT BRAD NAIL & FUEL PACKS

Part No.	Gauge	Length (mm)	Collation angle	Box Qty	Price
STRAIGHT BRADS—WITH FUEL CELLS					
A2 STAINLESS STEEL					
PAS921593	16	25	Straight	2000	
PAS921594	16	38	Straight	2000	
PAS921595	16	50	Straight	2000	
PAS921596	16	63	Straight	2000	

IM65 STRAIGHT BRAD NAIL & FUEL PACKS—CONTINUED

Part No.	Gauge	Length (mm)	Collation angle	Box Qty	Price
STRAIGHT BRADS—WITH FUEL CELLS					
ELECTRO GALVANISED					
PAS921585	16	16	Straight	2000	
PAS921586	16	19	Straight	2000	
PAS921587	16	25	Straight	2000	
PAS921588	16	32	Straight	2000	
PAS921589	16	38	Straight	2000	
PAS921590	16	45	Straight	2200	
PAS921591	16	50	Straight	2200	
PAS921592	16	63	Straight	2200	

IM65A ANGLED BRAD NAIL & FUEL PACKS

Part No.	Gauge	Length (mm)	Collation angle	Box Qty	Price
ANGLED BRADS—WITH FUEL CELLS					
ELECTRO GALVANISED					
PAS300270	16	32	20°	2000	
PAS300271	16	38	20°	2000	
PAS300272	16	45	20°	2000	
PAS300273	16	51	20°	2000	
PAS300274	16	63	20°	2000	
A2 STAINLESS STEEL					
PAS300276	16	32	20°	2000	
PAS300277	16	38	20°	2000	
PAS300279	16	50	20°	2000	
PAS300280	16	64	20°	2000	

The stronger, stiffer 16 gauge nail ensures consistent drivability and creates a smaller hole to provide excellent finishing. The electro galvanised finish is suitable for indoor applications



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times
- Suitable for indoor applications
- Ring shank type



FIRMALD COLLATED CLIPPED NAILS—TRADE PACK

Part No.	Dia.(mm)	Length (mm)	Fuel Cell	Shank Type	Box Qty	Price
COLLATED CLIPPED HEAD—WITH FUEL CELLS						
BRIGHT						
CBRT50G	2.8	50	3	Ring	3300	
CBRT63G	2.8	63	3	Ring	3300	
CBRT75G	3.1	75	2	Ring	2200	
CBRT90G	3.1	90	2	Plain	2200	
FIRMAGALV						
CFGT50G	2.8	50	3	Ring	3300	
CFGT63G	2.8	63	3	Ring	3300	
CFGT75G	3.1	75	2	Ring	2200	
CFGT90G	3.1	90	2	Plain	2200	

FIRMAHOLD COLLATED CLIPPED NAILS TRADE PACK—CONTINUED



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times
- Suitable for indoor applications



Ideal for internal applications such as skirting, architrave, tongue and groove fixing with a T head for a concealed finish.

- Straight collation
- T Head to give a concealed fixing
- Shank Design: Low penetration resistance into all materials

FIRMAGALV+						
CPLT50G	2.8	50	3	Ring	3300	
CPLT63G	2.8	63	3	Ring	3300	
CPLT63RG	3.1	63	3	Ring	3300	
CPLT75G	3.1	75	2	Ring	2200	
CPLT90G	3.1	90	2	Plain	2200	
CPLT90PG	3.1	90	2	Part Ring	2200	
HOT DIP GALV						
CHDT50G	2.8	50	3	Ring	3300	
CHDT63G	2.8	63	3	Ring	3300	
CHDT75G	3.1	75	2	Ring	2200	
CHDT90G	3.1	90	2	Plain	2200	

FIRMAHOLD COLLATED CLIPPED NAILS—RETAIL PACK

Part No.	Dia.(mm)	Length (mm)	Fuel Cell	Shank Type	Box Qty	Price
FIRMAGALV						
CFGR50G	2.8	50	1	Ring	1100	
CFGR63G	2.8	63	1	Ring	1100	
CFGR75G	3.1	75	1	Ring	1100	
CFGR90G	3.1	90	1	Plain	1100	
A2 STAINLESS STEEL						
CSSR50G	2.8	50	1	Ring	1100	
CSSR63G	2.8	63	1	Ring	1100	
CSSR80G	3.1	80	1	Ring	1100	

FIRMAHOLD COLLATED BRAD NAILS

Part No.	Gauge	Length (mm)	Fuel Cell	Collation Angle	Box Qty	Price
16 GAUGE STRAIGHT BRADS						
GALVANISED						
BG1619G	16	19	2	Straight	2000	
BG1625G	16	25	2	Straight	2000	
BG1632G	16	32	2	Straight	2000	
BG1638G	16	38	2	Straight	2000	
BG1645G	16	45	2	Straight	2000	
BG1650G	16	50	2	Straight	2000	
BG1664G	16	64	2	Straight	2000	
A2 STAINLESS STEEL						
BSS1625G	16	25	2	Straight	2000	
BSS1638G	16	38	2	Straight	2000	
BSS1650G	16	50	2	Straight	2000	
BSS1664G	16	64	2	Straight	2000	

FIRMAHOLD COLLATED BRAD NAILS—CONTINUED

Part No.	Gauge	Length (mm)	Fuel Cell	Collation angle	Box Qty	Price
ANGLED BRADS—WITH FUEL CELLS						
GALVANISED						
ABG1632G	16	32	2	20°	2000	
ABG1638G	16	38	2	20°	2000	
ABG1645G	16	45	2	20°	2000	
ABG1650G	16	50	2	20°	2000	
ABG1664G	16	64	2	20°	2000	
A2 STAINLESS STEEL						
ABSS1638G	16	38	2	20°	2000	
ABSS1650G	16	50	2	20°	2000	
ABSS1664G	16	64	2	20°	2000	

MULTI-FIX CHEMICAL RESIN



Part No.	Details	Fill	Box Qty	Price
70PE310	Polyester	310ml	12	
70PE410	Polyester	410ml	12	
70PESF310	Polyester Styrene Free	310ml	12	
70VESF410	Vinylester Styrene Free	410ml	12	



Polyester Resin—An economic resin for day to day non safety critical applications that are well ventilated at the time of installation. Not suitable in concrete that is or may become damp.

Polyester Styrene Free Resin—Low odour resin, for day to day non-safety critical fixing. For enclosed or poorly ventilated environments.

Vinylester Styrene Free Resin—Low odour resin to be used in safety critical fixing. For enclosed, poorly ventilated, damp and wet environments. This high performance resin will give consistent results in a wide range of environments and conditions, whilst offering exceptional tensile strength.

A4 POLY TOP PINS & NAILS

Part No.	Details	Box Qty	Price
11930	30mm WHITE Pins	250	
11940	40mm WHITE Pins	250	
119500	50mm WHITE Nails	100	
119650	65mm WHITE Nails	100	
119530	30mm BLACK Pins	250	
119540	40mm BLACK Pins	250	
119550	50mm BLACK Nails	100	
1195650	65mm BLACK Nails	100	
119730	30mm CAMEL Pins	250	
119740	40mm CAMEL Pins	250	
119750	50mm CAMEL Nails	100	
1197650	65mm CAMEL Nails	100	
119830	30mm DARK BROWN Pins	250	
119840	40mm DARK BROWN Pins	250	
1194001	40mm DARK BROWN Nails	100	
119850	50mm DARK BROWN Nails	100	
1198650	65mm DARK BROWN Nails	100	
1196730	30mm ANTHRACITE GREY Pins	250	
1196740	40mm ANTHRACITE GREY Pins	250	
1196750	50mm ANTHRACITE GREY Nails	100	
1196765	65mm ANTHRACITE GREY Nails	100	
119BN30CG	30mm CHARTWELL GREEN Pins	250	
119BP40CG	40mm CHARTWELL GREEN Pins	250	
119BN65CG	65mm CHARTWELL GREEN Nails	100	

SEAC A4 POLY TOP PINS & NAILS

1196730S	30mm ANTHRACITE GREY Pins	250	
1195650S	65mm BLACK Nails	100	
119650S	65mm WHITE Nails	100	

Plastic headed A4 stainless nails available in 30, 40, 50, and 65mm. Ring shanked pins. These pins and nails are the recommended method for fixing fascia and soffit to the roofline.

The plastic head is made from engineered plastic and is U.V light and shatterproof.

POLYTOPS plastic top pins and nails are most popular for use with PVCU fascia & soffit and in wall cladding. Their outstanding quality means remedial work or rejects are much reduced, unlike other fasteners. POLYTOPS A4 stainless steel material ensures no rust stain especially in such outdoor application. Standard head colours to match



POLY TOP PINS & NAILS

NANO GALVANISED



Part No.	Details	Box Qty	Price
119130	30mm WHITE Pins	250	
119140	40mm WHITE Pins	250	
1191500	50mm WHITE Nails	100	
1191650	65mm WHITE Nails	100	
119430	30mm BLACK Pins	250	
119440	40mm BLACK Pins	250	
1194500	50mm BLACK Nails	100	
1194650	65mm BLACK Nails	100	
119330	30mm TOFFEE Pins	250	
119340	40mm TOFFEE Pins	250	
1193500	50mm TOFFEE Nails	100	
1193650	65mm TOFFEE Nails	100	
119230	30mm BROWN Pins	250	
119240	40mm ROWN Pins	250	
1192500	50mm BROWN Nails	100	
1192650	65mm ROWN Nails	100	

POLYTOPS plastic top pins and nails are most popular for use with PVCU fascia & soffit and in wall cladding. Their outstanding quality means remedial work or rejects are much reduced, unlike other fasteners.

CLADDING PINS



11970030	CLADDING PINS 30mm A4	250	
119700333	CLADDING PINS 30mm Nano	250	

Cladding pins are manufactured to the highest quality, with A4 grade stainless steel. Ideal for fixing PVCu boards, trims, fascias & soffits.



For drilling carbon and alloy steel, non-ferrous metal and plastics.

Features

- Manufactured to DIN338
- High quality HSS steel.
- Roll forged
- Black oxide finish
- 135° split point eradicates the need to pre-drill/ centre punch. Prevents 'walking' and enables faster penetration.
- High performance split point tip from 3mm or 1/8" and above.



HSS ROLL FORGED JOBBER DRILLS

Part No.	Drill	Full Length	Box Qty	Price
950HSSR1	1.0mm	34mm	10	
950HSSR15	1.5mm	40mm	10	
950HSSR2	2.0mm	49mm	10	
950HSSR25	2.5mm	57mm	10	
950HSSR3	3.0mm	61mm	10	
950HSSR32	3.2mm	65mm	10	
950HSSR33	3.3mm	65mm	10	
950HSSR35	3.5mm	70mm	10	
950HSSR36	3.6mm	70mm	10	
950HSSR4	4.0mm	75mm	10	
950HSSR42	4.2mm	75mm	10	
950HSSR45	4.5mm	80mm	10	
950HSSR48	4.8mm	86mm	10	
950HSSR49	4.9mm	86mm	10	
950HSSR5	5.0mm	86mm	10	
950HSSR52	5.2mm	86mm	10	
950HSSR55	5.5mm	93mm	10	
950HSSR6	6.0mm	93mm	10	
950HSSR65	6.5mm	101mm	10	
950HSSR68	6.8mm	109mm	10	
950HSSR7	7.0mm	109mm	10	
950HSSR72	7.2mm	109mm	5	
950HSSR75	7.5mm	109mm	5	
950HSSR8	8.0mm	109mm	5	
950HSSR85	8.5mm	109mm	5	
950HSSR9	9.0mm	125mm	5	
950HSSR95	9.5mm	125mm	5	
950HSSR96	9.6mm	133mm	5	
950HSSR100	10.0mm	133mm	5	
950HSSR102	10.2mm	133mm	5	
950HSSR105	10.5mm	133mm	5	
950HSSR110	11.0mm	142mm	5	
950HSSR115	11.5mm	142mm	5	
950HSSR120	12.0mm	151mm	5	
950HSSR125	12.5mm	151mm	5	
950HSSR130	13.0mm	151mm	5	

HSS JOBBER DRILL SET

Part No.	Details	Box Qty	Price
950HSSR19DS	19pc. 1-10mm X 0.5mm	1	
950HSSR25DS	25pc. 1-13mm x 0.5mm	1	
950HSSR170DS	170pc. 1-8mm x 10pc, 8.5-10mm x 5pc	1	

HSS JOBBER MAGAZINES

954722	170pc. 1mm –10mm Black	1	
954726	170pc. 1mm-10mm Titanium	1	
954799	99pc. 1mm-10mm Titanium	1	



A 15 piece mixed selection of the most popular Brad Point wood drills. Sold in a robust weatherproof case.

- High grade High Speed Steel (HSS) for longer life
- Fully ground
- Up to 3x the heat resistance of standard carbon steel bits

Substrates: Hardwood, Softwood, Plywood, Chipboard, MDF



A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications. Sold in a robust weatherproof case.

Substrates: Softwood, Plywood, Chipboard, MDF



A 15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° degree quick start split point. Sold in a robust weatherproof case.

Substrates: Plastic, Steel, Aluminium, Non-Ferrous Metals, Cast Iron

HSS BRAD POINT DRILL SET

Part No.	Drill Ø (mm)	Working Length (mm)	Total Length (mm)	Set Qty	Price
B15SET	CONTENTS OF SET				
	3.0	37	60	3	
	3.5	45	70	2	
	4.0	45	75	2	
	4.5	55	80	1	
	5.0	60	85	1	
	5.5	60	90	1	
	6.0	60	90	1	
	6.5	65	95	1	
	7.0	67	100	1	
	8.0	77	110	1	
	10.0	80	120	1	

FLAT WOOD BIT SET

Part No.	Drill Ø (mm)	Total Length (mm)	Set Qty	Price
F7SET	CONTENTS OF SET			
	10.0	152	1	
	12.0	152	1	
	16.0	152	1	
	19.0	152	1	
	22.0	152	1	
	25.0	152	1	
	32.0	152	1	

GROUND JOBBER DRILLS SET - HSS

Part No.	Drill Ø (mm)	Flute Length (mm)	Total Length (mm)	Set Qty	Price
HSS15SET	CONTENTS OF SET				
	1.5	18	40	2	
	2.0	24	49	2	
	2.5	30	57	2	
	3.0	33	61	1	
	3.2	36	65	1	
	3.5	39	70	1	
	4.0	43	75	1	
	4.5	47	80	1	
	5.0	52	86	1	
	6.0	57	93	1	
	8.0	75	117	1	
	10.0	87	133	1	

DRIVER BIT & GROUND JOBBER DRILL BIT SET



A selection of quick release HSS ground metal drills, S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications. Sold in a robust weather-proof case.

Part No.	Size(mm)	Length (mm)	Type (mm)	Set Qty	Price
MIX20SET	CONTENTS OF SET				
	1.5	16	HSS Drill Bit	1	
	2.0	22	HSS Drill Bit	1	
	3.0	40	HSS Drill Bit	1	
	3.5	48	HSS Drill Bit	1	
	4.0	55	HSS Drill Bit	1	
	4.5	55	HSS Drill Bit	1	
	5.0	55	HSS Drill Bit	1	
	6.0	65	HSS Drill Bit	1	
	PH1	50	Phillips	1	
	PH2	50	Phillips	1	
	PH3	50	Phillips	1	
	PZ1	50	Pozi	1	
	PZ2	50	Pozi	1	
	PZ3	50	Pozi	1	
	5.0	50	Slotted	1	
	6.0	50	Slotted	1	
	6.0	-	Nut Driver	1	
	8.0	-	Nut Driver	1	
	10.0	-	Nut Driver	1	
	-	-	Quick Changer	1	

GROUND JOBBER & MASONRY DRILL SET 17PC



A mixed selection of 12 HSS Ground Metal Drills with a 135° degree quick start split point and 5 carbide tipped Masonry Drills. Sold in a robust weatherproof case.

Part No.	Drill Ø (mm)	Working Length (mm)	Total Length (mm)	Drill Type	Set Qty	Price
MIX17SET	CONTENTS OF SET					
	1.5	18	40	HSS	1	
	2.0	24	49	HSS	1	
	2.5	30	57	HSS	1	
	3.0	33	61	HSS	1	
	3.2	36	65	HSS	1	
	3.5	39	70	HSS	1	
	4.0	43	75	HSS	1	
	4.5	47	80	HSS	1	
	4.8	55	85	HSS	1	
	5.0	55	86	HSS	1	
	5.5	60	93	HSS	1	
	6.0	65	93	HSS	1	
	5.0	50	85	Masonry	1	
	5.5	50	85	Masonry	1	
	6.0	60	100	Masonry	1	
	7.0	60	100	Masonry	1	
	10.0	75	120	Masonry	1	



A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs. Sold in a robust weatherproof case.



A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver bits with a magnetic adaptor and an assortment of socket drivers. Sold in a robust weatherproof case.

MASONRY DRILL BIT SET 15PC

Part No.	Drill Ø	Working Length	Total Length	Set Qty	Price
M15SET	CONTENTS OF SET				
	4.0	45	75	1	
	5.0	50	85	2	
	5.5	50	85	3	
	6.0	60	100	2	
	7.0	60	100	3	
	8.0	75	120	2	
	10.0	75	120	2	

MIXED S2 DRIVER BIT SET 37PC

Part No.	Size(mm)	Length (mm)	Type (mm)	Set Qty	Price
BIT37SET	CONTENTS OF SET				
	4.0	25	Slotted	1	
	4.5	25	Slotted	1	
	5.5	25	Slotted	1	
	6.0	25	Slotted	1	
	6.5	25	Slotted	1	
	7.0	25	Slotted	1	
	PH1	25	Phillips	1	
	PH2	25	Phillips	1	
	PH3	25	Phillips	1	
	PZ1	25	Pozi	1	
	PZ2	25	Pozi	1	
	PZ3	25	Pozi	1	
	TX10	25	TX Drive	1	
	TX15	25	TX Drive	1	
	TX20	25	TX Drive	1	
	TX25	25	TX Drive	1	
	TX27	25	TX Drive	1	
	TX30	25	TX Drive	1	
	TX40	25	TX Drive	1	
	3.0	25	Hex	1	
	4.0	25	Hex	1	
	5.0	25	Hex	1	
	5.5	25	Hex	1	
	6.0	25	Hex	1	
	PH1	50	Phillips	1	
	PH2	50	Phillips	1	
	PH3	50	Phillips	1	
	PZ1	50	Pozi	1	
	PZ2	50	Pozi	1	
	PZ3	50	Pozi	1	
	5.5	50	Slotted	1	
	7.0	50	Slotted	1	
	5, 6, 8,10	-	Nut Driver	1 each	

For particularly tough or hard metal drilling applications.

- Manufactured to DIN338
- M35 alloyed HSS steel with 5% cobalt content.
- Fully ground from solid material.
- High heat resistance for particularly tough metal drilling.
- 135° split point eradicates the need to pre-drill/ centre punch. Prevents 'walking' and enables faster penetration.
- High performance split point tip on drills with a 3mm diameter and above.



Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials. The 135° split point prevents the bit from drifting and enables faster penetration.



HSS fully ground drill bit, split point - 135 degrees. Titanium coated for longer life. For drilling steel, plastic, wood and similar materials.



HSS COBALT JOBBER DRILLS

Part No.	Drill	Full Length	Box Qty	Price
957HSSCO1	1.0mm	34mm	10	
957HSSCO15	1.5mm	40mm	10	
957HSSCO2	2.0mm	49mm	10	
957HSSCO25	2.5mm	57mm	10	
957HSSCO3	3.0mm	61mm	10	
957HSSCO32	3.2mm	65mm	10	
957HSSCO33	3.3mm	65mm	10	
957HSSCO35	3.5mm	70mm	10	
957HSSCO4	4.0mm	75mm	10	
957HSSCO42	4.2mm	75mm	10	
957HSSCO45	4.5mm	80mm	10	
957HSSCO48	4.8mm	86mm	10	
957HSSCO5	5.0mm	86mm	10	
957HSSCO55	5.5mm	93mm	10	
957HSSCO6	6.0mm	93mm	10	
957HSSCO65	6.5mm	101mm	10	
957HSSCO68	6.8mm	109mm	10	
957HSSCO7	7.0mm	109mm	10	
957HSSCO75	7.5mm	109mm	5	
957HSSCO8	8.0mm	117mm	5	
957HSSCO85	8.5mm	117mm	5	
957HSSCO9	9.0mm	125mm	5	
957HSSCO95	9.5mm	125mm	5	
957HSSCO10	10.0mm	133mm	5	
957HSSCO102	10.2mm	133mm	5	
957HSSCO105	10.5mm	133mm	5	
957HSSCO110	11.0mm	142mm	5	
957HSSCO115	11.5mm	142mm	5	
957HSSCO120	12.0mm	151mm	5	
957HSSCO125	12.5mm	151mm	5	
957HSSCO130	13.0mm	151mm	5	
957HSSCO19DS	Ground Jobber Drills Set 1-10mm		19pcs	
957HSSCO25DS	Ground Jobber Drills Set 1-13mm		25pcs	

TITANIUM JOBBER DRILLS LONG SERIES

955TIN32	3.2mm	106mm	10	
955TIN35	3.5mm	106mm	10	
955TIN40	4.0mm	119mm	10	
955TIN42	4.2mm	119mm	10	
955TIN45	4.5mm	126mm	10	
955TIN50	5.0mm	132mm	10	
955TIN60	6.0mm	139mm	10	
955TIN65	6.5mm	148mm	10	
955TIN70	7.0mm	156mm	10	
955TIN70	7.5mm	156mm	10	
955TIN85	8.5mm	165mm	10	

HSS M2 Fully ground jobber drills have a 135° split point tip from 3mm or 1/8" and above it eradicates the need to pre-drill/centre punch. Prevents "walking" and enables faster penetration.

It is a premium quality drill for use with alloy steel, cast iron, non-ferrous metals and plastics.

It is made from fully ground solid material of high grade M2 alloyed HSS steel and manufactured to DIN338.



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials. The 135° split point prevents the bit from drifting and enables faster penetration.



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

- Manufactured to DIN340
- High quality M2 grade HSS steel
- Fully ground from solid material
- Dimensionally precise
- Bright finish
- 135° split point eradicates the need to pre-drill/centre punch. Prevents 'walking' and enables faster penetration.

High performance split point tip is only on drills with a 3mm diameter and above.



HSS M2 GROUND JOBBER DRILLS

Part No.	Drill	Full Length	Box Qty	Price
953HSSG25	2.5mm	57mm	10	
953HSSG3	3.0mm	61mm	10	
953HSSG32	3.2mm	65mm	10	
953HSSG35	3.5mm	70mm	10	
953HSSG4	4.0mm	75mm	10	
953HSSG45	4.5mm	80mm	10	
953HSSG48	4.8mm	86mm	10	
953HSSG5	5.0mm	86mm	10	
953HSSG55	5.5mm	93mm	10	
953HSSG6	6.0mm	93mm	10	
953HSSG65	6.5mm	101mm	5	
953HSSG7	7.0mm	109mm	5	
953HSSG8	8.0mm	117mm	5	
953HSSG85	8.5mm	117mm	5	
953HSSG9	9.0mm	125mm	5	
953HSSG10	10.0mm	133mm	5	
953HSSG102	10.2mm	133mm	5	
953HSSG105	10.5mm	133mm	5	
953HSSG11	11.0mm	142mm	5	
953HSSG115	11.5mm	142mm	5	
953HSSG12	12.0mm	151mm	5	
953HSSG125	12.5mm	151mm	5	
953HSSG130	13.0mm	151mm	5	
953HSSG19DS	HSS Ground Drill Set 1-10mm		19pcs	
953HSSG25DS	HSS Ground Drill Set 1-13mm		25pcs	

HSS M2 GROUND LONG SERIES JOBBER DRILLS

952HSSGL2	2.0mm	85mm	10	
952HSSGL25	2.5mm	95mm	10	
952HSSGL3	3.0mm	100mm	10	
952HSSGL32	3.2mm	106mm	10	
952HSSGL35	3.5mm	112mm	10	
952HSSGL4	4.0mm	119mm	10	
952HSSGL42	4.2mm	119mm	10	
952HSSGL45	4.5mm	126mm	10	
952HSSGL48	4.8mm	132mm	10	
952HSSGL5	5.0mm	132mm	10	
952HSSGL55	5.5mm	139mm	10	
952HSSGL6	6.0mm	139mm	10	
952HSSGL65	6.5mm	148mm	5	
952HSSGL7	7.0mm	156mm	5	
952HSSGL8	8.0mm	165mm	5	
952HSSGL85	8.5mm	165mm	5	
952HSSGL9	9.0mm	175mm	5	
952HSSGL100	10.0mm	184mm	5	

GROUND STUB DRILLS - HSS M2

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials.

- Fully ground from solid material
- High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN 1897
- Dimensionally precise



Part No.	Details	Box Qty	Price
952HSSGS32	3.2mm x 49mm	10	
952HSSGS33	3.3mm x 49mm	10	
952HSSGS4	4.0mm x 55mm	10	
952HSSGS41	4.1mm x 55mm	10	
952HSSGS42	4.2mm x 55mm	10	
952HSSGS49	4.9mm x 62mm	10	
952HSSGS5	5.0mm x 62mm	10	

SDS HAMMER BITS (MASONRY)

A good quality, cost effective drill bit suitable for use in rotary hammers with the SDS plus tool system.

- Fully heat treated to eliminate bending.
- Twin flute design.
- Shot blast finish for rust protection.



Part No.	Details	Box Qty	Price
972SDS4160	4.0mm x 160mm	1	
972SDS5110	5.0mm x 110mm	1	
972SDS5160	5.0mm X 160mm	1	
972SDS5210	5.0mm x 210mm	1	
972SDS55110	5.5mm x 110mm	1	
972SDS55160	5.5mm x 160mm	1	
972SDS55210	5.5mm x 210mm	1	
972SDS6110	6.0mm x 110mm	1	
972SDS6160	6.0mm x 160mm	1	
972SDS6210	6.0mm x 210mm	1	
972SDS6260	6.0mm x 260mm	1	
972SDS65110	6.5mm x 110mm	1	
972SDS65160	6.5mm x 160mm	1	
972SDS65210	6.5mm x 210mm	1	
972SDS65260	6.5mm x 260mm	1	
972SDS7110	7.0mm x 110mm	1	
972SDS7160	7.0mm x 160mm	1	
972SDS7210	7.0mm x 210mm	1	
972SDS8110	8.0mm x 110mm	1	
972SDS8160	8.0mm x 160mm	1	
972SDS8210	8.0mm x 210mm	1	
972SDS8260	8.0mm x 260mm	1	
972SDS8310	8.0mm x 310mm	1	
972SDS8450	8.0mm x 450mm	1	
972SDS10160	10.0mm x 160mm	1	
972SDS10210	10.0mm x 210mm	1	
972SDS10260	10.0mm x 260mm	1	
972SDS10310	10.0mm x 310mm	1	
972SDS10450	10.0mm x 450mm	1	
972SDS10600	10.0mm x 600mm	1	

PROFESSIONAL SDS PLUS HAMMER BIT

A high performance drill bit with a superior European carbide tip to give extended durability. German tested and PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry. **USER CAUTION:** Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside.

- Special nickel chromoly shank
- High quality European BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability



Part No	Details	Box Qty	Price
970AP4110	4.0 mm x 110mm	1	
970AP4160	4.0mm x 160mm	1	
970AP5110	5.0mm x 110mm	1	
970AP5160	5.0mm x 160mm	1	
970AP5210	5.0mm x 210mm	1	
970AP55110	5.5mm x 110mm	1	
970AP55160	5.5mm x 160mm	1	
970AP55210	5.5mm x 210mm	1	
970AP6110	6.0mm x 110mm	1	
970AP6160	6.0mm x 160mm	1	
970AP6210	6.0mm x 210mm	1	
970AP6260	6.0mm x 260mm	1	
970AP6350	6.0mm x 350mm	1	
970AP65110	6.5mm X 110mm	1	
970AP65160	6.5mm x 160mm	1	
970AP65210	6.5mm x 210mm	1	
970AP65260	6.5mm x 260mm	1	
970AP7110	7.0mm x 110mm	1	
970AP7160	7.0mm x 160mm	1	
970AP7210	7.0mm x 210mm	1	
970AP7260	7.0mm x 260mm	1	
970AP8110	8.0mm x 110mm	1	
970AP8160	8.0mm x 160mm	1	
970AP8210	8.0mm x 210mm	1	
970AP8260	8.0mm x 260mm	1	
970AP8310	8.0mm x 310mm	1	
970AP8350	8.0mm x 350mm	1	
970AP8450	8.0mm x 450mm	1	
970AP9210	9.0mm x 210mm	1	
970AP10160	10.0mm x 160mm	1	
970AP10210	10.0mm x 210mm	1	
970AP10260	10.0mm x 260mm	1	
970AP10310	10.0mm x 310mm	1	
970AP10450	10.0mm x 450mm	1	
970AP10600	10.0mm x 600mm	1	
970AP101000	10.0mm x 1000mm	1	
970AP12160	12.0mm x 160mm	1	
970AP12210	12.0mm x 210mm	1	
970AP12260	12.0mm x 260mm	1	
970AP12310	12.0mm x 310mm	1	

The Booster Plus has three cutting edges. The 120° cutter angle guarantees perfect concentric holes, giving greater pull-out values for your anchor. Three cutting edges means no "snagging" of the bit on the rebar. The Booster Plus can then drill straight through the reinforcing.

- 3 Cutting edges.
- Square section flute.
- Suitable for use in reinforced concrete.
- PGM approved and marked.



SDS BOOSTER PLUS DRILL

972B6210	6.0mm x 210mm	1	
972B6260	6.0mm x 260mm	1	
972B65160	6.5mm x 160mm	1	
972B65210	6.5mm x 210mm	1	
972B65260	6.5mm x 260mm	1	

PROFESSIONAL MASONRY BIT

Part No	Details	Box Qty	Price
970APM475	4.0mm x 75mm	1	
970APM4150	4.0mm x 150mm	1	
970APM585	5.0mm x 85mm	1	
970APM5150	5.0mm x 150mm	1	
970APM5585	5.5mm x 85mm	1	
970APM55150	5.5mm x 150mm	1	
970APM6100	6.0mm x 100mm	1	
970APM6150	6.0mm x 150mm	1	
970APM6200	6.0mm x 200mm	1	
970APM6300	6.0mm x 300mm	1	
970APM65100	6.5mm x 100mm	1	
970APM65150	6.5mm x 150mm	1	
970APM65200	6.5mm x 200mm	1	
970APM65300	6.5mm x 300mm	1	
970APM7100	7.0mm x 100mm	1	
970APM7150	7.0mm x 150mm	1	
970APM7300	7.0mm x 300mm		
970APM8120	8.0mm x 120mm	1	
970APM8150	8.0mm x 150mm	1	
970APM8200	8.0mm x 200mm	1	
970APM8300	8.0mm x 300mm	1	
970APM8400	8.0mm x 400mm	1	
970APM10200	10.0mm x 200mm	1	
970APM10300	10.0mm x 300mm	1	
970APM10400	10.0mm x 400mm	1	
970APM12150	12.0mm x 150mm	1	
970APM12200	12.0mm x 200mm	1	
970APM12300	12.0mm x 300mm	1	
970APM12400	12.0mm x 400mm	1	
970APM14150	14.0mm X 150mm	1	
970APM14200	14.0mm x 200mm	1	
970APM14400	14.0mm x 400mm	1	

A premium quality masonry bit for use with impact or percussion drills fitted with a standard three jaw chuck.

Features

- Ground flute.
- Industrial grade tungsten carbide tip.
- Silver/black finish.
- Heat treated.



MAGNETIC BIT HOLDERS



Part No	Details	Box Qty	Price
90060	1/4" Drive 60mm Premium	1	
9006011	1/4" Drive 60mm	1	
9006150MAX6	1/4" Drive 150mm Premium	1	
9006150	1/4" Drive 150mm	1	

SLOTTED DRIVER BITS



S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.



9005508SL25GB	5.5 x 0.8 25mm GREY	10	
9006010SL25GB	6.0 x 1.0 25mm GREY	10	
9007012SL25GB	7.0 x 1.2 25mm GREY	10	
9001016SL25GB	10.0 x 1.6 25mm GREY	10	

CROSS-RECESS (POZI) DRIVER BITS



S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.



9001CB25GJ	PZ1 25mm GREY	10	
9002CB25GJ	PZ2 25mm GREY	10	
9002CB50GJ	PZ2 50mm GREY	10	
9002CB100GB	PZ2 100mm GREY	10	
9002CB150GB	PZ2 150mm GREY	10	
9003CB25GJ	PZ3 25mm GREY	10	
9002CB300GB	PZ3 300mm GREY	10	

Titanium Coated S2 Steel

Reduced cam out preventing damage to work piece



9002CB25TJ	PZ2 25mm TITANIUM	10	
9002CB50	PZ2 50mm TITANIUM	10	

V5 Impact Bits

V5 steel or superior performance. New torsion zone withstands extreme impact. New drive fins for maximum grip. Reduced "cam-out".



V5 IMPACT BITS

9002CB25V5	V5 Impact Pozi Bits 25mm	10	
------------	--------------------------	----	--

PHILLIPS DRIVER BITS



S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.



9002PH25GJ	PH2 25mm GREY	10	
9002PH50GJ	PH2 50mm GREY	10	
9002PH100GB	PH2 100mm GREY	10	
9002PH150GB	PH2 150mm GREY	10	
9002PH300GB	PH2 300mm GREY	10	
9003PH25GP	PH3 25mm GREY	10	
9003PH50GP	PH3 50mm GREY	10	

Titanium Coated S2 Steel

Reduced cam out preventing damage to work piece



9002PH25TJ	PH2 25mm TITANIUM	10	
9002PH50	PH2 50mm TITANIUM	10	

S2 SQUARE DRIVER BITS



S2 grade hardened steel

S2 Steel is premium quality alloy steel for exceptional strength and durability compared with standard chrome vanadium driver bits. .



Part No	Details	Box Qty	Price
9002SQ25	S2 Square No.2 x 25	10	
9002SQ50	S2 Square No.2 x 50	5	
9002SQ25GB	S2 Square No.2 x 25	2	

TORX DRIVER BITS



S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.



90010TX25GP	TORX 10 25mm GREY	10	
90015TX25GP	TORX 15 25mm GREY	10	
90020TX25GP	TORX 20 25mm GREY	10	
90025TX25GP	TORX 25 25mm GREY	10	
90030TX25GJ	TORX 30 25mm GREY	10	
90040TX25GP	TORX 40 25mm GREY	10	
90030TX50	TORX 30 50mm GREY	5	



90010TX25GB	TORX 10 25mm GREY–Mini Bit Pack	2	
90030TX25GJ100	TORX 30 x 25mm GREY–Small Jar	100	
90030TX50GJ	TORX 30 x 50mm GREY–Small Jar	50	
90030TX25TUB	TORX 30 x 25mm GREY–Dispensing Jar	500	
90030TX50TUB	TORX 30 x 50mm GREY–Dispensing Jar	250	

S2 HEX DRIVER BIT



S2 Hardened steel

S2 Steel is premium quality alloy steel for exceptional strength and durability compared with standard chrome vanadium driver bits.



9003HX25GB	HEX 3.0 X 25mm	2	
9004HX25GB	HEX 4.0 X 25mm	2	
9005HX25GB	HEX 5.0 X 25mm	2	
9006HX25GB	HEX 6.0 X 25mm	2	
9008HX25GB	HEX 8.0 X 25mm	2	





Mixed selection of 50mm impact resistant driver bits, specifically designed for use with an impact driver

MIXED V5 IMPACT DRIVER BIT SET



V5MIXSET	PZ2 50mm—Pozi	6	
	PH2 50mm—Phillips		
	T25 50mm—TX Drive		

31 PIECE S2 DRIVER BIT SET



Comprehensive 31 piece assorted case containing the most commonly used 25mm driver bits and a quick release adaptor. Convenient protective case with rubber corners and a handy belt clip.

Part No	Details	Set Qty	Price
DBSETG31	31 Piece S2 Driver Bit Set	31	

Contents of Set

PH1 x 25mm—Phillips (Qty 1)	3.5 x 25mm—Slotted (Qty 1)
PH2 x 25mm—Phillips (Qty 3)	4.5 x 25mm—Slotted (Qty 1)
PH3 x 25mm—Phillips (Qty 2)	5.0 x 25mm—Slotted (Qty 1)
PZ1 x 25mm—Pozi (Qty 1)	5.5 x 25mm—Slotted (Qty 1)
PZ2 x 25mm—Pozi (Qty 5)	8.0 x 25mm—Slotted (Qty 1)
PZ3 x 25mm—Pozi (Qty 2)	2.0 x 25mm—Square (Qty 1)
TX10 x 25mm—TX Drive (Qty 1)	H4.0 x 25mm—Hex (Qty 1)
TX15 x 25mm—TX Drive (Qty 1)	H5.0 x 25mm—Hex (Qty 1)
TX20 x 25mm—TX Drive (Qty 1)	H6.0 x 25mm—Hex (Qty 1)
TX25 x 25mm—TX Drive (Qty 1)	H7.0 x 25mm—Hex (Qty 1)
TX30 x 25mm—TX Drive (Qty 1)	Quick Release Adaptor (Qty 1)
TX40 x 25mm—TX Drive (Qty 1)	

11 PIECE S2 DRIVER BIT SET



228030	11 Piece S2 Driver Bit Set	11	
--------	----------------------------	----	--

Contents of Set

PH2 x 25mm—Phillips (Qty 2)	TX15 x 25mm—TX Drive (Qty 1)
PZ1 x 25mm—Pozi (Qty 1)	TX20 x 25mm—TX Drive (Qty 1)
PZ2 x 25mm—Pozi (Qty 2)	TX25 x 25mm—TX Drive (Qty 1)
PZ3 x 25mm—Pozi (Qty 1)	TX30 x 25mm—TX Drive (Qty 1)
1/4" x 60mm Magnetic Bit Holder (Qty 1)	




Convenient pocket sized mixed set of 10 commonly used S2 25mm bits with 1 x 60mm magnetic bit holder.



Comprehensive 49 piece impact resistant bit and nut driver set. Includes a range of 25mm and 50mm bits with 3 x nut drivers and 1x impact magnetic bit holder. Designed to handle the most demanding impact driving applications with unbeatable break resistance. Comes in a tough case with easy release bit holders.

49 PIECE X6 IMPACT BIT SET



Part No	Details	Set Qty	Price
228258	49 Piece X6 Impact Bit Set	49	
Contents of Set			
PH1 x 25mm—Phillips (Qty 2)	PZ1 x 25mm—Pozi (Qty 2)		
PH2 x 25mm—Phillips (Qty 8)	PZ2 x 25mm—Pozi (Qty 9)		
PH3 x 25mm—Phillips (Qty 2)	PZ3 x 25mm—Pozi (Qty 3)		
PH2 x 50mm - Phillips (Qty 2)	PZ1 x 50mm—Pozi (Qty 1)		
PH3 x 50mm—Phillips (Qty 1)	PZ2 x 50mm—Pozi (Qty 3)		
TX20 x 25mm—TX Drive (Qty 1)	PZ3 x 50mm—Pozi (Qty 1)		
TX25 x 25mm—TX Drive (Qty 2)	TX30 x 25mm—TX Drive (Qty 3)		
TX40 x 25mm—TX Drive (Qty 2)	TX30 x 50mm—TX Drive (Qty 2)		
1/4 " x 60mm Magnetic Bit Holder (Qty 1)			
8 x 65mm Magnetic Socket Driver (Qty 1)			
10 x 65mm Magnetic Socket Driver (Qty 1)			
13 x 65mm Magnetic Socket Driver (Qty 1)			

11 PIECE X6 IMPACT BIT SET



Convenient pocket sized mixed set of 10 commonly used 25mm impact resistant bits with 1x 60mm impact magnetic bit holder.

Part No	Details	Set Qty	Price
228447	11 Piece X6 Impact Bit Set	11	
Contents of Set			
PH2 x 25mm—Phillips (Qty 2)	TX15 x 25mm—TX Drive (Qty 1)		
PZ1 x 25mm—Pozi (Qty 1)	TX20 x 25mm—TX Drive (Qty 1)		
PZ2 x 25mm—Pozi (Qty 2)	TX25 x 25mm—TX Drive (Qty 1)		
PZ3 x 25mm—Pozi (Qty 1)	TX30 x 25mm—TX Drive (Qty 1)		
1/4 " x 60mm Magnetic Bit Holder (Qty 1)			

28 PIECE X6 IMPACT BIT SET



Comprehensive mixed set of 27 commonly used 25mm impact resistant bits with 1x 60mm magnetic bit holder. Packed in a shock resistant case which will withstand the toughest of working environments.

Part No	Details	Set Qty	Price
28SETX6	28 Piece X6 Impact Bit Set	28	
Contents of Set			
PH0 x 25mm—Phillips (Qty 1)	PZ0 x 25mm—Pozi (Qty 1)		
PH1 x 25mm—Phillips (Qty 2)	PZ1 x 25mm—Pozi (Qty 2)		
PH2 x 25mm—Phillips (Qty 4)	PZ2 x 25mm—Pozi (Qty 3)		
PH3 x 25mm—Phillips (Qty 2)	PZ3 x 25mm—Pozi (Qty 2)		
TX10 x 25mm—TX Drive (Qty 1)	TX15 x 25mm—TX Drive (Qty 1)		
TX20 x 25mm—TX Drive (Qty 2)	TX25 x 25mm—TX Drive (Qty 2)		
TX27 x 25mm—TX Drive (Qty 1)	TX30 x 25mm—TX Drive (Qty 2)		
TX40 x 25mm—TX Drive (Qty 1)	1/4 " x 60mm Hex Driver Adaptor		

SABRE SAW BLADES WOODS AND PLASTICS



Part No	Length	Bosch	Pack										Price
920A3020/150BI	150mm (5/8TPI)	S610VF	5	✓	✓	✓	✓	✓	✓	✓			
920A3021/150A	150mm (6 TPI)	S644D	5	✓	✓		✓	✓	✓		✓	✓	
920908 *	225mm (6TPI)	R910DF	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	
920A3029/240	Pruning Wood 240mm (4/5TPI)	S1531L	5			✓							
920A3021/300BI	300mm (6TPI)	S1411DF	5	✓	✓		✓	✓					
920A3020/228BI	228mm (5/8TPI)	S1110VF	5	✓	✓	✓	✓	✓					
920644D	150mm	-	1									✓	

*920908 will also cut through metal nails

METALS, PLASTICS AND CERAMICS

SABRE SAW BLADES



Part No	Length	Bosch Equiv.	Pack Qty						Price
920A3013/150	150mm (18TPI)	S922BF	5	✓		✓		✓	
920A3014/150	150mm (18TPI)	S922EF	5	✓		✓			
920A3015/150	150mm (24TPI)	S922AF	5	✓	✓				
920A3014/200	200mm (18TPI)	S1122EF	5	✓		✓			
920A3013/200	200mm (18TPI)	S1122BF	5	✓		✓		✓	
920A3015/200	200mm (24TPI)	S1122AF	5	✓	✓				
920A3018/280	280mm (10TPI)	-	5		✓				
920610R	150mm (10TPI)	-	5			✓		✓	
920622BF	150mm (14TPI)	-	1		✓			✓	
920R825BF	200mm (14TPI)	-	1		✓			✓	
IRW10507365	200mm (Carbide Grit)	-	2					✓	

BLOCK/BRICK CUTTING BI-METAL BLADES

Part No	Length	Bosch Equiv.	Pack Qty	Material	Price
920AB305-215	215mm (2TPI)	1243HM	1	Aircrete Block, Brick	

BAHCO HACK SAW BLADES

920300180	Bi-Metal 18 TPI	10	
920300240	Bi-Metal 24 TPI	10	
920300320	Bi-Metal 32 TPI	10	

WOOD/BOARD CUTTING—HIGH CARBON STEEL BLADES



Part no	Length	Bosch Equiv.	Box Qty	Material	Price
920AHG13	100mm (8TPI)	T111C	5	Softwood/Plastic	
920AHW12	75mm (12TPI)	T119B	5	Softwood/Insulation Mat.	
920AHW12K	75mm (12TPI)	T119BO	5	Softwood/Insulation Mat	
920AHGS14	100mm (6TPI)	T144D	5	All Wood Types	
920AHGS24	100mm (6TPI)	7244D	5	All Wood Types	
920105	75mm (6TPI)	T101D	5	All Wood/Plastic	
920101	75mm (10TPI)	T101B	5	All Wood/Plastic	
920AHC14D	100mm (6TPI)	T101DP	5	All Wood/Plastic	
920AHC12K	75mm (18TPI)	T101AO	5	Softwood/Laminate	
920AHC12R	100mm (10TPI)	T101BR	5	Wood/Laminate/Plastic	
920AHC32R	132mm (10TPI)	T101BRLong	5	Wood/Laminate/Plastic	
920APC110	132mm (6TPI)	T341HM	5	Glass Fibre Reinforced Plastic/ Plasterboard	

BI-METAL JIGSAW BLADES



Part no	Length	Bosch Equiv.	Pack Qty	Material	Price
920AHGS14BI	100mm (6TPI)	T144DF	5	All Wood	
920AHC12BI	100mm (10TPI)	T101BF	5	All Wood/Plastic	
920AHC12RBI	100mm (10TPI)	T101BRF	5	Laminate	
920AMG11BI	76mm (21TPI)	T118AF	5	Steel/Stainless Steel	
920AMG12BI	76mm (12TPI)	T118BF	5	Steel/Stainless Steel/ Alu./Non-Ferrous	

METAL CUTTING—HIGH SPEED STEEL BLADES



Part no	Length	Bosch Equiv.	Pack Qty	Material	Price
920103	75mm (8TPI)	T127D	5	Non-Ferrous/Alu./ Steel/Plastic	
920AMG107	75mm (32TPI)	T118G	5	Very Thin Sheet Metal	
920118	75mm (21TPI)	T118A	5	Thin Sheets of Steel & Stainless Steel	
920AMG21	75mm (21TPI)	T218A	5	Thin Sheet/Steel	
920AMG12	75mm (12TPI)	7118B	5	Steel/Stainless Steel/ Alu./Non-Ferrous	
920AMG32	132mm (12TPI)	T318B	5	Steel/Non-Ferrous/ Pipes	
920AMG31	130mm (21TPI)	T318A	5	Pipes/Profiles	

MIXED JIGSAW SET—16 PIECE



Part no	Length	Bosch Equiv.	Pack Qty	Material	Price
JIGSET	100mm (8TPI)	T111C	2	Softwood/Plastic	
	100mm (6TPI)	T144D	2	All Wood Types	
	100mm (10TPI)	T101B	2	All Wood/Plastic	
	100mm (6TPI)	T101D	1	All Wood/Plastic	
	100mm (10TPI)	T101BR	2	Wood/Laminate/Plastic	
	76mm (12TPI)	T119BO	2	Softwood/Insulation Mat.	
	76mm (21TPI)	T118A	3	Thin Sheet of Steel or SS	
	76mm (12TPI)	T118B	2	Steel/SS/N-F/Alu.	

CIRCULAR SAW BLADES



COARSE/MEDIUM



MEDIUM



MEDIUM/FINE



EXTRA FINE

Part No	Cut Type	Disc Ø	Bore	No of Teeth	Pack Qty	Price
920C1402016	Coarse/Medium	140mm	20mm	16	1	
920C1502012	Coarse/Medium	150mm	20mm	12	1	
920C1603016	Coarse/Medium	160mm	30mm	16	1	
920C1841624	Coarse/Medium	184mm	16mm	24	1	
920C1843024	Coarse/Medium	184mm	30mm	24	1	
920C1903024	Coarse/Medium	190mm	30mm	24	1	
920C1903040	Coarse/Medium	190mm	30mm	40	1	
920C2103032	Coarse/Medium	210mm	30mm	32	1	
920C2163024	Coarse/Medium	216mm	30mm	24	1	
920C2303030	Coarse/Medium	230mm	30mm	30	1	
920C2353024	Coarse/Medium	235mm	30mm	24	1	
920C2353040	Coarse/Medium	235mm	30mm	40	1	
920C2543030	Coarse/Medium	254mm	30mm	30	1	
920C2603030	Coarse/Medium	260mm	30mm	30	1	
920C3153030	Coarse/Medium	315mm	30mm	30	1	
920C1603024	Medium	160mm	30mm	24	1	
920C1653018	Medium	165mm	30mm	18	1	
920C2303040	Medium	230mm	30mm	40	1	
920C2503040	Medium	250mm	30mm	40	1	
920C2543040	Medium	254mm	30mm	40	1	
920C3003040	Medium	300mm	30mm	40	1	
920C3153048	Medium	315mm	30mm	48	1	
920C1502040	Medium/Fine	150mm	20mm	40	1	
920C1841640	Medium/Fine	184mm	16mm	40	1	
920C1843040	Medium/Fine	184mm	30mm	40	1	
920C2163040	Medium/Fine	216mm	30mm	40	1	
920C2353060	Medium/Fine	235mm	30mm	60	1	
920C2503060	Medium/Fine	250mm	30mm	60	1	
920C2543060	Medium/Fine	254mm	30mm	60	1	
920C2603060	Medium/Fine	260mm	30mm	60	1	
920C3003060	Medium/Fine	300mm	30mm	60	1	
920C3003080	Medium/Fine	300mm	30mm	80	1	
920C3153060	Medium/Fine	315mm	30mm	60	1	
920C1843060	Extra Fine	184mm	30mm	60	1	
920C2163060	Extra Fine	216mm	30mm	60	1	
920C2163080	Extra Fine	216mm	30mm	80	1	
920C2503080	Extra Fine	250mm	30mm	80	1	

TCT Circular Saw Blade have copper inserts fitted to the aluminium blades to help dissipate heat and reduce the risk of blade deflection. High quality European tips maximize blade life, and an Anodised finish protects the blade against corrosion and guarantees maximum performance. Longer life Silver brazed tips ensure a secure adhesion to the body and fully hardened steel body with expansion slots to resist blade deflection.

CIRCULAR SAW BLADES

Part No	Cut Type	Disc Ø	Bore	No of Teeth	Pack Qty	Price
Hand-Held Cordless Circular Saw Blades						
920T1361024	Medium	136mm	10mm	24	1	
920T1501024	Medium	150mm	10mm	24	1	
920T1651024	Coarse/Medium	165mm	10mm	24	1	
920T1652024	Coarse/Medium	165mm	20mm	24	1	
920T1651040	Medium/Fine	165mm	10mm	40	1	
920T1903024	Coarse/Medium	190mm	30mm	24	1	

For cutting wood

0° Mitre Saw Blades						
920Z2163024	Coarse/Medium	216mm	30mm	24	1	
920Z2163048	Medium/Fine	216mm	30mm	48	1	
920Z2503048	Medium	250mm	30mm	48	1	
920Z2503060	Medium/Fine	250mm	30mm	60	1	

For cutting wood

-5° Circular Saw Blades						
920A2163060	Fine	216mm	30mm	60	1	
920A2163080	Fine	216mm	30mm	80	1	
920A2503080	Fine	250mm	30mm	80	1	
920A3053048	Fine	305mm	30mm	48	1	
920A3053060	Fine	305mm	30mm	60	1	
920A3053080	Fine	305mm	30mm	80	1	

For cutting aluminium & plastics

PCD FIBRE CEMENT BLADES

920PCD160204	Coarse/Medium	160mm	20mm	4	1	
920PCD165204	Coarse/Medium	165mm	20mm	4	1	
920PCD190204	Coarse/Medium	190mm	20mm	4	1	
920PCD216308	Coarse/Medium	216mm	30mm	8	1	
920PCD250306	Coarse/Medium	250mm	30mm	6	1	

For cutting fibre cement boards



Laminate Board Fibre Cement

High quality blades with polycrystalline diamond tipped teeth for faster cleaner cutting ability and a longer life when cutting fibre cement board. Also ideal for laminated boards.

- Longer working life
- Reduced dust when cutting fibre cement materials



JACK SAW



Part No	Description	Qty	Price
920853	Irwin Jack Saw 20in Universal 880	1	

TOOLBOX SAWS



920840	BAHCO 14" 15TPI Plastic Cutting	10	
--------	---------------------------------	----	--

920502	XPERT 14" 15TPI Plastic/MDF/Wood	12	
--------	----------------------------------	----	--

CARPET KNIFE BLADES



920100	0.06mm Thick	100	
92010010	10 Blades	10	
920104	Carpet Knife Blades Hooked Type x 10	10	

UTILITY KNIFE BLADES



920UBDISP	Dispencer 60 x 19 x 0.6	10	
920UBCASE	Case 60 x 19 x 0.6	100	
920UBHANG	Hang 60 x 19 x 0.6	50	
920UBHANG100	Hang 60 x 19 x 0.6	100	

HOOKED UTILITY KNIFE BLADES



920HBDISP	51 x 19 x 0.6	10	
-----------	---------------	----	--

SINGLE SIDED BLADES

920110	0.40mm Thick	100	
--------	--------------	-----	--

mytradecounter

Our online trade counter features over 25,000 products from over 200 Hand Tool, Power Tool and Hardware Brands. There are several features designed to provide you with the information you require at the touch of a button. Here are just a few of the key benefits:

- An advanced search facility to find the correct product quickly.
- In depth product information, including technical specifications and product images.
- Real time stock availability.
- A quick and easy ordering facility.



CUTTING & GRINDING DISCS

Part No	Details	Disc Ø	Bore	Thickness	Pack Qty	Price
CDFCMT115222	For Cutting	115mm	22.2mm	1.0mm	25	
CDFCMT125222	For Cutting	125mm	22.2mm	1.0mm	25	
CDFCMT230222	For Cutting	230mm	22.2mm	1.9mm	25	
CDDGM115222	For Grinding	115mm	22.2mm	6.4mm	25	



Used for cutting or grinding various types of metals. 1.0mm & 1.9mm are ideal for cutting stainless steel. Dimension, expiry date, mazimum speed, peripheral speed & safety stand-ards all stated on the blades front.

- Manufactured to European standard EN124136



CUTTING DISCS—DIAMOND BLADE SINTERED

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
CDGPE115222	For Cutting	115mm	22.2mm	7mm	1	
CDGPE230222	For Cutting	230mm	22.2mm	7mm	1	
CDGPE30020	For Cutting	300mm	20mm	7mm	1	



An economic product for cutting medium density building materials such as com-mon bricks, paving slabs, kerbs and lintels.

- Approved to European standard EN13236



CUTTING DISCS—DIAMOND BLADE LASER

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
CDGPL115222	For Cutting	115mm	22.2mm	10mm	1	
CDGPL125222	For cutting	125mm	22.2mm	10mm	1	
CDGPL230222	For Cutting	230mm	22.2mm	10mm	1	
CDGPL30020	For Cutting	300mm	20mm	10mm	1	



A Cost effective laser welded blade with longer life than the sintered blades. For use in medium density building materials such as concrete, common bricks, paving slabs, kerbs, lintels, clay roof tiles and nateral stone.

- Deep 10amm diamond segment for longer life
- Approved to European standard EN13236 and oSa requirements.





MORTAR RAKING BLADE

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
Silver Brazed						
CDMRP115	For Raking	115mm	22.2mm	10mm	1	
CDMRP125	For Raking	125mm	22.2mm	10mm	1	

A top quality product for raking mortar from between bricks prior to re-pointing.
10mm silver brazed segments for a long service life

Approved to European standard EN 13236 and oSa requirements



Mortar



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
Cold Sintered						
CDMRE115	For Raking	115mm	22.2mm	7mm	1	
CDMRE125	For Raking	125mm	22.2mm	7mm	1	

An economic product for raking mortar from between bricks prior to re-pointing.
Approved to European standard EN 13236 and oSa requirements



Mortar

PORCELAIN & CERAMIC DISCS



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
Ceramic Continuous Rim - Sintered						
CDTE10016	For Cutting	100mm	16mm	5mm	1	
CDTE115222	For Cutting	115mm	22.2mm	5mm	1	
CDTE180222	For Cutting	180mm	22.2mm	5mm	1	

A cost effective blade for cutting porcelain, ceramics and marble. Continuous rim for minimal chipping of the material. Can be used wet or dry.
Approved to European standard EN 13236



Tiles



Marble



Porcelain



Stone



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
Porcelain & Ceramic - Thin Turbo						
CDTP115222	For Cutting	115mm	22.2mm	10mm	1	

A top quality blade for cutting porcelain, ceramics and marble. Continuous turbo design for minimal chipping of the material, while the special thin body reduces resistance and increases speed of cut. Can be used wet or dry.

Approved to European standard EN 13236



Tiles



Marble



Porcelain



Stone

BONDED ABRASIVE DISC



Part No	Details	Disc Ø	Bore	Thickness	Pack Qty	Price
CDFCM115222	For Cutting	115mm	22.2mm	2.5mm	50	
CDFCM230222	For cutting	230mm	22.2mm	3.2mm	25	
CDFCM30020	For Cutting	300mm	20mm	3.2mm	25	


Used for cutting various types of metals.

- High stability
- Long life
- High cutting speed



Steel

CUP GRINDING WHEEL



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
CDCGDE115	For Grinding	115mm	22.2mm	10mm	1	

A double row silver brazed wheel, for smoothing and removing shutter marks from medium density concrete.

Approved to European standard EN 13236



Concrete

CHIMAERA MULTI-MATERIAL BLADE



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
CDMM115222	For Cutting	115mm	22.2mm	10mm	1	
CDMM125222	For Cutting	125mm	22.2mm	10mm	1	
CDMM230222	For Cutting	230mm	22.2mm	10mm	1	
CDMM30020	For Cutting	300mm	20mm	10mm	1	
CDMM300222	For Cutting	300mm	22.2mm	10mm	1	
CDMM35020	For Cutting	350mm	20mm	10mm	1	
CDMM350254	For Cutting	350mm	25.4mm	10mm	1	

A high quality multi-material blade designed for cutting construction materials. Continuous rim turbo segmented blade for smooth cutting of construction material and reinforced concrete.

Reinforced centre to prevent warping

Approved to European standard EN 13236 and oSa requirements



PREMIUM LASER WELDED BLADE



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty	Price
CDGPPL115222	For Cutting	115mm	22.2mm	12mm	1	
CDGPPL125222	For Cutting	125mm	22.2mm	12mm	1	
CDGPPL230222	For Cutting	230mm	22.2mm	12mm	1	
CDGPPL30020	For Cutting	300mm	20mm	12mm	1	
CDGPPL300222	For Cutting	300mm	22.2mm	12mm	1	
CDGPPL35020	For Cutting	350mm	20mm	12mm	1	
CDGPPL350254	For Cutting	350mm	25.4mm	12mm	1	
CDGPPL450254	For Cutting	450mm	25.4mm	12mm	1	

A premium quality laser welded, turbo segmented blade. For use in building materials such as concrete, common bricks, paving slabs, kerbs, lintels, clay roof tiles and natural stone.

Extra deep 12mm turbo diamond segments for longer life and faster cutting



HOLESAW - VARIABLE PITCH



PLASTIC



SOFTWOOD



MDF



PLYWOOD



NON-FERROUS



PLASTER BOARD



SHEET METAL

A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

- High quality M3 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth : Wood – 38mm, Thin sheet Metal – 3mm

Part No	Saw Ø	Arbor to Suit	Pack Qty	Price
958HS14	14mm	AA4, AA1, SDSA1	1	
958HS16	16mm	AA4, AA1, SDSA1	1	
958HS17	17mm	AA4, AA1, SDSA1	1	
958HS19	19mm	AA4, AA1, SDSA1	1	
958HS20	20mm	AA4, AA1, SDSA1	1	
958HS21	21mm	AA4, AA1, SDSA1	1	
958HS22	22mm	AA4, AA1, SDSA1	1	
958HS24	24mm	AA4, AA1, SDSA1	1	
958HS25	25mm	AA4, AA1, SDSA1	1	
958HS27	27mm	AA4, AA1, SDSA1	1	
958HS29	29mm	AA4, AA1, SDSA1	1	
958HS30	30mm	AA4, AA1, SDSA1	1	
958HS32	32mm	AA2, SDSA2	1	
958HS35	35mm	AA2, SDSA2	1	
958HS37	37mm	AA2, SDSA2	1	
958HS38	38mm	AA2, SDSA2	1	
958HS40	40mm	AA2, SDSA2	1	
958HS41	41mm	AA2, SDSA2	1	
958HS43	43mm	AA2, SDSA2	1	
958HS44	44mm	AA2, SDSA2	1	
958HS46	46mm	AA2, SDSA2	1	
958HS48	48mm	AA2, SDSA2	1	
958HS51	51mm	AA2, SDSA2	1	
958HS52	52mm	AA2, SDSA2	1	
958HS54	54mm	AA2, SDSA2	1	
958HS57	57mm	AA2, SDSA2	1	
958HS60	60mm	AA2, SDSA2	1	
958HS64	64mm	AA2, SDSA2	1	
958HS65	65mm	AA2, SDSA2	1	
958HS67	67mm	AA2, SDSA2	1	
958HS68	68mm	AA2, SDSA2	1	
958HS70	70mm	AA2, SDSA2	1	
958HS73	73mm	AA2, SDSA2	1	
958HS76	76mm	AA2, SDSA2	1	
958HS79	79mm	AA2, SDSA2	1	
958HS83	83mm	AA2, SDSA2	1	
958HS86	86mm	AA2, SDSA2	1	
958HS89	89mm	AA2, SDSA2	1	
958HS92	92mm	AA2, SDSA2	1	
958HS95	95mm	AA2, SDSA2	1	
958HS98	98mm	AA2, SDSA2	1	
958HS102	102mm	AA2, SDSA2	1	
958HS105	105mm	AA2, SDSA2	1	
958HS108	108mm	AA2, SDSA2	1	
958HS111	111mm	AA2, SDSA2	1	

HOLESAW - VARIABLE PITCH - CONTINUED

Part No	Saw Ø	Arbor to Suit	Pack Qty	Price
958HS114	114mm	AA2, SDSA2	1	
958HS121	121mm	AA2, SDSA2	1	
958HS127	127mm	AA2, SDSA2	1	
958HS140	140mm	AA2, SDSA2	1	
958HS152	152mm	AA2, SDSA2	1	

HOLESAW - CONSTANT PITCH



STAINLESS
STEEL



SHEET
METAL



NON-
FERROUS



PLASTIC



SOFTWOOD



PLASTER
BOARD



MDF



PLYWOOD



CAST IRON

Part No	Saw Ø	Arbor to Suit	Pack Qty	Price
958HSC16	16mm	AA4, AA1, SDSA1	1	
958HSC17	17mm	AA4, AA1, SDSA1	1	
958HSC20	20mm	AA4, AA1, SDSA1	1	
958HSC22	22mm	AA4, AA1, SDSA1	1	
958HSC25	25mm	AA4, AA1, SDSA1	1	
958HSC30	30mm	AA4, AA1, SDSA1	1	
958HSC32	32mm	AA2, SDSA2	1	
958HSC35	35mm	AA2, SDSA2	1	
958HSC37	37mm	AA2, SDSA2	1	
958HSC40	40mm	AA2, SDSA2	1	
958HSC46	46mm	AA2, SDSA2	1	
958HSC48	48mm	AA2, SDSA2	1	
958HSC51	51mm	AA2, SDSA2	1	
958HSC60	60mm	AA2, SDSA2	1	
958HSC64	64mm	AA2, SDSA2	1	
958HSC68	68mm	AA2, SDSA2	1	
958HSC70	70mm	AA2, SDSA2	1	
958HSC76	76mm	AA2, SDSA2	1	
958HSC79	79mm	AA2, SDSA2	1	
958HSC86	86mm	AA2, SDSA2	1	
958HSC89	89mm	AA2, SDSA2	1	
958HSC95	95mm	AA2, SDSA2	1	
958HSC102	102mm	AA2, SDSA2	1	
958HSC108	108mm	AA2, SDSA2	1	
958HSC165	165mm	AA2, SDSA2	1	

A constant pitch tooth pattern ensures smooth cutting and less “chatter” when drilling metal, particularly thin sheet. High quality M42 grade 8% Cobalt HSS steel. Ideal for stainless steel.

- High quality M42 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth : Wood – 38mm, Thin sheet Metal – 3mm, Stainless Steel – 2mm





TITANIUM COATED BI-METAL MULTI TOOL BLADES

Part No	Description	Qty	Price
639MT32TN	Flush-Cut, Wood/Metal Multi-Tool Blade 32mm	1	
639MT44TN	Flush-Cut, Wood/Metal Multi-Tool Blade 44mm	1	

Cutting Depth: 54mm Teeth Pitch: 1.4mm

Ideal for a fine and straight cut into hard/softwoods, ferrous and non-ferrous pipes/sheet and plastics.



BI-METAL MULTI TOOL BLADES

639MT10BI	Fine Cut, Wood/Metal Multi-Tool Blade 10mm	1	
639MT20BI	Fine-Cut, Wood/Metal Multi-Tool Blade 20mm	1	
639MT32BI	Fine-Cut, Wood/Metal Multi-Tool Blade 32mm	1	
639MT69BI	Fine-Cut, Wood/Metal Multi-Tool Blade 69mm	1	

Cutting Depth: 42mm Teeth Pitch: 1.4mm

Ideal for a fine and straight cut into hard/softwoods, ferrous and non-ferrous pipes/sheet and plastics.



639MTR87TN	Wood/Metal Radial Multi Tool Blade 87mm, Titanium coated, 1.3 TPI	1	
639MTR87BI	Wood/Metal Radial Multi Tool Blade 87mm 1.3 TPI	1	

Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

CARBON STEEL MULTI TOOL BLADES



639MT10FT	Flush-Cut, Wood Multi-Tool Blade 10mm	1	
639MT20FT	Flush-Cut, Wood Multi-Tool Blade 20mm	1	

Cutting Depth: 40mm Teeth Pitch: 1.4mm

An economic blade with hardened teeth, designed for a fine, clean cut into hard/soft woods, plastics, plasterboard and soft materials.



639MT32FT	Flush-Cut, Wood Multi-Tool Blade 32mm	1	
-----------	---------------------------------------	---	--

Cutting Depth: 40mm Teeth Pitch: 1.4mm

An economic blade with hardened teeth, designed for a fine, clean cut into hard/soft woods, plastics, plasterboard and soft materials.



639MT32CT	Coarse-Cut, Wood Multi-Tool Blade 32mm	1	
-----------	--	---	--

Cutting Depth: 42mm Teeth Pitch: 1.69mm

32mm blade for general work. Coarse cut blades are designed to give a quick, coarse cut into wood, plasterboard and many types of plastic.

CARBON STEEL MULTI TOOL BLADES



Part No	Description	Qty	Price
639MT69SE	Multi-Tool Serrated Wavy Edge Blade 69mm	1	

The serrated blades is ideal for cutting soft materials such as cardboard, polystyrene, carpet, rubber and leather.



639MT52SC	Flexible Scraper Multi-Tool Blade 52mm	1	
-----------	--	---	--

Ideal for many scraping applications such as removing paint, glues and silicone.



639MT69CT	Flush-Cut, Wood Multi-Tool Blade 69mm V Shape Teeth	1	
-----------	---	---	--

69mm blade for cutting a large area of material. Coarse cut blades are designed for a quick, coarse cut into wood, plasterboard and many types of plastic.



639MT69FT	Flush-Cut, Wood Multi-Tool Blade 69mm	1	
-----------	---------------------------------------	---	--

69mm blade for cutting a large area of material. Fine cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.



639MTR65CG	Carbide Grit, Radial Multi-Tool Blade 65mm	1	
------------	--	---	--

Ideal for cutting tiles, porous concrete and plaster.



639MTR87CS	Wood Radial Multi Tool Blade 87mm 1.4 TPI	1	
------------	---	---	--

Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.



639MTBOOT	Diamond Boot Multi Tool Blade 59mm	1	
-----------	------------------------------------	---	--

The boot design rapidly removes the grout without damaging the tiles.

MULTI CUTTER BLADES



Part No	Description	Qty	Price
639SH35WB	SH 35mm Wood Blade	1	
639SH65WB	SH 65mm Wood Blade	1	

These blades have special teeth for universal use on wood, plasterboard, fibre glass, reinforced plastic and many types of plastic.



639SH35HWB	SH 35mm Hardwood Blade	1	
------------	------------------------	---	--

Bi-Metal Precision plunge-cutting saw blade for hard wood.



639SH35TTHWB	SH Bi-Metal 35mm Titanium Hardwood Blade	1	
--------------	--	---	--

Bi-Metal Precision plunge-cutting saw blade for Hard Wood. Titanium coated for longer life.



639SH35BM	35mm Bi-Metal Blade	1	
-----------	---------------------	---	--

These blades can be used on a wide range of materials. Metal and wood; approximately 2mm aluminium profiles and copper pipes (soft metals), drywall and almost all plastics.



639SH50SR	50mm Scraper Blade	1	
-----------	--------------------	---	--

Ideal for removing stubborn old paint, adhesive residue, carpeting, tile adhesive & sealants.



639SH32LR	32mm Long Reach Blade	1	
-----------	-----------------------	---	--

These blades have a cutting depth of 68mm (standard blade=40mm). Suitable for cutting wood and plastics.



639SH78RP	78mm Carbide Rasp	1	
-----------	-------------------	---	--

These blades are perfect for coarse sanding of filler, tile adhesive, concrete, stone and wood.

These blades are a direct fit with both the old and new style Fein Multimasters, all Bosch multi tools and many other multi tools. They can also be used on the Worx Sonicrafter when used with the Worx adaptor.

MULTI CUTTER BLADES

Part No	Description	Qty	Price
639SH35EC	35mm Carbide End Cut Blade	1	

Perfect for chasing into plaster and some bricks for electric sockets/cables. Also used for grout removal. For extended life, clean out the carbide grit with a wire brush.

639SH80CS	80mm Circular Saw Blade	1	
-----------	-------------------------	---	--

Suitable for cutting fibreglass, hard woods, drywall and metal up to 20 gauge. When the blade is blunt on one side, it can be turned in the arbor of the tool for a fresh start.

639SH90DB	90mm Diamond Blade	1	
-----------	--------------------	---	--

The diamond coated surface of this blade outlasts carbide grit versions 2 to 1 in grout removal. 1.7mm thick. It can also be used for making small cuts out of some ceramic tiles. The semi circular design allows the blade to access right into the corners without over cutting.

639SC35WB	35mm Wood Blade SUPERCUT fitting only	1	
-----------	---------------------------------------	---	--

These blades have special teeth for universal use on wood, plasterboard, fibre-glass, reinforced plastic and many types of plastic.

639SH63CD	63mm Carbide Blade SUPERCUT fitting only	1	
-----------	--	---	--

The 63mm Carbide Blade quickly grinds out grout without damaging surrounding tiles. This blade has one flat side so you can cut to corners or adjoining surfaces without over-cutting. The cutting width on this blade is 1/16". Also used for plunge cutting into drywall and cutting porous concrete block.

SANDING TOOL AND SHEETS

639MT93SP	Delta Sanding Pad 93mm	1	
-----------	------------------------	---	--

To be used in conjunction with the triangular sanding sheets. For sanding wood, metal and plastics.

639MTP60	Delta Sanding Sheets 60 Grit—Coarse	10	
639MTP80	Delta Sanding Sheets 80 Grit—Medium	10	
639MTP100	Delta Sanding Sheets 100 Grit—Medium	10	
639MTP120	Delta Sanding Sheets 120 Grit—Medium	10	
639MTP180	Delta Sanding Sheets 180 Grit	10	

These blades are a direct fit with both the old and new style Fein Multimasters, all Bosch multi tools and many other multi tools. They can also be used on the Worx Sonicrafter when used with the Worx adaptor.

MULTI TOOL BLADE SETS



Part No	Details	Qty	Price
639MT8PSET	Multi-Tool Sets - 8 Piece Set	1	

10mm Fine Cut Blade (Qty 1) Ø87mm Radial Blade (Qty 1)
 20mm Fine Cut Blade (Qty 1) 32mm Coarse Cut Blade (Qty 1)
 32mm Fine Cut Blade (Qty 1) 69mm Coarse Cut Blade (Qty 1)
 69mm Fine Cut Blade (Qty 1) 52mm Flexible Scraper Blade (Qty 1)

Convenient eight piece mixed set of popular blades. Ideal for multiple applications.



MT4PSET	Multi-Tool Sets - 4 Piece Set	1	
---------	-------------------------------	---	--

32mm Fine Cut Blade (Qty 1)
 69mm Fine Cut Blade (Qty 1)
 32mm Coarse Cut Blade (Qty 1)
 69mm Coarse Cut Blade (Qty 1)

Convenient four piece mixed set of popular blades. Ideal for multiple applications.



639QF-12	Multi Cutter Mixed Blades x 12	1	
----------	--------------------------------	---	--

3x 35mm blade
 3x Bi-metal blade
 3x 35mm Coarse cut blades
 3x 65mm blade



639SH13CS	13 Blade Case Set	1	
-----------	-------------------	---	--

1x 35mm blade	1x 20mm Wood blade
1x Coarse Cut blade	1x 10mm Wood blade
1x 35mm Wood blade	1x 63mm Carbide blade
1x 35mm Coarse Cut blade	1x 76mm Carbide Rasp
1x 35mm Bi-metal blade	1x 90mm Segmented blade
(for use on non-ferrous metals)	1x 80mm Circular Saw blade
1x 65mm Wood blade	1x 50 Rigid Scraper blade
1x 30mm Wood blade	1x 50mm Flexible Scraper blade

These blades are a direct fit with both the old and new style Fein Multimasters, all Bosch multi tools and many other multi tools. They can also be used on the Worx Sonicrafter when used with the Worx adaptor.



SANDPAPER ROLL



Part No	Size	Abrasive Grade	Qty	Price
YELLOW—180G BACKING PAPER				
231541	115mm x 10m	Coarse (P40 - P60 Grit)	1	
231999	115mm x 10m	Medium (P80 - P100 Grit)	1	
231405	115mm x 10m	Fine (P120 - P150 Grit)	1	

Ideal for preparation of intricate and delicate applications.



GREEN—225G BACKING PAPER				
231022	115mm x 10m	Coarse (P40 - P60 Grit)	1	
231117	115mm x 10m	Medium (P80 - P100 Grit)	1	
231823	115mm x 10m	Fine (P120 - P150 Grit)	1	

Ideal for hand and power tool sanding.



RED—250G BACKING PAPER				
231004	115mm x 10m	Coarse (P40 - P60 Grit)	1	
231210	115mm x 10m	Medium (P80 - P100 Grit)	1	
231311	115mm x 10m	Fine (P120 - P150 Grit)	1	

For excellent material removal in a wide variety of woodworking, painting and decorating applications.

SANDING SHEETS—RED



Ideal for heavy hand or power sanding on wood, paint, varnish, plaster and filler.

231002	230 x 280mm	Medium (P80 - P100 Grit)	5	
231191	230 x 280mm	Fine (P120 - P150 Grit)	5	
231505	230 x 280mm	Extra Fine (P180 - P240 Grit)	5	
231123	230 x 280mm	Assorted (80, 120, 180 Grit)	5	

SANDING SHEETS—BLACK



231485	230 x 280mm	Ultra Fine (P240 - P600 Grit)	5	
231636	230 x 280mm	Ultra Fine (P240 - P1200 Grit)	5	
231357	230 x 280mm	Assorted (180, 320 Grit)	5	

When used in conjunction with water this paper gives a smoother surface compared to dry sanding on metal, wood, paint and varnish whilst reducing dust.

DETAIL SANDING PADS— RED



Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

231753	95 x 136mm	Medium (P80 - P100 Grit)	5	
231081	95 x 136mm	Fine (P120 - P150 Grit)	5	
231811	95 x 136mm	Extra Fine (P180 - P240 Grit)	5	

SANDING BELTS— RED

Designed to maintain sanding performance, prolong lifespan and meet the extreme requirements of modern belt sanders.



Part No	Size	Abrasive Grade	Qty	Price
231069	75 x 533mm	Coarse (P40 - P60 Grit)	5	
231841	75 x 533mm	Medium (P80 - P100 Grit)	5	
231645	75 x 533mm	Fine (P120 - P150 Grit)	5	
231429	75 x 457mm	Coarse (P40 - P60 Grit)	5	
231987	75 x 457mm	Medium (P80 - P100 Grit)	5	
231321	75 x 457mm	Fine (P120 - P150 Grit)	5	
231147	100 x 610mm	Coarse (P40 - P60 Grit)	5	
231258	100 x 610mm	Medium (P80 - P100 Grit)	5	
231369	100 x 610mm	Fine (P120 - P150 Grit)	5	

DELTA SANDING PADS— RED

Compatible with most leading brands of oscillating multi-tools. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.



231005	95 x 95mm	Coarse (P40 - P60 Grit)	5	
231119	95 x 95mm	Medium (P80 - P100 Grit)	5	
231410	95 x 95mm	Fine (P120 - P150 Grit)	5	
231360	95 x 95mm	Extra Fine (P180 - P240 Grit)	5	
231909	95 x 95mm	Extra Fine (P180 - P240 Grit)	5	
231333	95 x 95mm	Assorted (80, 120, 180 Grit)	5	

RANDOM ORBITAL SANDING DISCS—RED

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.



231019	5" x 125mm	Coarse (P40 - P60 Grit)	5	
231555	5" x 125mm	Medium (P80 - P100 Grit)	5	
231378	5" x 125mm	Fine (P120 - P150 Grit)	5	
231200	5" x 125mm	Extra Fine (P180 - P240 Grit)	5	
231992	5" x 125mm	Assorted (80,120,180 Grit)	5	
231084	5" x 150mm	Coarse (P40 - P60 Grit)	5	
231080	5" x 150mm	Medium (P80 - P100 Grit)	5	
231144	5" x 150mm	Fine (P120 - P150 Grit)	5	
231719	5" x 150mm	Extra Fine (P180 - P240 Grit)	5	
231859	5" x 150mm	Assorted (80,120,180 Grit)	5	

1/3 SANDING SHEETS—PUNCHED/UNPUNCHED



231050	93 x 185mm	Medium (P80 - P100 Grit) -Punched	5	
231855	93 x 185mm	Fine (P120 - P150 Grit) -Punched	5	
231666	93 x 185mm	Extra Fine (P180 - P240 Grit) -Punched	5	
231112	93 x 185mm	Assorted (80,120,180 Grit) -Punched	5	
231467	93 x 230mm	Coarse (P40 - P60 Grit) -Unpunched	5	
231900	93 x 230mm	Medium (P80 - P100 Grit) -Unpunched	5	
231751	93 x 230mm	Fine (P120 - P150 Grit) -Unpunched	5	
231222	93 x 230mm	Extra Fine (P180 - P240 Grit)	5	
231599	93 x 230mm	Assorted (80,120,180 Grit)	5	

CABIN HOOKS



Part No.	Details	Box Qty	Price
922600	Brass Cabin Hook 6"	10	
9221000	Brass Cabin Hook 10"	10	
9221200	Brass Cabin Hook 12"	10	
9236	Chrome Cabin Hook 6"	10	
92388	Chrome Cabin Hook 8"	10	
92310	Chrome Cabin Hook 10"	10	
92312	Chrome Cabin Hook 12"	10	
922610	Black Cabin Hook 6"	10	
922810	Black Cabin Hook 8"	10	
9221001	Black Cabin Hook 10"	10	
9221201	Black Cabin Hook 12"	10	
922820	White Cabin Hook 8"	10	
9221020	White Cabin Hook 10"	10	
9221220	White Cabin Hook 12"	10	

PREMIUM CABIN HOOKS

922808	Premium Brass Cabin Hook 8"	10	
92388	Premium Chrome Cabin Hook 8"	10	

DOOR CHAINS




9245	Brass Door Chain	1	
9246	Chrome Door Chain	1	

DOOR RESTRICTORS



Part no	Description	Box Qty	Outer Qty	Price
SLDR	Door Restrictor Stay	20	100	



FLAT GLAZING PACKERS

Part No.	Details	Box Qty	Price
980100201	20mm x 100mm x 1mm GREEN	1000	
980100202	20mm x 100mm x 2mm BLACK	1000	
980100203	20mm x 100mm x 3mm WHITE	1000	
980100204	20mm x 100mm x 4mm GREY	1000	
980100205	20mm x 100mm x 5mm BLUE	1000	
980100206	20mm x 100mm x 6mm RED	1000	
980100241	24mm x 100mm x 1mm GREEN	1000	
980100242	24mm x 100mm x 2mm BLACK	1000	
980100243	24mm x 100mm x 3mm WHITE	1000	
980100244	24mm x 100mm x 4mm GREY	1000	
980100245	24mm x 100mm x 5mm BLUE	1000	
980100246	24mm x 100mm x 6mm RED	1000	
980100281	28mm x 100mm x 1mm GREEN	1000	
980100282	28mm x 100mm x 2mm BLACK	1000	
980100283	28mm x 100mm x 3mm WHITE	1000	
980100284	28mm x 100mm x 4mm GREY	1000	
980100285	28mm x 100mm x 5mm BLUE	1000	
980100286	28mm x 100mm x 6mm RED	1000	
980100301	30mm x 100mm x 1mm GREEN	1000	
980100302	30mm x 100mm x 2mm BLACK	1000	
980100303	30mm x 100mm x 3mm WHITE	1000	
980100304	30mm x 100mm x 4mm GREY	1000	
980100305	30mm x 100mm x 5mm BLUE	1000	
980100306	30mm x 100mm x 6mm RED	1000	
980100321	32mm x 100mm x 1mm GREEN	1000	
980100322	32mm x 100mm x 2mm BLACK	1000	
980100323	32mm x 100mm x 3mm WHITE	1000	
980100324	32mm x 100mm x 4mm GREY	1000	
980100325	32mm x 100mm x 5mm BLUE	1000	
980100326	32mm x 100mm x 6mm RED	1000	
98010040100	40mm x 100mm x 1mm GREEN	1000	
98010040200	40mm x 100mm x 2mm BLACK	1000	
98010040300	40mm x 100mm x 3mm WHITE	1000	
98010040400	40mm x 100mm x 4mm GREY	1000	
98010040500	40mm x 100mm x 5mm BLUE	1000	
98010040600	40mm x 100mm x 6mm RED	1000	

MIXED FLAT GLAZING PACKERS

98110028	28mm MIXED x 100	10	
98110030	30mm MIXED x 100	10	
98110032	32mm MIXED x 100	10	
9811002800	28mm MIXED x 1000	1	
9811003200	32mm MIXED x 1000	1	



TIMCO INDIVIDUAL FLAT GLAZING PACKERS

Part No.	Details	Box Qty	Price
P1GREENBU	28mm x 100mm x 1mm GREEN	1000	
P2BLACKBU	28mm x 100mm x 2mm BLACK	1000	
P3WHITEBU	28mm x 100mm x 3mm WHITE	1000	
P4GREYBU	28mm x 100mm x 4mm GREY	1000	
P5BLUEBU	28mm x 100mm x 5mm BLUE	1000	
P6REDBU	28mm x 100mm x 6mm RED	1000	
P1GREEN	28mm x 100mm x 1mm GREEN	200	
P2BLACK	28mm x 100mm x 2mm BLACK	200	
P3WHITE	28mm x 100mm x 3mm WHITE	200	
P4GREY	28mm x 100mm x 4mm GREY	200	
P5BLUE	28mm x 100mm x 5mm BLUE	200	
P6RED	28mm x 100mm x 6mm RED	200	

ASSORTED FLAT GLAZING PACKERS

920744957	24 x 100 x 1.0mm Green (Qty 200) 24 x 100 x 2.0mm Black (Qty 160) 24 x 100 x 3.0mm White (Qty 200) 24 x 100 x 4.0mm Grey (Qty 120) 24 x 100 x 5.0mm Blue (Qty 200) 24 x 100 x 6.0mm Red (Qty 120)	1000	
920744224	28 x 100 x 1.0mm Green (Qty 200) 28 x 100 x 2.0mm Black (Qty 160) 28 x 100 x 3.0mm White (Qty 200) 28 x 100 x 4.0mm Grey (Qty 120) 28 x 100 x 5.0mm Blue (Qty 200) 28 x 100 x 6.0mm Red (Qty 120)	1000	
920744258	32 x 100 x 1.0mm Green (Qty 200) 32 x 100 x 2.0mm Black (Qty 160) 32 x 100 x 3.0mm White (Qty 200) 32 x 100 x 4.0mm Grey (Qty 120) 32 x 100 x 5.0mm Blue (Qty 200) 32 x 100 x 6.0mm Red (Qty 120)	1000	

28MM PACKERS—400 QTY

PACKERTUB	28 x 100 x 1.0mm Green (Qty 60) 28 x 100 x 2.0mm Black (Qty 80) 28 x 100 x 3.0mm White (Qty 100) 28 x 100 x 4.0mm Grey (Qty 40) 28 x 100 x 5.0mm Blue (Qty 40) 28 x 100 x 6.0mm Red (Qty 80)	400	
-----------	---	-----	--


28MM PACKERS—200 QTY

PACKER	28 x 100 x 1.0mm Green (Qty 30) 28 x 100 x 2.0mm Black (Qty 40) 28 x 100 x 3.0mm White (Qty 50) 28 x 100 x 4.0mm Grey (Qty 20) 28 x 100 x 5.0mm Blue (Qty 20) 28 x 100 x 6.0mm Red (Qty 40)	200	
--------	--	-----	--

A solution for multiple applications, used to ensure correct weight distribution of glazed units and increase security around fixing points during frame fitting.



- Polypropylene material
- Resistant to weather changes
- Waterproof
- Strong and durable

BRIDGE PACKERS



984100155	100mm x 15mm x 5mm	1000	
984100204	100mm x 20mm x 4mm	1000	
984100205	100mm x 20mm x 5mm	1000	
984100225	100mm x 22mm x 5mm	1000	
984100245	100mm x 24mm x 5mm	1000	
9841002410	100mm x 24mm x 10mm	1000	
984100265	100mm x 26mm x 5mm	1000	
984100284	100mm x 28mm x 4mm	1000	
984100306	100mm x 30mm x 6mm	1000	
984100325	100mm x 32mm x 5mm	1000	
984100404	100mm x 40mm x 4mm	1000	

WEDGE PACKERS



985602413	60mm x 24mm x 1-3mm GREEN	1000	
985602435	60mm x 24mm x 3-5mm BLUE	1000	
985602446	60mm x 24mm x 4-6mm BLACK	1000	
985802813	80mm x 28mm x 1-3mm GREEN	1000	
985802824	80mm x 28mm x 2-4mm YELLOW	1000	
985802835	80mm x 28mm x 3-5mm BLUE	1000	
985803035	80mm x 30mm x 3-5mm BLUE	1000	

MIXED HORSESHOE PACKERS




Part No	Description	Box Qty	Price
981SHIM	MIXED BAG x 200	8	

GLAZING SHOVEL (PADDLE)



830201	Glazing Shovel	1	
--------	----------------	---	--




BAGS (200)

982243551	43mm x 55mm x 1mm Yellow	200	
982243552	43mm x 55mm x 2mm Green	200	
982243553	43mm x 55mm x 3mm Blue	200	
982243554	43mm x 55mm x 4mm Red	200	
982243555	43mm x 55mm x 5mm Brown	200	
982243556	43mm x 55mm x 6mm Black	200	
9822435510	43mm x 55mm x 10mm Grey	200	

BOXES (1000)

982307615	30mm x 76mm x 1.5mm Black	1000	
98230763	30mm x 76mm x 3mm Black	1000	
98245601	45mm x 60mm x 1mm White	1000	
98245602	45mm x 60mm x 2mm Red	1000	
98245603	45mm x 60mm x 3mm Grey	1000	
98245604	45mm x 60mm x 4mm Green	1000	
98245605	45mm x 60mm x 5mm Black	1000	
98245606	45mm x 60mm x 6mm Blue	1000	
982456010	45mm x 60mm x 10mm Natural	1000	
98262502	62mm x 50mm x 2mm Yellow	1000	
98262503	62mm x 50mm x 3mm Red	1000	
98262505	62mm x 50mm x 5mm Green	1000	




MIXED TUB HORSESHOE PACKERS—400 QTY

Part No	Description	Box Qty	Price
SHIMTUB	45 x 35 x 1.0mm Yellow (Qty 40)	400	
	45 x 35 x 2.0mm Green (Qty 40)		
	45 x 35 x 3.0mm Blue (Qty 40)		
	45 x 35 x 4.0mm Red (Qty 40)		
	45 x 35 x 5.0mm Brown (Qty 20)		
	45 x 35 x 6.0mm Black (Qty 20)		
	100 x 50 x 1.0mm Yellow (Qty 40)		
	100 x 50 x 2.0mm Green (Qty 40)		
	100 x 50 x 3.0mm Blue (Qty 40)		
	100 x 50 x 4.0mm Red (Qty 40)		
	100 x 50 x 5.0mm Brown (Qty 20)		
	100 x 50 x 6.0mm Black (Qty 20)		



METAL HORSESHOE PACKERS

98250501M	50mm x 50mm x 1mm Metal	100	
98250503M	50mm x 50mm x 3mm Metal	100	
98250505M	50mm x 50mm x 5mm Metal	100	
982501001M	50mm x 100mm x 1mm Metal	100	
982501003M	50mm x 100mm x 3mm Metal	100	
982501005M	50mm x 100mm x 5mm Metal	100	



GLASS FITTING



Walls
Single/Double
Wood/Panel



Part No.	Details	Lockable	Overall Size	Cut out Size	Lining Thickness				Box Qty	Colour	Price
S270EF S280EF	4 Way Locking Large Cat Small Dog	4 Way	H 292mm W 292mm	Ø 263mm	-	-	✓	✓	4	Frosted White	

PANEL FITTING



Walls
Single/Double
Wood/Panel



Part No.	Details	Lockable	Overall Size	Cut out Size	Lining Thickness				Box Qty	Colour	Price
S715EFS S730EF S740EF	Original 2 Way Small Pet Door	2 Way	H 236mm W 198mm	H 185mm W 158mm	-	✓	✓	✓	4	White Brown	
S755EF S760EF S775EF	Original 2 Way Medium Pet Door	2 Way	H 352mm W 294mm	H 281mm W 237mm	-	✓	✓	✓	4	White Brown	
S760EF S775EF	Original 2 Way Large Pet Door	2 Way	H 456mm W 385mm	H 370mm W 314mm	-	✓	✓	✓	4	White Brown	
S917W	Manual 4 Way Locking Classic	4 Way	H 224mm W 224mm	H 169mm W 169mm Ø 210mm	65mm	✓	✓	✓	4	White	
S932EF	Magnetic 4 Way Locking Classic	4 Way	H 224mm W 224mm	H 169mm W 169mm Ø 210mm	65mm	✓	✓	✓	4	White	
S320EFS	4 Way Locking Deluxe Cat Flap	4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	-	✓	✓	✓	4	Brown	
S310W	Tunnel Extension for 300				-	✓	-	-	4	White	
S400EF S420EF	Magnetic 4 Way Locking Deluxe Cat Flap	4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	5cm	✓	✓	✓	4	White Brown	
S500EFS	Infra-Red 4 Way Locking Deluxe White	4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	-	✓	✓	✓	4	White	
S580BLUE	Infra-Red Collar Key Pack Blue				-	-	-	-	4	Blue	



GLASS FITTING



Part No.	Details	Lock-able	Overall Size	Cut out Size	Lining Thick-	Walls	Single	Double	Wood/Panel	Box Qty	Colour	Price
PTG-CD	Cat Door Original	4 Way	Ø 270mm	Ø 245mm	3-10mm	-	✓		-	1	White Clear	
PTG-SDDSL	Cat Door (Maxi Slimline)	4 Way	Ø 304mm	Ø 267mm	3-20mm	-	✓		-	1	White Clear	
PTG-SDD	Multi Dual Large Cat/ Small Dog	4 Way	Ø 304mm	Ø 267mm	3-27mm	-	✓		-	1	White	
PTG-	Cat Door Multi Magnetic	4 Way	Ø 270mm	Ø 245mm	3-26mm	-	✓	✓	-	1	White	
PTG-DD	Medium Dog Door	4 Way	H 430mm W 415mm	Ø 385mm	3-32mm	-	✓	✓	-	1	White Clear	
PTC-M	Pet-Tek Replacement					-		-	-	2		

PANEL FITTING



Walls
Single/Double
Wood/Panel




Part No.	Details	Lock-able	Overall Size	Cut out Size	Lining Thick-ness	Walls	Single/Double	Wood/Panel	Box Qty	Colour	Price
PTW-CD	Cat Door (Slimline)	4 Way	H 250mm W 200mm	H 220mm W 170mm	11-30mm	-	-	✓	1	White Brown	
PTW-CDT	Cat Door (Tunnel)	4 Way	H 250mm W 200mm	H 220mm W 170mm	11-52mm	-	-	✓	1	White Brown	
PTW-MCD	Cat Door (Tunnel) Multi Magnetic	4 Way	H 245mm W 190mm	H 214mm W 164mm	15-52mm	-	-	✓	1	White	
PTW-SDD	Small Dog Door (Slimline)	4 Way	H 325mm W 240mm	H 288mm W 203mm	11-30mm	-	-	✓	1	White Brown	
PTW-SDDT	Small Dog Door (Tunnel)	4 Way	H 325mm W 240mm	H 288mm W 203mm	11-52mm	-	-	✓	1	White	
PTW-DD	Medium Dog Door	4 Way	H 400mm W 355mm	H 373mm W 303mm	5-40mm	-	-	✓	1	White	



WINDOW FIXING BRACKETS

150mm Fixing Lugs

Part No	Description	Box Qty	Price
5700299	150mm Eurologic	250	
5700501	150mm Kommerling 58	250	
5700502	150mm Kommerling Gealan	250	
5700507	150mm HIS 70	250	
5700509	150mm Kommerling 70	250	
5700510	150mm VEKA 58	250	
5700514	150mm Rehau 706 (70mm)	250	
5700515	150mm Rehau S921	250	
5700516	150mm WHS (70mm)	250	
5700529	150mm WHS HALO System	250	
5700531	150mm Rehau Tritec Veka 70	250	
5700535	150mm Aluplast Duraflex	250	
5700536	150mm Eurocell	250	
5700538	150mm HW70 Deeplas 2800	250	
5700541	150mm HW Elite 63	250	
5700549	150mm Spectus Elite 70	250	
5700551	150mm Swish 24/7	250	
5700552	150mm Camden Profiles	250	
5701508	150mm Rehau 70 / Tritec	250	
5701532	150mm TIMBER	250	
5701535	150mm Profile 22	250	
57150MMBKT	150mm Plain Fixing Bracket	250	



200mm Fixing Lugs

5700542	200mm Rehau Tritec	250	
5700554	200mm Camden Profiles	250	
57KAWNEER200	200mm Kawneer Profile	250	
57PRO2260	200mm Profile 22 60 System	250	
57PRO2270	200mm Profile 22 70 System	250	
57UNI	200mm Unifix Window Bracket	250	
57200MMBKT	200mm Plain Fixing Bracket	250	

240mm Fixing Lugs

5702513	240mm Rehau Tritec/Veka 70 x 250	150	
5702514	240mm Rehau 70 x 250	150	
5702601	240mm Kommerling 58 x 250	150	
5702609	240mm Kommerling 70 x 250	150	
5700539	240mm WHS x 250	150	

Lugs for profiles not listed are available on request

SURFACE PROTECTION

Part No.	Details	Box Qty	Price
920365270	Stair Dust Sheet 24ft x 3ft	1	
920365271	Harris Stair Dust Sheet 24ft x 3ft	1	
9203653	Laminated Cotton Dust Sheet 12ft x 9ft	1	
920CDSL63	Laminated Cotton Dust Sheet 3ft x 6ft Handy Size	1	
920CDSL129	Laminated Cotton Dust Sheet 9ft x 12ft	1	
920CDS129	Professional Cotton Dust Sheet 9ft x 12ft	1	
920CDS1212	Professional Cotton Dust Sheet 12ft x 12ft	1	
920CDSS243	Professional Cotton Stair Sheet 24ft x 3ft	1	
920365260	Heavy Duty Cotton Dust Sheet 3.1m x 2.4m	1	



LIGHT DUTY TARPAULIN

920TTL23	Light Duty Tarpaulin 2m x 3m	1	
920TTL45	Light Duty Tarpaulin 4m x 5m	1	
920TTL58	Light Duty Tarpaulin 5m x 8m	1	



A tarpaulin for tougher jobs. Manufactured when a heavier gauge 14 x 14 weave for increased durability. Reinforced corners for double strength tie down points. Heavy duty (180+ gsm)

HEAVY DUTY TARPAULIN

920TTH23	Heavy Duty Tarpaulin 2m x 3m	1	
920TTH45	Heavy Duty Tarpaulin 4m x 5m	1	
920TTH58	Heavy Duty Tarpaulin 5m x 8m	1	
920365272	Blue Plastic Tarpaulin Heavy Duty 3.6m x 5.4m	1	



A lighter weight everyday tarpaulin with an 8 x 8 weave. Great for convenient covering of external equipment and materials to protect from the elements. Light duty (80gsm)

SOUDAL SURFACE PROTECTION

0S124762	Cotton Dust Sheet Heavy Duty 3.6m x 2.4m	1	
0S124258	Stair Dust Sheet 24ft x 3ft	1	



SOUDAL TARPAULIN

0S131208	SOUDAL Tarpaulin Economy 18ft x 12ft	1	
0S127791	SOUDAL Tarpaulin Heavy Duty 18ft x 12ft	1	
0S127061	SOUDAL Tarpaulin Heavy Duty 9ft x 12ft	1	



Heavy duty tarpaulin, double laminated fabric.

ECONOMY DUST SHEETS

0S131207	SOUDAL Dust Sheet Economy 12ft x 9ft	1	
920CDS129P3	Economy Cotton Dust Sheet 9ft x 12ft	3	



Economy dust sheet, natural cotton.



PROTECTION FILM



Large plastic sheets with a thickness of 32 microns providing a waterproof protective barrier during decorating and building renovation work.

Highly visible temporary fencing made from a durable, weatherproof and reusable plastic. Suitable for cordoning restricted areas.

Pack Dimensions L x W x H (mm): 1200 x 130 x 130

Part No	Details	Box Qty	Price
Protective Carpet Film			
883-25CP	Carpet Protection Film (Shield) 0.6 x 25m	9	
883-50CP	Carpet 0.6 x 50m	9	
883-100CP	Carpet 0.6 x 100m	9	
Protective Glass Film			
883-25WP	Glass Protection Film (Shield) 0.6 x 25m		
883-50WP	Window 0.6 x 50m	9	
Protective Hard Surface Film			
883-25HP	Hardwood Protection Film (Shield) 0.6 x 25m	9	
883-50HP	Hard Surface 0.6 x 50m	9	

SAFETY GLASS FILM (S1000SPF)

883640	500mm x 100m	1	
--------	--------------	---	--

RUBBLE SACKS

920365280	508mm x 762mm BLUE	100	
920365275	508mm x 762mm BLACK	100	
920SRSHD6090	Heavy Duty Rubble Sacks 600mm x 900mm x 10	10	
920SRSHD80120	Heavy Duty Rubble Sacks 800mm x 1200mm x 10	10	
920SRS30	Rubble Sack Roll 535mm x 820mm x 30	30	

PROTECTIVE ZIPPER DOOR

920PZD	Protective Zipper Door 2.1m x 1.2m	1	
--------	------------------------------------	---	--

GENERAL PURPOSE BUILDERS SHEET

920DPS254	General Purpose Builders Sheet 25m x 4m	1	
920DPS504	General Purpose Builders Sheet 50m x 4m	1	



BARRIER FENCING

920775248	Plastic Barrier Fencing 50m Orange	1	
-----------	------------------------------------	---	--



PROTECTIVE CLING SHEET



920PCS504	Protective Cling Sheet 50m x 4m	6	
-----------	---------------------------------	---	--

*FREE sheet cutter included

PLASTIC SHEET CUTTER



920PSCUTTER	Plastic Sheet Cutter	1	
-------------	----------------------	---	--

RAM BOARD® - HEAVY DUTY FLOOR PROTECTION



92046RB38-100	Heavy Duty Temporary Floor Protection 38" x 100ft	1	
920775250	Shield Protective Board 0.9 x 27.5m	1	



RAM BOARD RAM JAMB™ DOOR FRAME PROTECTOR

920RBJP60	Ram Jamb-Door Frame Protection 60"	1	
-----------	------------------------------------	---	--

RAM BOARD SEAM TAPE™



920RBST3164	Ram Board-Seam Tape 3" x 164ft	1	
-------------	--------------------------------	---	--

Perfect solution for joining Ram Board seams. Its 3" width gives more of an allowance to cover Ram Board seams. The Kraft backing makes it easy to tear off and install as well as making it recyclable. Because of its contractor grade adhesive, it should not be taped directly to finished floors and surfaces.

RAM BOARD EDGE TAPE



920RBPT25-180	Ram Board-Edge Tape 2.5" x 180ft	1	
---------------	----------------------------------	---	--

Edge Tape provides easy release from floors, yet it's tough enough to hold Ram Board edges securely in place. Edge Tape is engineered to secure the edges of Ram Board directly to the floor without damaging your flooring surfaces, walls and stairs.

RAM BOARD VAPOR-CURE® TAPE



920RBVCT3-108	Ram Board-Vapor Cure Tape 3" x 108ft	1	
---------------	--------------------------------------	---	--

When used to join Ram Board seams, it prevents cure lines and promotes even finishes in curing floors. This breathable tape allows vapours and moisture to escape from concrete, glue down floors, stained floors, epoxy floors, refinished floors, VCT, and most other floor types.

RAM BOARD MULTI-CUTTER



920RBMULTICUTTER	Ram Board-Multi Cutter 24 x 18mm	1	
------------------	----------------------------------	---	--

SECURITY GLAZING TAPE

BLACK



- Offered in a variety of widths and thicknesses, our security glazing tape is designed to prevent the unauthorised removal of glass units from externally glazed windows
- Ensures water tightness and draught proofing between the frame and glass
- High performance double sided acrylic tape bonds to the timber and glass
- Cost-effective and easy to install
- Available in Black and White

Part No.	Details	Box Qty	Price
8826501	6mm x 50m x 1mm Black	30	
8826615	6mm x 15m x 6mm Black	30	
8828204	8mm x 20m x 4mm Black	30	
88210501	10mm x 50m x 1mm Black	30	
88210402	10mm x 40m x 2mm Black	30	
88210253	10mm x 25m x 3mm Black	30	
88210204	10mm x 20m x 4mm Black	30	
88210155	10mm x 15m x 5mm Black	30	
88212501	12mm x 50m x 1mm Black	25	
88212402	12mm x 40m x 2mm Black	25	
88212253	12mm x 25m x 3mm Black	25	
88212204	12mm x 20m x 4mm Black	25	
88212155	12mm x 15m x 5mm Black	25	
88212156	12mm x 15m x 6mm Black	25	
88212108	12mm x 10m x 8mm Black	25	
88215501	15mm x 50m x 1mm Black	20	
88215402	15mm x 40m x 2mm Black	20	
88215253	15mm x 25m x 3mm Black	20	
88215204	15mm x 20m x 4mm Black	20	
88215155	15mm x 15m x 5mm Black	20	
88215156	15mm x 15m x 6mm Black	20	
88217155	17mm x 15m x 5mm Black	20	
88220204	20mm x 20m x 4mm Black	20	

WHITE

882105011	10mm x 50m x 1mm White	30	
882104021	10mm x 40m x 2mm White	30	
882102531	10mm x 25m x 3mm White	30	
882102041	10mm x 20m x 4mm White	30	
882101551	10mm x 15m x 5mm White	30	
882125011	12mm x 50m x 1mm White	25	
882124021	12mm x 40m x 2mm White	25	
882122531	12mm x 25m x 3mm White	25	
882122041	12mm x 20m x 4mm White	25	
882121551	12mm x 15m x 5mm White	25	
882121561	12mm x 15m x 6mm White	25	
882155011	15mm x 50m x 1mm White	20	
882152531	15mm x 25m x 3mm White	20	
882202041	20mm x 20m x 4mm White	20	
882225011	22mm x 50m x 1mm White	20	

Other sizes available on request



HANDY WRAPPING



Part No.	Details	Box Qty	Price
88215020	Handy Wrapping System 100mm x 150m	20	
882150201	Handy Wrapping System 100mm x 150m No Handle	20	
882150401	Handy Wrapping System 100mm x 150m	40	
88215030	Handy wrap Handle	1	

GEORGIAN BAR TAPE



88218	18mm x 50m x 1mm WHITE	16	
882181	18mm x 50m x 1mm BLACK	16	

NUMBER PLATE TAPE

760600	25mm x 1mm x 25m BLACK	25	
760601	25mm x 1mm x 25m WHITE	25	

DUCK TAPE



8823050	Duck Tape 30mm x 50m BLACK	1	
8823850	Duck Tape 38mm x 50m BLACK	1	
8824550	Duck Tape 45mm x 50m BLACK	1	
8825050	Duck Tape 50mm x 50m SILVER	1	
8825055	Duck Tape 50mm x 50m BLACK	1	

MASKING TAPE



72024	3M Masking Tape 24mm x 50m	36	
72048	3M Masking Tape 48mm x 50m	20	
72096	3M Masking Tape 96mm x 50m	10	

PACKING TAPE



720PT	66m Buff x 6 rolls	6	
720PTC	66m Clear x 6 rolls	6	



TOOLS



Part No.	Details	Box Qty	Price
921453	FIXED BLADE GASKET SHEARS	1	
921454	STANLEY BLADE GASKET SHEARS	1	
921456	REPLACEMENT BLADES FOR FIXED SHEARS	1	



920100FAITH	Folding Utility Knife with Blade Lock	1	
920253017	Folding Utility Knife & Blades	1	



920253412	Safety Utility Knife	1	
-----------	----------------------	---	--



920253483	Snap Off Utility Knife & Blades 100 x 18 x 0.6	1	
UBSNAP9	Snap Off Utility Knife Blades 80 x 9 x 0.6	10	
UBSNAP18	Snap Off Utility Knife Blades 100 x 18 x 0.6	10	



920823	HEAVY DUTY UTILITY KNIFE	1	
--------	--------------------------	---	--



920STA028654	STANLEY PUTTY KNIFE	1	
--------------	---------------------	---	--



920804	DON CARLOS KNIFE	1	
920805	SPRUE KNIFE (DON CARLOS COPY)	1	
920811	XPERT TRADE MOON KNIFE	10	



920827	32mm CHISEL KNIFE	10	
--------	-------------------	----	--



920807	10in1 CHISEL KNIFE	10	
--------	--------------------	----	--

- | | |
|-------------------------|-----------------------|
| 1. Pointed Scraper | 6. Roller Cleaner |
| 2. Spreader | 7. Nail/ Tack Remover |
| 3. Flat Surface Scraper | 8. Convex Scraper |
| 4. Paint Can Opener | 9. Bottle Opener |
| 5. Concave | 10. Hammer |



920365279	EASY AIR WEDGE	1	
-----------	----------------	---	--

TOOLS



920775	GENERAL PURPOSE PLASTIC TUB 40L	1	
--------	---------------------------------	---	--



920RBUBPB	BLACK BUILDERS BUCKET 3 Gallon	1	
-----------	--------------------------------	---	--



920667	5m SEALFIX TAPE MEASURE	1	
920669	8m SEALFIX TAPE MEASURE	1	



920665	5m TAPE MEASURE	1	
920668	8m TAPE MEASURE	1	



92066696N	TAPE MEASURE	1	
92066656N	8m STANLEY TAPE MEASURE	1	



9205MTAPEM	Tape Measure 5m/16ft x 25mm	1	
9208MTAPEM	Tape Measure 8m/26ft x 25mm	1	



0S117773	SILICONE TWIST NOZZLES	5	
310	SPARE SILICONE NOZZLES	20	



UNI1582528	UNIBOND Sealant Finishing Tool	1	
------------	--------------------------------	---	--



801WC1	MUTTON CLOTH ROLL 750g	1	
801CB800	STOCKINETTE COTTON 800g	1	
920SSR400	Stockinette Cotton Roll 400g	1	
920973138	Assorted Wiping Rag 10kg	1	



925202	XPERT ANGLE FINDER	1	
--------	--------------------	---	--



92532	GLASS-O-METER WITH CASE	1	
-------	-------------------------	---	--



TOOLS



Part No.	Details	Box Qty	Price
920708	25mm HAMMER WHITE WOODEN HANDLE	1	
920710	32mm HAMMER WHITE PLASTIC HANDLE	1	
920710W	32mm HAMMER WHITE WOODEN HANDLE	1	
9207105	38mm HAMMER WHITE PLASTIC HANDLE	1	



920710103	25mm WHITE REPLACEMENT ENDS	1	
920710102	25mm GREY REPLACEMENT ENDS	1	
920710101	32mm WHITE REPLACEMENT ENDS	1	
920710100	32mm GREY REPLACEMENT ENDS	1	
920710052	38mm WHITE REPLACEMENT ENDS	1	
9207101051	38mm GREY REPLACEMENT ENDS	1	



920711	16in RUBBER MALLET	1	
--------	--------------------	---	--



CARPENTERS PENCILS

920863946	Carpenters Pencils 180mm	12	
-----------	--------------------------	----	--

SURE GRIP VACUUM LIFTER

- 8" diameter pad
- 68kg lifting capacity
- Supplied in a plastic carrying case



920100S338	Sure Grip Vacuum Lifter	1	
------------	-------------------------	---	--

WOODS POWR GRIP VACUUM PUMP

- 8" diameter pad
- 57kg Lifting capacity
- Metal Handle
- Supplied in a plastic carrying case



920100W4950	Woods Power Grip Lifter	1	
-------------	-------------------------	---	--

OCTOPUS SINGLE PAD SUCTION LIFTER

WITH BUILT IN PRESSURE GAUGE

- 8" diameter pad
- 150kg Lifting capacity
- Pump acting type
- Built in pressure gauge
- Supplied in a plastic carrying case



9201000510	Octopus Suction Lifter	1	
------------	------------------------	---	--

ALUMINIUM GLASS LIFTERS



9201001	Single- 40kg	1	
92010020	Double- 60kg	1	
92010030	Triple- 100kg	1	

CORDLESS POWER TOOLS

X20S™ COMBI DRILL 20V 1 X 1.5AH



Part No.	Details	Box Qty	Price
920OLPX20SCD115	X20S™ Combi Drill 20V 1 x 1.5Ah Li-ion	1	

- 1 x X20S™ 1.5Ah battery
- 3-5 hour charge time
- 30Nm torque
- 20+3 torque settings
- 10mm / 3/8" keyless chuck
- Quick stop function
- Built-in LED work light
- Soft grip handle

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MAX. TORQUE	TORQUE SETTINGS	KEYLESS CHUCK
20V	1.5Ah LI-ION	3-5hr	30Nm	20+3	

The Olympia Tools® X20S™ Combi Drill Driver has a 2-speed gearbox for powerful drilling in wood, masonry and steel. Its quick-stop function improves user safety. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.

INCLUDES:

- 1 x X20S™ 1.5Ah battery
- 1 x X20S™ Charger
- 1 x Belt clip

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 1.5Ah LI-ION 30Wh
Charge time	3-5 hours
Max torque	30Nm
Torque settings	20 + 3
Number of gears	2
No-load speed (gear 1/gear 2)	0-400/0 –1350rpm
Max. impact rate (gear 1/gear 2)	6000 / 20250bpm
Drill chuck	10mm/3/8" Keyless
Max. drilling ø (steel)	6mm
Max. drilling ø (wood)	20mm
Max. drilling ø (masonry)	10mm
Product weight	1.33kg



OLYMPIATOOLS®

X20S™ DRILL DRIVER 20V 1 X 1.5AH LI-ION

Part No.	Details	Box Qty	Price
920OLPX20SDD115	X20S™ Drill Driver 20V 1 x 1.5Ah Li-ion	1	



- 1 x X20S™ 1.5Ah battery
- 3-5 hour charge time
- 30Nm torque
- 20+1 torque settings
- 10mm / 3/8" keyless chuck
- Quick stop function
- Built-in LED work light
- Soft grip handle

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MAX. TORQUE	TORQUE SETTINGS	KEYLESS CHUCK
20V	1.5 Ah LI-ION	3-5hr	30Nm	20+1	

The Olympia Tools® X20S™ Drill Driver has a 2-speed gearbox and a quick-stop function that improves user safety. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.

INCLUDES:

- 1 x X20S™ 1.5Ah battery
- 1 x X20S™ Charger
- 1 x Belt clip

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 1.5Ah LI-ION 30Wh
Charge time	3-5 hours
Max torque	30Nm
Torque settings	20 + 1
Number of gears	2
No-load speed (gear 1/gear 2)	0-400/0 –1350rpm
Drill chuck	10mm/3/8" Keyless
Max. drilling ø (steel)	6mm
Max. drilling ø (wood)	20mm
Product weight	1.29kg



OLYMPIATOOLS®

X20S™ COMBI DRILL 20V 2 X 2.0AH LI-ION



The Olympia Tools® X20S™ Combi Drill has an all-metal gearbox for powerful drilling in wood, masonry and steel. A quick-stop function improves user safety. The body features an integrated bit holder, meaning you always have a screwdriver bit close by. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.



Part No.	Details	Box Qty	Price
9200LPX20SCD2	X20S™ Combi Drill 20V 2 x 2.0Ah Li-ion	1	

- 2 x X20S™ 2Ah batteries
- 1 hour charge time (with X20S™ Fast charger)
- All-metal gear box
- 33Nm torque
- 21+3 torque settings
- 13mm /½" keyless chuck
- Quick stop function
- Built-in LED work light
- Soft grip handle
- Integral bit holder and bit

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MAX. TORQUE	TORQUE SETTINGS	KEYLESS CHUCK
20V	2.0 Ah LI-ION	1hr	33Nm	21+3	

INCLUDES:

- 2 x X20S™ 2Ah battery
- 1 x X20S™ Fast Charger
- 1 x Belt clip
- 1 x Screwdriver bit
- 1 x Carrying case

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	2 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Max torque	33Nm
Torque settings	21 + 3
Number of gears	2
No-load speed (gear 1/gear 2)	0-350/0 –1400rpm
Drill chuck	13mm/½" Keyless
Max. drilling ø (steel)	6mm
Max. drilling ø (wood)	20mm
Max. drilling ø (masonry)	13mm
Product weight	1.54kg

OLYMPIATOOLS®

X20S™ IMPACT DRIVER 20V 2 X 2.0AH LI-ION

Part No.	Details	Box Qty	Price
920OLPX20SID2	X20S™ Impact Driver 20V 2 x 2.0Ah Li-ion	1	



- 2 x X20S™ 2Ah batteries
- 1 hour charge time (with X20S™ Fast charger)
- All-metal gear box
- Variable speed
- 6.35mm/¼" quick release chuck
- 140Nm torque
- Quick stop function
- Integral bit holder bit
- Soft grip handle

VOLTAGE



BATTERY CAPACITY



CHARGE TIME



VARIABLE SPEED



MAX. TORQUE



QUICK RELEASE CHUCK



The Olympia Tools® X20S™ Impact Driver has an all-metal gearbox and variable speed control. A quick-stop function improves user safety. The body features an integrated bit holder, meaning you always have a screwdriver bit close by. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.

INCLUDES:

- 2 x X20S™ 2Ah batteries
- 1 x X20S™ Fast charger
- 1 x Belt clip
- 1 x Screwdriver bit
- 1 x Carrying case

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	2 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Max torque	140Nm
No-load speed	0-2300rpm
Impact rate	0-3200bpm
Quick release chuck	6.35mm/¼"
Product weight	1.52kg



OLYMPIATOOLS®

X20S™ TWIN PACK 20V 2 X 2.0AH LI-ION



The Olympia Tools® X20S™ Twin Pack contains the following:

1 x 20V X20S™ Combi Drill has an all-metal gearbox for powerful drilling in wood, masonry and steel. A quick-stop function improves user safety. The body features an integrated bit holder, meaning you always have a screwdriver bit close by. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.

1 x 20V X20S™ Impact Driver has an all-metal gearbox and variable speed control. A quick-stop function improves user safety. The body features an integrated bit holder, meaning you always have a screwdriver bit close by. Fitted with a soft grip handle for reduced fatigue and increased control. There is also a handy LED work light, ideal when working in dark spaces.

Part No.	Details	Box Qty	Price
920OLPX20STP2	X20S™ Twin Pack 20V 2 x 2.0Ah Li-ion	1	

- 2 x X20S™ 2Ah batteries
- 1 hour charge time (with X20S™ Fast charger)
- All-metal gear box
- Integral bit holder and bit
- Quick stop function
- Built-in LED work lights
- Soft grip handle



INCLUDES:

- 2 x X20S™ 2Ah batteries
- 1 x X20S™ Fast Charger
- 2 x Belt clips
- 1 x X20S™ Impact driver
- 2 x Screwdriver bits
- 1 x Carrying case
- 1 x X20S™ Combi drill

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	2 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
X20S™ COMBI DRILL	For details, see page 131
X20S™ IMPACT DRIVER	For details, see page 132



OLYMPIATOOLS®

X20S™ ANGLE GRINDER 20V 1 X 2.0AH LI-ION

Part No.	Details	Box Qty	Price
9200LPX20SAG1	X20S™ Angle Grinder 20V 1 x 2.0Ah Li-ion	1	



- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- All-metal gear box
- Spindle lock
- 3-position handle
- Soft grip

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	115mm/4½" DISC	SPINDLE LOCK	TOOL-LESS DISC GUARD
20V	2.0 Ah LI-ION	1hr			

The Olympia Tools® X20S™ Angle Grinder has a powerful motor and an all-metal gearbox for increased durability. Its 3-position handle provides greater comfort and control whilst the soft grip provides enhanced comfort. The spindle lock and tool-less disc guard enable you to change accessories easily.

INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast charger
- 1 x Quick release guard
- 1 x Side handle
- 1 x Wrench

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
No-load speed	8500rpm
Disc diameter	115mm/4½" (not included)
Spindle thread	M14
Product weight	1.95kg



OLYMPIATOOLS®

X20S™ CIRCULAR SAW 20V 1 X 2.0AH LI-ION



The Olympia Tools® X20S™ Circular Saw has an adjustable base for cutting bevels up to 45° and a handy laser guide. Fitted with a comfortable, soft grip handle for reduced fatigue and increased control. There is also a handy vacuum port that enables direct connection to a dust extractor.



Part No.	Details	Box Qty	Price
920OLPX20SCS1	X20S™ Circular Saw 20V 1 x 2.0Ah Li-ion	1	

- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- Spindle lock
- 1 x Tungsten carbide tipped blade
- Parallel cutting guide
- Adjustable base
- Soft grip
- Vacuum port

VOLTAGE

20V

BATTERY CAPACITY

2.0 Ah
LI-ION

CHARGE TIME

1hr

1x TCT SAW BLADE

165mm

SPINDLE LOCK

LASER GUIDE

INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast Charger
- 1 x TCT saw blade (fitted to machine)
- 1 x Parallel cutting guide
- 1 x Hex key

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
No-load speed	4300rpm
Blade ø	165 x 20mm
Bevel capacity	0-45°
Max. cutting depth (90°)	52mm
Max. cutting depth (45°)	36mm
Product weight	2.66kg

OLYMPIATOOLS®

X20S™ RECIPROCATING SAW 20V 1 X 2.0AH LI-ION

Part No.	Details	Box Qty	Price
920OLPX20SRS1	X20S™ Reciprocating Saw 20V 1 x 2.0Ah Li-ion	1	



The Olympia Tools® X20S™ Reciprocating Saw is fitted with a powerful motor. Variable speed settings make it easy to tailor the speed to suit the material you're cutting. Fitted with a comfortable soft grip handle and an adjustable base. This reciprocating saw also offers tool-less blade change, for less downtime.

- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- Variable speed
- Adjustable base
- Soft grip

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	TOOL-LESS BLADE CHANGE	ADJUSTABLE BASE	VARIABLE SPEED
20V	2.0 Ah LI-ION	1hr			

INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast charger
- 1 x Blade (for wood)
- 1 x Hex key

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Stroke rate (no-load)	0-2800spm
Stroke height	22mm
Max. cutting depth (steel)	22mm
Max. cutting depth (wood)	100mm
Product weight	2.07kg



OLYMPIATOOLS®



X20S™ JIGSAW 20V 1 X 2.0AH LI-ION



The Olympia Tools® X20S™ Jigsaw accepts T-shank blades. Its powerful motor is equipped with variable speed for added control, whilst the 3-position pendulum action controls the aggressiveness or smoothness of cuts. Fitted with a comfortable soft grip handle, an adjustable base and a built-in LED work light. This jigsaw also offers tool-less blade change for less downtime.



Part No.	Details	Box Qty	Price
9200LPX20SJS1	X20S™ Jigsaw 20V 1 x 2.0Ah Li-ion	1	

- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- Variable speed
- 3-position pendulum action
- Accepts T shank blades
- Adjustable base
- Soft grip
- Vacuum adaptor

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	TOOL-LESS BLADE CHANGE	VARIABLE SPEED	3-POSITION PENDULUM ACTION
20V	2.0 Ah LI-ION	1hr			

INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast Charger
- 1 x Vacuum cleaner adaptor

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Blade type	T shank
Stroke rate (no-load)	0-2400spm
Stroke Height	19mm
Max. cutting depth (steel)	10mm
Max. cutting depth (wood)	80mm
Max. bevel cut	45°
Product weight	1.93kg

OLYMPIATOOLS®

X20S™ MULTI-TOOL 20V 1 X 2.0AH LI-ION



The Olympia Tools® X20S™ Multi-Tool is a powerful, highly versatile machine that can perform various tasks, including sawing, sanding, scraping and much more. Fitted with an easy-to-control variable speed wheel. A soft grip handle provides increased comfort and control. Utilises tool-less blade change for less downtime between different jobs.



Part No.	Details	Box Qty	Price
920OLPX20SMT1	X20S™ Multi-Tool 20V 1 x 2.0Ah Li-ion	1	

- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- Variable speed
- Soft grip
- 1 x Sanding pad
- 8 x Sanding sheets
- 1 x Plunge-cut blade
- 1 x Scraper



INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast charger
- 1 x Plunge-cut blade
- 1 x Sanding pad
- 8 x Sanding sheets
- 1 x Scraper

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Oscillating speed (no-load)	5000-18000opm
Oscillation angle	3.0°
Product weight	1.38kg

OLYMPIATOOLS®

X20S™ RANDOM ORBITAL SANDER 20V 1X2.0AH LI-ION



The Olympia Tools® X20S™ Random Orbital Sander provides more freedom than traditional corded sanders. It uses hook & loop sheets for faster change over. A soft grip handle provides added comfort and control. Fitted with a dust bag that keeps the work free from debris and dust.

Part No.	Details	Box Qty	Price
920OLPX20SRO1	X20S™ Random Orbital Sander 20V 1x2.0Ah Li-ion	1	

- 1 x X20S™ 2Ah battery
- 1 hour charge time (with X20S™ Fast charger)
- Hook and loop fastening
- 1 x Sanding disc
- Soft grip

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	HOOK & LOOP FASTENING	1x SANDING SHEET	REMOVABLE DUST BAG
20V	2.0 Ah LI-ION	1hr			

INCLUDES:

- 1 x X20S™ 2Ah battery
- 1 x X20S™ Fast Charger
- 1 x Sanding disc
- Removable dust bag

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
Oscillation speed (no-load)	11000opm
Orbit diameter	2.5mm
Sandpaper Ø	125mm
Fastening system	Hook and loop
Product weight	1.46kg



OLYMPIATOOLS®

X20S™ PLANER 20V 1 X 2.0AH LI-ION



The Olympia Tools® X20S™ Planer has a powerful motor that provides a smooth planing performance. Its cordless design enables use anywhere, at any angle. A soft grip handle provides added comfort and control. Fitted with a dust bag that keeps the work free from debris and dust.



Part No.	Details	Box Qty	Price
9200LPX20SPL1	X20S™ Planer 20V 1 x 2.0Ah Li-ion	1	

- 1 x X20S™ 2Ah battery
 - 1 hour charge time (with X20S™ Fast charger)
 - Rebate guide
- 2 x Reversible blades
 - Soft grip
 - Removable dust bag

VOLTAGE

20V

BATTERY CAPACITY

2.0 Ah
LI-ION

CHARGE TIME

1hr

PARALLEL GUIDE

REBATE GUIDE

REMOVABLE DUST BAG

INCLUDES:

- 1 x X20S™ 2Ah battery
 - 1 x X20S™ Fast charger
 - 1 x Parallel guide
 - 1 x Spanner
- 1 x Rebate guide
 - 2 x Reversible blades
 - 1 x Hex key
 - Removable dust bag

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	1 x X20S™ 2Ah LI-ION 40Wh
Charge time	1 hour
No-load speed	12000rpm
Planing width	82mm
Planing depth	1.5mm
Rebating depth	8mm
Product weight	3.41kg



X20S™ BATTERY 20V 2.0AH LI-ION



The Olympia Tools® X20S™ Li-ion Battery has a digital charge level indicator with minimal self-discharge. X20S™ batteries and chargers are 100% compatible with all tools in the X20S™ 20V range.

Part No.	Details	Box Qty	Price
920OLPX20SB2	X20S™ Battery 20V 2.0Ah Li-ion	1	

- 1 hour charge with X20S™ Fast charger)
- Minimal self discharge
- No memory effect
- Digital charge level indicator

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MINIMAL SELF DISCHARGE	NO MEMORY EFFECT	CHARGE LEVEL INDICATOR
20V	2.0 Ah LI-ION	1hr			

***BATTERY COMPATIBLE WITH ALL X20S™ MACHINES AND CHARGE**

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	2Ah LI-ION 40Wh
Charge time	1 hour (with X20S™ Fast charger)
Product weight	0.40kg



X20S™ BATTERY 20V 4.0AH LI-ION



- 2 hour charge with X20S™ Fast charger)
- Minimal self discharge
- No memory effect
- Digital charge level indicator

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MINIMAL SELF DISCHARGE	NO MEMORY EFFECT	CHARGE LEVEL INDICATOR
20V	4.0 Ah LI-ION	2hr			

***BATTERY COMPATIBLE WITH ALL X20S™ MACHINES AND CHARGE**

TECHNICAL SPECIFICATIONS

Battery voltage	20V
Battery capacity	4Ah LI-ION 80Wh
Charge time	2 hour (with X20S™ Fast charger)
Product weight	0.65kg



X20S™ FAST CHARGER 2 LED INDICATORS

Part No.	Details	Box Qty	Price
920OLPX20SFC	X20S™ Fast Charger 2 LED indicators	1	



- Compact design
- 2 x LED indicators
- 1 hour charge (X20S™ 2Ah battery)
- 2 hours charge X20S™ 4Ah battery)



The Olympia Tools® X20S™ Fast Charger has a compact design and 2 LED indicators. Charges a 2.0Ah Li-ion battery in one hour and a 4.0Ah Li-ion battery in 2 hours.

*** COMPATIBLE WITH ALL X20S™ BATTERIES**

TECHNICAL SPECIFICATIONS

Input	220-240V-50-60Hz 65W
Output	DC20V 2.4A
Battery	X20S
Charge time (X20S™ 2Ah)	1 hour
Charge time (X20S™ 4Ah)	2 hours
Battery rated voltage	20V
Product weight	0.43kg



CORDLESS SCREWDRIVER 3.6V

Part No.	Details	Box Qty	Price
920OLPSD36LI	Cordless Screwdriver 3.6V	1	



- 3.6V 1.3Ah battery
- 3-5 hour charge time
- 3Nm torque
- Soft grip handle
- 6.35mm/¼" bit holder
- Pivot handle
- Automatic spindle lock

VOLTAGE	BATTERY CAPACITY	CHARGE TIME	MAX. TORQUE	PIVOT HANDLE	AUTO-SPINDLE LOCK
3.6V	1.3Ah LI-ION	3-5hr	3Nm		

Olympia Tools® Cordless Screwdriver with an easy-to-use pivot handle that changes from a traditional pistol grip handle to a straight handle for use in confined spaces. An automatic spindle lock makes it easy to switch between bits.

Fitted with a comfortable soft grip handle and an LED job light. There is also a handy charge level indicator for easier work management.

INCLUDES:

- 1 x Charger
- 4 x Screwdriver bits

TECHNICAL SPECIFICATIONS

Battery voltage	3.6V
Battery capacity	1.3Ah LI-ION 4.68Wh
Charge time	3-5 hours
Max. torque	3Nm
Number of gears	1
No-load speed	230rpm
Drill chuck	Bit holder 6.35mm/¼"
Product weight	0.35kg

OLYMPIATOOLS®

CORDED POWER TOOLS

SDS PLUS ROTARY HAMMER 800W 240V



The Olympia Tools® SDS Plus Rotary Hammer is fitted with a powerful 800W motor and offers 3-functions: drilling, hammer drilling and chiselling. A function lock provides additional safety. It has a variable speed for additional control and job customisation, and also a forward-reverse function. Its easy-to-handle design incorporates a soft grip handle for reduced fatigue.



Part No.	Details	Box Qty	Price
9200LPRH800	SDS Plus Rotary Hammer 800W 240V	1	

- Powerful 800W motor
- 3-functions:drilling, hammer drilling & chiselling
- Variable speed control
- Soft grip
- SDS-plus chuck



INCLUDES:

- 1 x Carrying case
- 1 x Side handle
- 1 x Depth gauge

TECHNICAL SPECIFICATIONS

Mains supply	230-240v-50hZ
Power input	800W
No-load speed	0-1000rpm
Max. impact rate	0-5000bpm
Impact energy	2.5J
Drill chuck	SDS-plus
Max. drilling ø (concrete)	24mm
Max. drilling ø (steel)	13mm
Max. drilling ø (wood)	40mm
Product weight	3.64kg

OLYMPIATOOLS®

HAMMER DRILL 600W 240V



Olympia Tools® Hammer Drill with a powerful motor that offers hammer and rotary drilling. For ease of use, it has a variable speed pre-selection dial. It also offers forward and reverse rotation.

Supplied with a side handle and depth gauge.

Part No.	Details	Box Qty	Price
920OLPHD600	Hammer Drill 600W 240V	1	

- Powerful 600W motor
- 13mm/½" keyless chuck
- Speed preselection



INCLUDES:

- 1 x Side handle
- 1 x Depth gauge

TECHNICAL SPECIFICATIONS

Mains supply	230V-50Hz
Power input	600W
Number of gears	1
No-load speed	0-3000rpm
Max. impact rate	0-50400bpm
Drill chuck	13mm/½" Keyless
Max. drilling ø (steel)	10mm
Max. drilling ø (masonry)	13mm
Max. drilling ø (wood)	20mm
Product weight	1.97kg



OLYMPIATOOLS®

ANGLE GRINDER 115MM (4.1/2IN) 650W 240V



Part No.	Details	Box Qty	Price
9200LPAG115650	Angle Grinder 115mm (4.1/2in) 650W 240V	1	

- Powerful 650W motor
- All-metal gear box
- Spindle lock
- 3-position side handle

POWER RATING	115mm/4½" DISC	SPINDLE LOCK	TOOL-LESS DISC GUARD	3-POSITION HANDLE
650W				

This Olympia Tools® Angle Grinder has a powerful motor and all-metal gearbox for increased durability. A spindle lock system enables you to change the disc quickly. The body features a soft grip section and there is also a 3-position, soft grip, side handle for increased control. Fitted with a tool-less disc guard for increased safety during operation.

INCLUDES:

- 1 x Quick release disc guard
- 1 x Side handle
- 1 x Wrench

TECHNICAL SPECIFICATIONS

Mains supply	220-240V-50Hz
Power input	650W
No-load speed	12000rpm
Disc diameter	115mm/4½"
Spindle thread	M14
Product weight	1.87kg



CIRCULAR SAW 160MM (6.14IN) 1200W 240V



The Olympia Tools® Circular Saw is fitted with a powerful 1,200W motor and an adjustable steel base for cutting bevels up to 45°. Its easy-to-handle design incorporates a soft grip handle for reduced fatigue.



Part No.	Details	Box Qty	Price
920OLPCS1200	Circular Saw 160mm (6.14in) 1200W 240V	1	

- Powerful 1200W motor
- Soft grip
- 1 x Tungsten carbide tipped blade

POWER RATING	1x TCT SAW BLADE	PARALLEL CUTTING GUIDE	ADJUSTABLE BASE	SOFT GRIP
1200W	160mm		45°	

INCLUDES:

- 1 x TCT saw blade
- 1 x Hex key
- 1 x Parallel cutting guide
- 1 x Pin spanner

TECHNICAL SPECIFICATIONS

Mains supply	230-240V-50Hz
Power input	1200W
No-load speed	4800rpm
Blade ø	160 x 20mm
Bevel capacity	0-45°
Max. cutting depth (90°)	52mm
Max. cutting depth (45°)	37mm
Product weight	3.89kg

OLYMPIATOOLS®

RECIPROCATING SAW 900W 240V

Part No.	Details	Box Qty	Price
9200LPRS900	Reciprocating Saw 900W 240V	1	



- Powerful 900W motor
- Speed preselection
- 1 x Blade (for metal)
- Soft grip



The Olympia Tools® Reciprocating Saw is fitted with a powerful 900W motor and an adjustable front shoe. A speed preselection wheel increases cutting control. Its easy-to-handle design incorporates a soft grip handle for reduced fatigue. Tool-less blade change ensures less down-time.

INCLUDES:

- 1 x Blade (for metal)
- 1 x Hex Key

TECHNICAL SPECIFICATIONS

Mains supply	230-240V-50Hz
Power input	900W
Stroke rate (no-load)	0-2800spm
Stroke height	20mm
Ma. Cutting depth (steel)	8mm
Max. cutting depth (wood)	115mm
Product weight	2.49kg



OLYMPIATOOLS®

JIGSAW 450W 240V



Part No.	Details	Box Qty	Price
920OLPJS450	Jigsaw 450W 240V	1	

- Powerful 450W motor
- Soft grip



The Olympia Tools® Jigsaw has a powerful motor. Its adjustable steel base allows for bevel cuts up to 45°. Fitted with an ergonomic soft grip for increased user comfort. Dust extraction is possible via an adaptor (supplied), enabling you to keep the workplace clean and free of debris.

INCLUDES:

- 1 x Vacuum cleaner adaptor
- 1 x Hex key

Supplied with: 1 x Vacuum Cleaner Adaptor and 1 x Hex Key.

TECHNICAL SPECIFICATIONS



Mains supply	230V-50Hz
Power input	450W
Stroke rate (no-load)	3000spm
Stroke height	18mm
Max. cutting depth (steel)	6mm
Max. cutting depth (wood)	55mm
Max. bevel cut	45°
Product weight	2.00kg



OLYMPIATOOLS®

MULTI-TOOL WITH 12 ACCESSORIES 300W 240V

Part No.	Details	Box Qty	Price
920OLPMT300	Multi-Tool with 12 Accessories 300W 240V	1	



- Powerful 300W motor
- Variable Speed
- 1 x Sanding pad
- 8 x Sanding sheets
- 1 x Plunge-cut blade
- 1 x Scraper



The Olympia Tools® Multi-Tool is a highly versatile machine that can perform a wide variety of tasks: sawing, sanding, scraping and much more. Fitted with a high-powered motor and an easy to control variable speed wheel. The body features soft grip areas for increased comfort and control.

Supplied with: 1 x Sanding Pad, 8 x Sanding Sheets: 4 x P60, 4 x P80, 1 x Plunge Cut Blade, 1 x Scraper and 1 x Hex Key.

INCLUDES:

- 1 x Sanding pad
- 8 x Sanding sheets
- 1 x Hex key
- 1 x Plunge-cut blade
- 1 x Scraper

TECHNICAL SPECIFICATIONS

Mains supply	230-240V-50Hz
Power input	300W
Oscillating speed (no-load)	15000/22000opm
Oscillation angle	3.5°
Product weight	1.00kg



OLYMPIATOOLS®

MULTI-TOOL WITH 40 PIECE ACCESSORY SET 135W 240V




The Olympia Tools® Mini Rotary Multi-Tool has a powerful 135W motor with a variable speed selection for more control. Fitted with an easy-to-use spindle lock, making it easy to switch between the different accessories. Its soft grip handle makes it easy to hold and provides precise handling.

Supplied in a handy carry case with the following accessories:

- 2 x Collets (2.3 & 3.2mm)
- 2 x HSS Drill Bits
- 1 x Screw Type Mandrel
- 1 x Tapered Screw Type Mandrel
- 1 x Sanding Type Mandrel
- 2 x Diamond Grinding Points
- 10 x Grinding Stones
- 3 x Sanding Discs Ø20mm/320 grit
- 8 x Cut Off Wheels Ø22 x 1mm Thick
- 4 x Sanding Drum Bands 16mm/120 grit
- 4 x Polishing Wheels
- 1 x Grinding Stone
- 1 x Flexible Drive

Part No.	Details	Box Qty	Price
920OLPRM135	Multi-Tool with 40 Piece Accessory Set 135W 240V	1	

- Powerful 135W motor
- Variable speed
- Spindle lock



INCLUDES:

- 1 x Carrying case
- 1 x Flexi drive
- 40 x Assorted accessories

TECHNICAL SPECIFICATIONS

Mains supply	220-240V-50Hz
Power input	135W
No-load speed	10000-32000rpm
Max. collet size	3.2mm
Product weight	0.68kg



OLYMPIATOOLS®

MULTI-SANDER 130W 240V



- Powerful 130W motor
- 3 x Sanding sheets
- Soft grip



The Olympia Tools® Multi-Sander has a powerful 130W motor and uses a hook & loop sanding sheet fastening system. Its ergonomic, soft grip handle makes it easy to hold and provides precise handling. Fitted with a dust collection box to keep your working area clean and free from debris.

Supplied with: 3 x Sanding Sheets and 1 x Removable Dust Box.

INCLUDES:

- 3 x Sanding sheets
- 1 x Removable dust box

TECHNICAL SPECIFICATIONS

Mains supply	230-240V-50Hz
Power input	130W
Oscillating speed (no-load)	14000opm
Orbit diameter	1.6mm
Sandpaper size	140 x 140 x 80mm
Fastening system	Hook and loop
Product weight	1.46kg

OLYMPIATOOLS®



1/3 SHEET ORBITAL SANDER 135W 240V



Olympia Tools® 1/3 Sheet Orbital Sander is ideal for a number of sanding tasks. With front and rear soft grip handles for maximum comfort and control. Clamp paper attachment securely holds the paper in place and provides easy removal. Dust extraction is possible via an adaptor (supplied), enabling you to keep the workplace clean and free of debris.



Part No.	Details	Box Qty	Price
9200LPOS135	1/3 Sheet Orbital Sander 135W 240V	1	

- Powerful 135W motor
- Large 1/3 sheet base
- 2 grip positions
- Soft grip



INCLUDES:

- 1 x Vacuum cleaner adaptor

TECHNICAL SPECIFICATIONS

Mains supply	230V-50Hz
Power input	135W
Oscillating speed (no-load)	13000opm
Orbit diameter	2mm
Sanding surface	90 x 187mm
Sandpaper size	90 x 240mm
Product weight	1.30kg

OLYMPIATOOLS®

BELT SANDER 76MM (3IN) 900W 240V



Part No.	Details	Box Qty	Price
920OLPBS900	Belt Sander 76mm (3in) 900W 240V	1	

- Powerful 900W motor
- Variable speed
- 1 x Sanding belt
- Soft grip



The Olympia Tools® Belt Sander has a powerful 900W motor and variable speed for a high material removal rate. Fuss-free, tool-less belt change means less downtime between jobs. Fitted with a soft grip handle for reduced fatigue, and a removable dustbag to keep the working area clean and free from debris.

Supplied with: 1 x Sanding Belt and 1 x Removable Dust Bag.

INCLUDES:

- 1 x Sanding belt
- 1 x Removable dust bag

TECHNICAL SPECIFICATIONS

Mains supply	220-240V-50Hz
Power input	900W
No-load speed	120-340m/min
Belt size	76 x 533mm
Sanding surface	76 x 158mm
Product weight	3.40kg



OLYMPIATOOLS®

PLANER 82MM (3.1/4IN) 650W 240V

Part No.	Details	Box Qty	Price
920OLPPL650	Planer 82mm (3.1/4in) 650W 240V	1	



- Powerful 650W motor
- 2 x Reversible blades
- Removable dust bag
- Soft grip

POWER RATING	PARALLEL GUIDE	REBATE GUIDE	2x REVERSIBLE BLADES	SOFT GRIP	REMOVABLE DUST BAG
650W					

The Olympia Tools® Planer has a powerful 650W motor. Its soft grip handle fits securely in the hand and helps prevent fatigue. Fitted with a removable dust bag that keeps your working area clean and free from debris.

Supplied with: 1 x Parallel Guide, 1 x Rebate Guide, 2 x Reversible TCT Blades, 1 x Hex Key, 1 x Spanner and 1 x Removable Dust Bag.

INCLUDES:

- 1 x Parallel guide
- 1 x Rebate guide
- 2 x Reversible blades
- 1 x Hex key
- 1 x Spanner
- 1 x Removable dust bag

TECHNICAL SPECIFICATIONS

Mains supply	230-240V-50Hz
Power input	650W
No-load speed	16000rpm
Planing width	82mm
Planing depth	0-2mm
Rebating depth	0-10mm
Product weight	2.42kg



OLYMPIATOOLS®

HEAT GUN WITH 5 ACCESSORIES 2000W 240V



Part No.	Details	Box Qty	Price
920OLPHG2000	Heat Gun with 5 Accessories 2000W 240V	1	

- Powerful 2000W motor
- Overheat protection
- Soft grip

POWER RATING	3 HEAT SETTINGS	3 AIRFLOW SETTINGS	OVERHEAT PROTECTION	SOFT GRIP	INCLUDES 5 ACCESSORIES
2000W					

The Olympia Tools® Heat Gun has a powerful motor and 3 heat/airflow settings, controlled by an easy-to-use switch. For added safety, there is a built-in overheat feature that prevents the tool from overheating. Fitted with a comfortable soft grip. The end of the heat gun doubles as a sturdy stand, ideal when the nozzle is hot after use.

Supplied with: 4 x Nozzles and 1 x Scraper.

INCLUDES:

- 4 x Nozzles
- 1 x Scraper

TECHNICAL SPECIFICATIONS

Mains supply	230V-50Hz
Power input	2000W
Temperature	50/400/600°
Air flow	500/250/500L/min
Product weight	0.80kg



+ FIRST AID



Part No	Description	Box Qty	Price
920MED904	Deluxe Eye Wash Station-Integral Aura box inc Bracket	1	

2 x Eye Pad Dressings
2 x Eye Wash 500ml Bottles
2 x Eye Wash 20ml Pods
1 x Mirror

SALINE EYE WASH 500ML

920MED900	Saline Eye Wash 500ml	1	
-----------	-----------------------	---	--

EYE WASH PODS 20ML

920MED901	Eye Wash Pods 20ml	25	
-----------	--------------------	----	--



920MEDX050	Heavy Bleed & Burns Kit	1	
------------	-------------------------	---	--

1 x Adhesive Dressing 7.5 x 7.5cm
10 x Assorted Washproof Plasters
4 x Burn Dressings 10 x 10cm
2 x Burn Gel 3.5g Sachets
10 x Cleansing Wipes
2 x Conforming Bandages 7.5cm x 4m
1 x Foil Survival Blanket
1 x Medium HSE Dressing 12 x 12cm
2 x Nitrile Gloves (Pairs)
1 x Resuscitation Face Shield
1 x Shears
1 x Trauma Dressing 10 x 18cm
1 x Triangular Bandage
1 x Guidance Leaflet



PERSONAL PROTECTIVE EQUIPMENT

920905	E10 Safety Glasses Yellow	1	
920907	E20 Safety Glasses Clear/Black	1	
920BOLBANPSF	Bolle Bandido Safety Glasses (Smoke)	1	



920901	Ear Defenders	1	
--------	---------------	---	--



DNKN95	KN95 Protective Mask (PFE 95%) x 10	10	
DNGBKN95	KN95 Protective Mask FFP2 EN149 x 2	2	





Part No	Description	Box Qty	Price
WS160	British Standard Workplace First Aid Kit	1	
4 x Medium Sterile Dressing 1 x Large Sterile Dressing 2 x Triangular Bandage 6 x Safety Pins 2 x Sterile Eyepad 40 x Waterproof Plasters 20 x Sterile Saline Wipes 1 x Microporous Tape 6 x Nitrile Gloves (Pairs) 2 x Sterile Finger Dressing 1 x Resuscitation Face Shield 1 x Foil Blanket 1 x Hydrogen Burn Dressing 1 x Scissors 1 x Conforming Bandage			



Part No	Description	Box Qty	Price
WS105	Large First Aid Travel Kit	1	
1 x Pair of scissors 1 x Medium sterile dressing 1 x Eyepad sterile dressing 1 x Non-woven triangular bandage 1 x HSE first aid guide leaflet 2 x Pairs of medium sized gloves 1 x Bag of safety pins 4 x Alcohol free cleansing wipes 20 x Assorted hypo-allergenic plasters			



Part No	Description	Box Qty	Price
920MED330	British Standard Workplace First Aid Kit (90pc)	1	
1 x Burn Dressing 10 x 10cm 2 x Eye Pad Dressings 2 x Finger Dressings 4 x Medium HSE Dressings 12 x 12cm 1 x Large HSE Dressing 18 x 18cm 40 x Assorted Washproof Plasters 1 x Conforming Bandage 7.5cm x 4m 2 x Triangular Bandages 1 x Foil Survival Blanket 1 x Microporous Tape 2.5cm x 5m 20 x Cleansing Wipes 6 x Nitrile Gloves (pairs) 1 x Resuscitation Face Shield 6 x Safety Pins 1 x Shears 1 x Guidance Leaflet			



Part No	Description	Box Qty	Price
920MED343	British Standard Workplace First Aid Kit (135pc)	1	
2 x Burn Dressings 10cm x 10cm 3 x Eye Pad Dressings 3 x Finger Dressings 6 x Medium HSE Dressings 12cm x 12cm 2 x Large HSE Dressings 18cm x 18cm 60 x Assorted Washproof Plasters 2 x Conforming Bandages 7.5cm x 4m 3 x Triangular Bandages 2 x Foil Survival Blankets 1 x Microporous Tape 2.5cm x 5m 30 x Cleansing Wipes 9 x Nitrile Gloves (pairs) 1 x Resuscitation Face Shield 12 x Safety Pins 1 x Shears			



Part No	Description	Box Qty	Price
920MED348	British Standard Workplace First Aid Kit (210pc)	1	

2 x Burn Dressings 10cm x 10cm
 4 x Eye Pad Dressings
 4 x Finger Dressings
 8 x Medium HSE Dressings 12cm x 12cm
 2 x Large HSE Dressings 18cm x 18cm
 100 x Assorted Washproof Plasters
 2 x Conforming Bandages 7.5cm x 4m
 4 x Triangular Bandages
 3 x Foil Survival Blankets
 1 x Microporous Tape 2.5cm x 5m
 40 x Cleansing Wipes
 12 x Nitrile Gloves (pairs)
 2 x Resuscitation Face Shields
 24 x Safety Pins
 1 x Shears
 1 x Guidance Leaflet



920MED112	HSE - 10 Person Workplace First Aid Kit	1	
-----------	---	---	--

2 x Eye Pad Dressings
 6 x Medium HSE Dressings 12cm x 12cm
 2 x Large HSE Dressings 18cm x 18cm
 20 x Assorted Washproof Plasters
 4 x Triangular Bandages
 6 x Cleansing Wipes
 1 x Nitrile Gloves
 8 x Safety Pins
 1 x Guidance Leaflet



920MED113	HSE - 20 Person Workplace First Aid Kit	1	
-----------	---	---	--

4 x Eye Pad Dressings
 9 x Medium HSE Dressings 12cm x 12cm
 3 x Large HSE Dressings 18cm x 18cm
 40 x Assorted Washproof Plasters
 6 x Triangular Bandages
 10 x Cleansing Wipes
 2 x Nitrile Gloves
 12 x Safety Pins
 1 x Guidance Leaflet



920MED114	HSE - 50 Person Workplace First Aid Kit	1	
-----------	---	---	--

E6 x Eye Pad Dressings
 12 x Medium HSE Dressings 12cm x 12cm
 4 x Large HSE Dressings 18cm x 18cm
 60 x Assorted Washproof Plasters
 8 x Triangular Bandages
 20 x Cleansing Wipes
 3 x Nitrile Gloves
 16 x Safety Pins
 1 x Guidance Leaflet



920MED3014	Car & Van First Aid Kit	1	
------------	-------------------------	---	--

1 x Adherent Dressing 7.5 x 7.5cm
 2 x Burn Dressings 10 x 10cm
 10 x Cleansing Wipes
 1 x Medium HSE Dressing 12 x 12cm
 1 x Foil Survival Blanket
 2 x Nitrile Gloves (pairs)
 1 x Resuscitation Face Shield
 1 x Medium Trauma Dressing
 1 x Triangular Bandage
 1 x Shears
 10 x Assorted Washproof Plasters
 1 x Guidance Leaflet

Builders Gloves

Our Builders Gloves feature a polycotton shell teamed with a textured latex palm in order to create a comfortable, fitted glove that is tough and durable. EN388—2-1-2-1



BUILDERS GLOVES

Part No.	Size	Box Qty	Price
LGTSL	LARGE	12	
LGTSXL	EXTRA LARGE	12	

Thermal Grip Orange Gloves

In cold conditions the motor skills of the hands are greatly reduced, increasing the risk of injury and reducing productivity. An acrylic thermal liner to ensure warmth and a crinkle latex grip to enhance grip in slippery conditions.



ORANGE THERMAL GLOVES

LGT10	Size 10	12	
-------	---------	----	--

Topaz Ice

With a textured latex palm for superb grip, our versatile Topaz Ice gloves are ideal for a range of general handling and warehousing activities. EN388— 2-2-4-2



TOPAZ ICE ACRYLIC GLOVES

LGTOPAZM	MEDIUM	12	
LGTOPAZL	LARGE	12	
LGTOPAZXL	EXTRA LARGE	12	
LGTOPAZXXL	XX LARGE	12	

Micro Fine Woven Gloves

Electron PU palm coating for extra grip. Perfect when you need sensitivity and dexterity and ideal for precision tasks. EN 388 levels 3-1-2-1



MICRO-FINE WOVEN GLOVES

LG28772	MEDIUM	12	
LG28773	LARGE	12	
LG28774	EXTRA LARGE	12	
LG28775	XX LARGE	12	

Vynatrile Gloves

With a textured finish for extra grip, these practical and reliable disposable gloves are perfect for janitorial and laboratory work.



VYNATRILE GLOVES (POWDERFREE)

LV04	LARGE	100	
LV05	EXTRA LARGE	100	

Kevlar Sleeve with Leather Patch

An essential choice for those who work within the glass and construction industries. EN388— 4-4-4-4



KEVLAR SLEEVE WRIST GUARDS

Part No	Sleeve Length	Qty	Price
LG28611	10 INCH	1	
LG28612	14 INCH	1	
LG28613	18 INCH	1	
LG28614	22 INCH	1	

Overshoes

A simple and effective solution to your hygiene needs. Elasticated ankle opening. Textured for grip. Heat sealed seams.



OVERSHOES

920187	Disposable Overshoes Blue 16"	100	
920188	Deluxe Disposable Overshoes White / Blue 16"	40	
920189	Deluxe Disposable Overshoes Blue 16"	40	



Mechanical Hazard

Abrasion resistance (1 - 4)
Blade cut resistance (1 - 5)
Tear resistance (1 - 4)
Puncture resistance (1 - 4)

Ideal for quickly securing light loads during transit or storage.



BUNGEE CORDS

Part No.	Size	Working Load (kg)	Pack Qty	Price
92060BUN	Dia.8mm x 60cm	30	2	
920100BUN	Dia.8mm x 100cm	30	2	

BUNGEE CORDS—8 Mixed Tube

Ideal for quickly securing light loads during transit or storage.



920BUMIX8	Dia.4.5mm x 25cm Dia.8mm x 60cm Dia.8mm x 80cm	30	8	
920BUMIX20	Dia.4.5mm x 25cm Dia.8mm x 45cm Dia.8mm x 50cm Dia.8mm x 60cm Dia.8mm x 75cm	30	20	

High quality durable flat lifting slings designed for the safe moving of heavy loads on site. Woven from a high tenacity polyester material ensuring a reduced risk of damage to the item being lifted, that can occur when using steel lifting mechanisms such as chains. Double stitched duplex layer for maximum durability with reinforced becket eye to ensure strength and longevity.



LIFTING SLING

Working Load 2000kg			
920723485	60mm x 2m	1	
920723413	60mm x 3m	1	
Working Load 3000kg			
920723604	90mm x 2m	1	
920723684	90mm x 3m	1	

Ideal for staking sites prior to concreting, landscaping or bricklaying. Used as guide-lines for building & landscaping.

- Impact resistant - will not unravel if struck by trowel
- High moisture and mildew resistance
- High elasticity to prevent sagging



BRICK LINE

Part No.	Type	Size	Pack Qty	Price
PINK				
920PBL100W	Winder	Dia.1.5mm x 100m	1	
920PBL100T	Tube only	Dia.1.5mm x 100m	1	
YELLOW				
920YBL100W	Winder	Dia.1.5mm x 100m	1	
920YBL100T	Tube Only	Dia.1.5mm x 100m	1	

Working Load (kg): 25

Break Strength (kg): 50

Ideal for quickly securing light loads during transit or storage.



CAM BUCKLE TIE DOWN



Part No.	Size	Break Strength (Kg)	Pack Qty	Price
J Hook—Working Load 122kg				
9205CBTD2	36mm x 5m	245	2	

Ideal for quickly securing light loads during transit or storage.



S Hook—Working Load 250kg				
9205RS2S	25mm x 5m	500	2	
9205RS4S	25mm x 5m	500	4	
J Hook—Working Load 350kg				
9205RS2J	25mm x 5m	500	2	



J HOOK RATCHET STRAPS - COMMERCIAL DUTY



J Hook—Working Load 1000kg				
920217585	25mm x 5m	800	1	
9206RS2J	35mm x 6m	2000	2	

Ideal for quickly securing medium loads during transit or storage.

J HOOK RATCHET STRAP - HEAVY DUTY



J Hook—Working Load 2500kg				
9205RS1J	50mm x 5m	5000	1	
92010RS1J	50mm x 10m	5000	1	
920217586	50mm x 10m	5000	1	

Ideal for quickly securing heavy loads during transit or storage.



Application Guide

Sealant joint length in linear Metres from a 300ml cartridge

Width (mm)	Depth (mm)										
	5	6	7	8	9	10	11	12	13	14	15
5	12.00	10.00	8.57	7.50	6.67	6.00	5.45	5.00	4.62	4.29	4.00
6	10.00	8.33	7.14	6.25	5.56	5.00	4.55	4.17	3.85	3.57	3.33
7	8.57	7.14	6.12	5.36	4.76	4.29	3.90	3.57	3.30	3.06	2.86
8	7.50	6.25	5.36	4.69	4.17	3.75	3.41	3.13	2.88	2.68	2.50
9	6.67	5.56	4.76	4.17	3.70	3.33	3.03	2.78	2.56	2.38	2.22
10	6.00	5.00	4.29	3.75	3.33	3.00	2.73	2.50	2.31	2.14	2.00
11	5.45	4.55	3.90	3.41	3.03	2.73	2.48	2.27	2.10	1.95	1.82
12	5.00	4.17	3.57	3.13	2.78	2.50	2.27	2.08	1.92	1.79	1.67
13	4.62	3.85	3.30	2.88	2.56	2.31	2.10	1.92	1.78	1.65	1.54
14	4.29	3.57	3.06	2.68	2.38	2.14	1.95	1.79	1.65	1.53	1.43
15	4.00	3.33	2.86	2.50	2.22	2.00	1.82	1.67	1.54	1.43	1.33
16	3.75	3.13	2.68	2.34	2.08	1.88	1.70	1.56	1.44	1.34	1.25
17	3.53	2.94	2.52	2.21	1.96	1.76	1.60	1.47	1.36	1.26	1.18
18	3.33	2.78	2.38	2.08	1.85	1.67	1.52	1.39	1.28	1.19	1.11
19	3.16	2.63	2.26	1.97	1.75	1.58	1.44	1.32	1.21	1.13	1.05
20	3.00	2.50	2.14	1.88	1.67	1.50	1.36	1.25	1.15	1.07	1.00
21	2.86	2.38	2.04	1.79	1.59	1.43	1.30	1.19	1.10	1.02	0.95
22	2.73	2.27	1.95	1.70	1.52	1.36	1.24	1.14	1.05	0.97	0.91
23	2.61	2.17	1.86	1.63	1.45	1.30	1.19	1.09	1.00	0.93	0.87
24	2.50	2.08	1.79	1.56	1.39	1.25	1.14	1.04	0.96	0.89	0.83
25	2.40	2.00	1.71	1.50	1.33	1.20	1.09	1.00	0.92	0.86	0.80
26	2.31	1.92	1.65	1.44	1.28	1.15	1.05	0.96	0.89	0.82	0.77
27	2.22	1.85	1.59	1.39	1.23	1.11	1.01	0.93	0.85	0.79	0.74
28	2.14	1.79	1.53	1.34	1.19	1.07	0.97	0.89	0.82	0.77	0.71
29	2.07	1.72	1.48	1.29	1.15	1.03	0.94	0.86	0.80	0.74	0.69
30	2.00	1.67	1.43	1.25	1.11	1.00	0.91	0.83	0.77	0.71	0.67

Nominal Lead
Roll Weights

To calculate the approximate weight of a piece of Rolled Lead Sheet multiply the length in metres by the width in metres and them multiply by the Code weight per m² shown in the table.

	Code 3		Code 4		Code 5	
Weight per m²	14.97kg		20.41kg		25.40kg	
Thickness	1.32mm		1.80mm		2.24mm	
Standard Widths	3m kg	6m kg	3m kg	6m kg	3m kg	6m kg
150mm	7	13	9	18	11	23
180mm	8	16	11	22	14	27
240mm	11	22	15	29	18	37
300mm	13	27	18	37	23	46
360mm	16	32	22	44	27	55
390mm	18	35	24	48	30	59
450mm	20	40	28	55	34	69
600mm	27	54	37	73	46	91
760mm	34	68	47	93	58	116
800mm	36	72	49	98	61	122
900mm	40	81	55	110	69	137
1000mm	45	90	61	122	76	152
1200mm	54	108	73	147	91	183
2400mm	108	216	147	294	183	366

Sealfix

Unit A3– A5
Blacknest Industrial Estate
Blacknest Road
Blacknest
Alton
GU34 4PX

Contact Us

Telephone | 01420 520805

Fax | 01420 521282

Email | Info@sealfix.co.uk

Website | www.sealfix.co.uk

mytradecounter

Our online trade counter features over 25,000 products from over 200 Hand Tool, Power Tool and Hardware Brands. There are several features designed to provide you with the information you require at the touch of a button. Here are just a few of the key benefits:

- An advanced search facility to find the correct product quickly.
- In depth product information, including technical specifications and product images.
- Real time stock availability.
- A quick and easy ordering facility.

