

Sealfix Ltd professional trade supplier to the Glazing and Building Industries



ID

BPER CLEANING WO



11541222 m

NET ANDA

SOUDAL

Sealfis

to Cleaner 5 It

ADDRX



50gme



# CONTENTS

# Soudal Range

Silicone & Sealants	4-8 & 10-11	
Fillers & Decorators Caulk	9	
High Temperature foam, Silicones & Sealants	12-13	
Fix ALL	14-15	
Adhesives	16-19	
Foams	20-24	
Foam Guns	25	
Flooring & Roofing	31-36	
Automotive	42-48	





Sealants, Silicones & Adhesives	26-30
Gap Filler	28
Konig kits & Pens	37-38
RAL Aerosol Paint Cans	39-41
Cleaners & Lubricants	48-53
Sealfix Cleaners, Glue & Activators	53-55
Screws & Fixings	57-58
Nails, Fuel Cells & Polypins	87-93
Drill Bits & Driver Sets	93-106



Saws, Blade & Cutting Discs	107-116
Multi Tool Blades & Sand Papers	117-123
Ironmongery	124
Hardware	125-131
Safety, Protection & Tapes	132-140
Tools & Straps	141-146



Sealfix Ltd is a family business celebrating 27 years of trading in July 2024. The Company's focus has always been to supply the glazing and building industries with high quality products, and excellent service to match.

As SOUDAL UK's largest independent distributor, Sealfix has forged strong working relationships with all of our suppliers, ensuring a broad product portfolio that provides a 'one stop shop' for our customers.

Our constantly growing range of over 4000 quality product lines and our ability to be responsive to demand allows us to exceed customer expectations at all levels in a competitive marketplace. We look forward to working with our existing and new customers for years to come.



Neutral cure building and glazing silicone sealant . Low modulus neutral (LMN) formulation for high movement joints. Fast curing. Flexible and weathertight seal. Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.

#### SOUDAL EXTERIOR FRAME SEALANT

# **BRILLIANT WHITE**

Part No.	Colour	Fill	Box Qty	
0S121649	Brilliant White	270ml	12	



SOUDAL EXTERIOR FRAME SEALANT
CLEAR

0S128453 Clear 270ml 12
-------------------------

#### **Featured properties**

Flexible

Exterior Frame Sealant is a high-quality, plasto-elastic one -component joint sealant based on acrylic dispersions.

- Mould resistant
- Waterproof
- Fast curing
- Very easy to apply
- Colourfast and UV resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Low modulus
- Corrosion free

#### Applications

Sealing and perimeter pointing of wooden, aluminium and PVCu window and door frames. Sealing and bonding plastic trim and cladding. Glazing. Construction and general purpose joint sealing.

All usual building joints with high movement. Glazing and joint works. Expansion joints between many different construction materials. Sealing between PVC, treated wooden and metal profiles and glass.





Silirub 2 is a **PREMIUM** quality low modulus neutral cure silicone sealant.

- 100% Silicone with no extension
- Permanent colour & UV-resistant
- Compatible with sealed units
- Available in a wide range of colours
- Very good adhesion on many materials
- Low modulus
- Excellent acoustic properties (noise reduction)
- Conforms to ISO11600 F&G 25 LM

For building and construction joints, top sealing at glazing jobs, joints with high movement between different building materials, sealing between treated wood, metal, PVC profiles and glass.

#### **SOUDAL SILIRUB 2 FOIL**





SOU	DAL	SILI	RUB	2/S

Silirub 2/S is a **PREMIUM** quality low modulus neutral cure sanitary silicone sealant.

- 100% Silicone with no extension
- Permanent colour, UV-resistant
- Very good adhesion on many materials
- Low modulus
- Food Safe
- Fungicide conforms to ISO846
- Conforms to ISO11600 F&G 25 LM

Joints in sanitary applications and kitchens, all glazing works, joints in container and cold-storage applications and air conditioning sealing.

Part No.	Colour	Fill	Box Qty
0S114580	Brilliant White	300ml	24
0S114579	Clear	300ml	24
0S127153	Mahogany	300ml	24
0S114576	Caramel	300ml	24
0S114577	Black	300ml	24
0S114578	Teak	300ml	24
0S121452	Toffee	300ml	24
0S112979	Anthracite 7016	300ml	24
0S121806	Brown	300ml	24
0S102423	Bronze	300ml	24
0S102422	Grey	300ml	15
0S105960	Terracotta/Rustic Red	300ml	15
0S105961	Buff	300ml	15
0S106197	Dark Grey	300ml	15
0S105962	Portland Stone Cream	300ml	15
0S103978	Beige	300ml	15
0S101270	Aluminium Grey	300ml	15
0S102419	Light Brown	300ml	15
0S101940	Dark Brown	300ml	15
0S101080	Oak	300ml	15
0S100868	Basalt Grey 7012	300ml	15
0S100335	Stone Ton Pierre	300ml	15
0S120489	Cement Grey	300ml	15
0S100727	Brilliant White	600ml	12
0S104073	Clear	600ml	12
0S100254	Brown	600ml	12
0S100252	Grey	600ml	12
0S100253	Black	600ml	12
0S107544	Brilliant White	300ml	15
0S101990	Clear	300ml	15
0S104846	Grey	300ml	15
0S102772	Jasmin	300ml	15
0S103734	Light Ivory	300ml	15
0S105753	Bahama Beige	300ml	15
0S105758	Transparent Grey	300ml	15
0S116521	Concrete Grey	300m	15
0S102307	Manhattan Grey 7038	300ml	15
0S105665	Cream 9001	300ml	15
0S105549	Grey White 9002	300ml	15
0S104205	Aluminium White 9006	300ml	15
0S101989	Pure White	300ml	15



#### SOUDAL SILIRUB LMN

Silirub LMN is a **SUPERIOR** quality low modulus neutral cure silicone sealant.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Available in a wide range of colours
- Very good adhesion on many materials
- Low modulus
- Conforms to ISO11600 F&G 25 LM

For building and construction joints, top sealing at glazing jobs, joints with high movement between different building materials, sealing between treated wood, metal, PVC profiles and glass.

#### SOUDAL SILIRUB LMN FOIL



Part No.	Colour	F	ill	Box Qty
0S114574	Brilliant White	3	00ml	24
0S114573	Clear	300ml		24
0S120346	Brown	3	00ml	24
0S120347	Bronze	3	00ml	24
0S120348	Teak	3	00ml	24
0S120349	Black	3	00ml	24
0S120480	Caramel	3	00ml	24
0S122402	Grey	3	00ml	24
0S130257	Chartwell Green	3	00ml	24
0S130256	Cream RAL 9001	3	00ml	24
0S130268	Anthracite Grey RAL 7016	3	00ml	24
0S154494	Slate Grey 7015	300ml		24
0S154495	Agate Grey 7038	3	00ml	24
0S134883	Anthracite Grey		400ml	25
0S134882	Black		400ml	25
0S126523	Caramel		400ml	25
0S126525	Clear		400ml	25
0S126527	Teak		400ml	25
0S126526	White		400ml	25



#### SOUDAL SILIRUB LM

Silirub LM is a **HIGH** quality low modulus neutral cure silicone sealant.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Very good adhesion on many materials
- Low modulus neutral cure
- Conforms to ISO11600 F 12.5 E

For glazing and construction sealing. Perimeter sealing of window, door frame and roofline systems. General

# Ilirub. N

SOUDAL	SILIRUB N
--------	-----------

Silirub N is a **GENERAL PURPOSE** low modulus neutral cure silicone sealant which remains permanently elastic.

- Very easy application
- Permanent colour & UV-resistant
- Stays elastic after curing
- Very good adhesion on many materials
- Low modulus neutral cure

For building and construction joints, top sealing at glazing jobs, expansion joints between various building materials, sealing between treated wood & glass and between PVC and glass.

0S128335	Brilliant White	300ml	24
0S127926	Clear	300ml	24
0S128333	Teak	300ml	24
0S128334	Black	300ml	24
0S128336	Caramel	300ml	24
0S146066	Anthracite Grey (7016)	300ml	24

0S118985	Brilliant White	300ml	24
0S117857	Clear	300ml	24
0S117859	Brown	300ml	24
0S117858	Teak	300ml	24
0S122401	Black	300ml	24
0S122400	Caramel	300ml	24
0S146067	Anthracite Grey	300ml	24



OUDAL

SOUDAL



GENERAL PURPOSE acetoxy sanitary silicone sealant. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood).

- Acetoxy cure sanitary sealant
- Conforms to ISO 11600 F 12.5 E
- S1 fungicide

#### **SOUDAL SILIRUB S**

**GENERAL PURPOSE** acetoxy silicone sealant. Sanitary, construction and industrial applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Perimeter sealing of wooden window and door frames. Glass to glass sealing joints. Industrial applications. General maintenance sealing.

- Acetoxy cure silicone
- Primerless adhesion on traditional materials
- S1 fungicide

#### SOUDAL SILIRUB AQ

High modulus acetoxy silicone sealant for elastomeric glass bonding, sealing and the construction of aquaria and terraria.

- Chemically inert after curing
- 100% Silicone with no extension
- Primerless adhesion on most surfaces

	<i>a</i>
SOUDAL	Pus
Ξ.	AND AND
N I	AUR
Ias	aut
je l	050
PR.VALUAR	SEC
	1

#### SOUDAL AQUASWELL

**Polyurethane sealant** which swells in contact with water. Aquaswell is PU based sealant that swells in contact with water. It is designed for the water-

and gastight sealing around cable or pipe penetrations and the watertight sealing of joints in concrete and prefabricated elements. Remains flexible and returns to its original shape after swelling.

#### SOUDAL STAY

#### BRIGHTER.CLEANER.FRESHER

The ULTIMATE Anti-mould sealant. Neutral cure silicone. Contains:

- 100% Silicone no extension
- Lifetime guarantee
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO11600 F&G 25 LM
- XS1 fungicide
- Now FOOD SAFE



0S101450	Clear	310ml	15
0S101448	White	310ml	15
0S101533	Grey	310ml	15
0S102730	Brown	310ml	15
0S101550	Black	310ml	15

0S102543	Clear	310ml	15
0S105751	Black	310ml	15

ı	0S124715	Champagne	310ml	12
า	0S124909	Champagne	600ml	12

0S152988	Acetoxy Clear	290ml	12
0S152987	Acetoxy Ice White	290ml	12
00450000	Acetoxy RAL	200 mal	12
0S152986	1013 Oyster White	290ml	12
0S125788	Ice White	300ml	12
0S125924	Ivory	300ml	12
0S125925	Clear	300ml	12
0S130301	Grey	300ml	12
0S130302	Black	300ml	12
			_



#### SOUDAL AQUAFIX

#### All Weather Silicone

Solvent based plasto-elastic sealant that adheres to most surfaces even when damp or underwater. Ideal as an emergency repair product.

- Solvent based sealant
- Can be used on dry, damp and wet surfaces
- Multi surface adhesion
- Highly

# SOUDAL SOUDASEAL 240FC

Soudaseal 240 FC is a high

quality single component joint sealant with high adhesive strength. It is based on MS-Polymer<sup>®</sup>, chemically neutral and fully elastic.

0S101364	White	290ml	12
0S104925	Black	290ml	12
0S105027	Grey	290ml	12
0S101809	White	600ml	12
0S106912	Concrete Grey	600ml	12
0S108148	Black	600ml	12



# SOUDAL SMX 506 (ACTIVE GLASS)

Glazing sealant for SELF CLEANING GLASS based on SMX Tech nology. Glazing sealant between glass and all usual frame materials: timber, aluminium, steel, PVC. SMX 506 resists temperatures from +5 C to + 35 C.

:h-	0S120831	White	290ml	12
a-	0S119538	Black	290ml	12

#### SOUDAL SOUDASEAL 4AP WHITE

Soudaseal 4 All Paint is a high quality single component glazing sealant with high adhesive strength. It is based on MS-Polymer, chemically.

0S106240	RAL 9010 White	290ml	15
0S106239	RAL 7004 Signal Grey	290ml	15

#### SOUDAL SILIRUB P2 (PAINTABLE)

PAINTABLE high modulus, neutral cure silicone sealant. Developed to be overpainted with many low solvent and water based paints.

- Over-paintable
- Conforms to ISO11600G20 HM
- Low odour
- Extensive colour range, including RAL CLASSIC colours



#### SOUDAL SOUDASEAL 215LM

Soudaseal 215LM is a high quality, neutral, elastic, 1-component joint sealant based on MS-Polymer.Good adhesion to most common substrates, even on slightly wet substrates Easy to tool, extrude (even at low temperatures)

0S118973	Transparent	310ml	15

0S103911	Black	600ml	12
0S102291	White	600ml	12
0S124645	Anthracite Grey 7016	600ml	12
0S103011	Natural Stone	600ml	12
0S105022	White	290ml	12
0S137819	Traffic White (9016)	290ml	12
0S135522	Black	290ml	12
0S105023	Concrete Grey	290ml	12
0S135521	Anthracite Grey 7016	290ml	12
0S107302	Brown	290ml	12



OUDA







Part No.	Colour	Fill	Box Qty
0S104789	Clear	300ml	15



# SOUDAL REPAIR EXPRESS—READY TO USE REPAIR FILLERS

#### Plaster-Interior

HIGH SPEED acrylic polymer based, lightweight repair plaster. For an easy and quick reparation or filling in walls & ceiling cracks. Over-paintable once dried. Non-shrinking.

- Smooth finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Very good adhesion on many porous materials

#### Cement-Interior & Exterior

HIGH SPEED acrylic polymer based, Textured repair cement. For an easy and quick reparation or filling in concrete. Overpaintable once dried. Non-shrinking.

- Textured finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Excellent adhesion on many mineral materials

#### SOUDAL ACRYRUB

Acryrub is a superior quality acrylic polymer based sealant and filler. Solvent free and virtually odourless, it has very good adhesion on most porous surfaces. Once cured it is fully paintable, as well as both colourfast and waterproof. Due to its unique composition, it heavily reduces any risk of cracking.

#### SOUDAL DECORATORS CAULK

GENERAL PURPOSE acrylic polymer based sealant and filler. Solvent free and virtually odourless. Colourfast and waterproof after curing. Paintable. Sealing of window sills, skirting boards, architraves, plasterboard, brickwork etc. Filling of small cracks in plaster.

#### SOUDAL PVCu GAP FILLER

One part, solvent based, PVC resin for sealing, bonding and filling PVC and PVCu materials. Resistant to UV, rain, snow and ozone, and many chemicals. Sealing, filling and bonding of PVCu window and door frames, window boards, trims and reveals, cladding and roofline, PVC guttering and drainage systems.

Part No	Description	Fill	Box Qty
0S122525	White	300ml	12
0S152306	White	900ml	6
0S122526	White	250ml Tub	12



0S125786	Grey	300ml	12
0S152305	Grey	900ml	6
0S128000	Beige	300ml	6
0S152307	Beige	90mml	6



0S147523	Extra White	300ml	24
0S102598	Grey	310ml	15
0S102599	Teak	310ml	15
0S102601	Black	310ml	15
0S102602	Grey	600ml	12
0S102603	White	600ml	12

0S115320	White	300ml	24
0S121638	White	290ml	12
0S121639	White	380ml	12

	0S111324	White	300ml	24
--	----------	-------	-------	----











SILIRUB COLOR is a high-quality, neutral cure elastical one-component joint sealant based on silicones. It has been especially developed for colour matched sealing based on the RAL system colours.

- 100% silicone with no extension
- Very easy application
- Permanent colour, UV-resistant
- Stays elastic after curing
- Available in all RAL Classic system colours
- Very good adhesion on many materials
- Low modulus
- High gloss finish .

SOUDAL	SILIRUB	COLOR
--------	---------	-------

Part No	RAL	Description	Fill	Box Qty
0S119643	1002	Sand Yellow	310ml	15
0S105822	1013	Oyster white	310ml	15
0S113190	1014	lvory	310ml	15
0S105827	1015	Light ivory	310ml	15
0S114640	1019	Grey Beige	310ml	15
0S121807	1036	Pearl Gold	310ml	15
0S117929	2004	Orange	310ml	15
0S134452	2011	Deep Orange	310ml	15
0S115681	3004	Purple red	310ml	15
0S105828	3005	Wine red	310ml	15
0S115304	3007	Black Red	310ml	15
0S123396	3011	Brown Red	310ml	15
0S114294	3020	Traffic red	310ml	15
0S117165	5002	Ultramarine blue	310ml	15
0S114148	5003	Sapphire blue	310ml	15
0S130375	5004	Black Blue	310ml	15
0S116146	5007	Brilliant blue	310ml	15
0S114299	5010	Gentian blue	310ml	15
0S105829	5011	Steel blue	310ml	15
0S115964	5014	Pigeon Blue	310ml	15
0S121783	5020	Ocean blue	310ml	15
0S115185	5024	Pastel Blue	310ml	15
0S124240	-	Chartwell Green	310ml	15
0S114007	6003	Olive green	310ml	15
0S114104	6005	Moss green	310ml	15
0S117130	6006	Grey olive	310ml	15
0S105830	6009	Fir green	310ml	15
0S113227	6010	Grass green	310ml	15
0S116325	6011	Reseda Green	310ml	15
0S116617	6012	Black Green	310ml	15
0S121904	6016	Turquoise green	310ml	15
0S114116	6019	White green	310ml	15
0S115986	6021	Pale green	310ml	15
0S114298	6022	Brown Olive	310ml	15
0S114243	7001	Silver grey	310ml	15
0S116632	7004	Signal Grey	310ml	15
0S115028	7006	Beige grey	310ml	15
0S114636	7009	Green grey	310ml	15
0S113838	7010	Tent grey	310ml	15
0S114481	7011	Iron grey	310ml	15
0S115682	7012	Basalt grey	310ml	15
0S114484	7013	Brown grey	310ml	15
0S116060	7015	Slate grey	310ml	15
0S105831	7016	Anthracite grey	310ml	15
0S115271	7021	Grey black	310ml	15
0S114267	7022	Umbra grey	310ml	15
0S114170	7023	Concrete grey	310ml	15
0S120487	7024	Graphite grey	310ml	15 10

Silirub Color is useful for all building and construction joints which require a colour matched sealant. It is suitable for all glazing works on powder coated aluminium, PVC, painted wood also joints with high movement between different building materials e.g. Brickwork, concrete, etc.

\* Please note we can source any RAL Colour, on request\*

0S121199	7026	Granita Grav	310ml	15
0S121199 0S113159	7020	Granite Grey	310ml	15
		Stone grey		
0S115230	7031	Blue grey	310ml	15
0S110727	7032	Pebble grey	310ml	15
0S115097	7034	Yellow grey	310ml	15
0S118489	7035	Light grey	310ml	15
0S114005	7037	Dusty Grey	310ml	15
0S114293	7038	Agate grey	310ml	15
0S113228	7039	Quartz grey	310ml	15
0S116968	7040	Window Grey	310ml	15
0S117801	7042	Traffic Grey	310ml	15
0S116033	7044	Silk Grey	310ml	15
0S118963	7048	Pearl Mouse Grey	310ml	15
0S116305	8003	Clay Brown	310ml	15
0S121808	8007	Fawn brown	310ml	15
0S114296	8014	Sepia brown	310ml	15
0S114750	8017	Chocolate brown	310ml	15
0S116106	8019	Grey brown	310ml	15
0S124358	8022	Black Brown	310ml	15
0S116567	8023	Orange Brown	310ml	15
0S105870	9001	Cream	310ml	15
0S116322	9002	Grey White	310ml	15
0S124216	9003	Signal White	310ml	15
0S115955	9004	Signal Black	310ml	15
0S127838	9005	Jet Black	310ml	15
0S106735	9006	Aluminium white	310ml	15
0S111713	9007	Grey aluminium	310ml	15
0S118401	9010	Pure white	310ml	15
0S121497	9018	Papyrus white	310ml	15







FIRE RATED neutral cure, silicone sealant. Solvent free. Virtually odourless. Primerless adhesion on all common construction materials. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance. Conforms to all international standards including CE marking. External and internal. Fire resistance, up to 4 hours depending on joint configuration.

Firecryl resists the passage of fire and smoke, swells when exposed to temperatures in excess of 120'C. Stays elastic and can be painted over after curing, colourfast and waterproof after curing, very good adhesion on many porous surfaces.

#### Soudafoam FR click&fix is a one component, self expanding, ready to use polyurethane foam. It has been fitted with the unique patented click&fix adaptor system for maximum comfort in use. It contains propellants, which are completely harmless to the ozone layer. It has a fire rating of up to 260 mins.

Soudafoam FR handheld is a single component, self expanding, ready to use polyurethane foam with propellants which are completely harmless to the ozone layer. It has a

# SOUDAL FIRE SILICONE B1 FR

Part No.	Colour	Fill	Box Qty
0S147413	White	310ml	15
0S102530	Grey	310ml	15
0S147411	Black	310ml	15
0S122156	White	600ml	12
0S109952	Grey	600ml	12

# SOUDAL FIRECRYL FR

0S106329	White	310ml	15
0S107433	Grey	310ml	15
0S105229	White	600ml	12
0S110947	Grey	600ml	12

# SOUDAL Soudafoam FR CLICK & FIX

0S110203	750ml	12

#### SOUDAL Soudafoam FR HANDHELD

-	0S108289	Pink	750ml	12		
HI	HIGH YIELD FIRE RATED (25% MORE YIELD)					

0S153087	Pink	750ml	12
----------	------	-------	----

#### SOUDAL Soudafoam FR GUNGRADE

#### **HIGH YIELD FIRE RATED (25% MORE YIELD)**

0S153085	Pink	750ml	12

# Trade Expanding Gunfoam B1

0S132730	Blue	750ml	12

OUDA

fire rating of up to 360 mins in certain configurations.



Soudafoam FR is a one component, self expanding, ready to use polyurethane foam. It contains propellants, which are completely harmless to the ozone layer and greenhouse effect. It has a fire rating of up to 240 mins. Gun Grade FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials.



HIGH TEMPERATURE resistant neutral cure silicone sealant. For the sealing of joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Virtually odourless.

- High temperature resistant (up to 280°C)
- External and internal use
- Highly flexible and weatherproof



HIGH TEMPERATURE resistant acetoxy cure silicone sealant. For the sealing of joints which require a high temperature resistance; gaskets, hot water installations, pipework, ovens, furnaces and chimney flues. Virtually odourless

- High temperature resistant (up to 285°C)
- External and internal use
- Highly flexible and weatherproof



HIGH TEMPERATURE resistant fire cement. Excellent adhesion to a wide range of building materials. For the sealing of ovens, furnaces and chimney flues. Hard setting.

- Internal use
- Hard and durable
- High temperature resistant (up to 1500°c)



FIRE RATED non-staining, SMX polymer, sealant and adhesive for use in passive fire protection systems. Totally solvent, silicone and isocyanate free. Highly elastic. Primerless adhesion on most construction materials. Conforms to all international standards including CE marking. For external and internal use.

- Weatherproof
- Paintable with most coatings
- Non staining on porous stone substrates

# SOUDAL SILIRUB HT-N

Part No	Description	Fill	Box Qty
0S108266	Black	310ml	15

# SOUDAL SILIRUB HT-A

#### SOUDAL FIRECEMENT HT

0S108264	Black	310ml	15

#### SOUDAL SOUDASEAL FR

0S113628	Grey	600ml	12



Fix ALL Flexi is the perfect product if you are in search of one single product which can be used as a sealant and an adhesive to seal or bond in all circumstances.

- All in one Sealant & Adhesive
- Weather & Waterproof
- ALL materials, ALL Surfaces\*

# SOUDAL FIX ALL FLEXI

Part No	Colour	Fill	Box Qty
0S106036	White	290ml	12
0S106039	Black	290ml	12
0S106037	Grey	290ml	12
0S106038	Brown	290ml	12



OUDA

STRO

Fix ALL Crystal is the perfect product if you are in search of a sealantadhesive with the same strong properties as the Fix ALL® Flexi but which is also 100% transparent.

- 100 % Crystal Clear
- Weather & Waterproof
- ALL Materials, ALL Surfaces\*

#### SOUDAL FIX ALL CRYSTAL CLEAR

0S118779	Crystal Clear	290ml	12
----------	---------------	-------	----

#### SOUDAL FIX ALL HIGH TACK

Fix ALL High Tack: the strongest. It is the perfect sealant and adhesive to seal and bond in all conditions. Bonds even onto humid surfaces.

- Perfect for heavy bonding
- Weather & Waterproof
- ALL Materials, ALL Surfaces\*

0S101444	White	290ml	12
0S101459	Black	290ml	12
0S101454	Grey	290ml	12
0S119270	Brown	290ml	12



Trowellable full surface, elastomeric adhesive. No mixing required. High initial grab. Can be applied on wet and damp surfaces, internally or externally. Mould resistant.

#### SOUDAL FIX ALL FLOOR & WALL

0S120137	White	4kg	1



Fix ALL Turbo is the perfect answer for all super-fast bonding jobs.

- Fixed in 20 minutes
- Perfect for superfast bonding
- ALL Materials, ALL Surfaces\*

Part No.	Details	Fill	Box Qty
0S122236	White	290ml	12
0S146506	Grey	290ml	12
0S146505	Black	290ml	12

SOUDAL FIX ALL TURBO



Super Strong adhesive with high initial tack. Can be applied in all weather conditions. Internal and external use.

- Super clear
- Super strong
- Virtually odourless
- All weather use

#### SOUDAL FIX ALL HIGH TACK INVISIBLE

		0S131209	Invisible	290ml	12
--	--	----------	-----------	-------	----

#### SOUDAL FIX ALL X-TREME POWER

0S127479	White	290ml	12



Extreme duty, high strength adhesive with ULTIMATE initial grab (>400kg/m<sup>2</sup>). Based on SMX Polymer Technology, X-treme Power provides incredible bond strength and primerless adhesion on most construction materials, including wet and damp surfaces.

#### \*Not suitable for PE, PP or Teflon

6
- W









					1.1.1.1.1			
	Food Safe	Paintable	Interior	Stays	Super	UV	Solvent	Mould
			& Exterior	Flexible	Strong	Resistant	Free	Resistant
Fix ALL Flexi	√	√	1	1	√	√	√	1
Fix ALL High Tack		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Fix ALL Crystal	√	- √	$\checkmark$	-	$\checkmark$	1	√	√
Fix ALL X-Treme Power		<ul> <li>✓</li> </ul>	$\checkmark$	√	- √	√	<ul> <li>✓</li> </ul>	- √
Fix ALL Turbo		~	√	1	1	1	~	~

#### SOUDABOND 642 DUO



**Soudabond 642 Duo** is a high strength 2component PU assembly adhesive, suitable for the constructional bonding of Aluminium corner angles into cover-frame and wing-frame profiles. Can also be used for bonding of metals in other applications. Suitable for pre- and postinjection systems. Always use in combination with supplied static mixer. Before use, extrude the first 20 g to assure a homogenous mixing of the two components. Functional bonding strength: 5-10h in normal conditions.

0S152652	Beige	2 x 310ml	6

#### **SOUDABOND 641**

**Soudabond 641** is a high strength 1-component PU assembly adhesive, suitable for the constructional bonding of aluminum corner angles into cover- and wing-frame profiles. Can also be used for bonding of metals in other applications. Especially developed for pre-injection systems. The functional bonding strength is reached after 24h in normal conditions, full cure in 7 days.

0S130870	Beige	310ml	12
----------	-------	-------	----

# TRADE MIRROR ADHESIVE

**Mirror Adhesive** is a high performance, solvent free adhesive used for bonding traditional silver backed mirrors onto all common building substrates such as ceramic tiles, wood, concrete, stone, glass and metal. The highly flexible adhesive provides a strong, permanent bond that remains elastic once cured.

03152527 Gley 290111 12	0S152327	Grey	290ml	12
-------------------------	----------	------	-------	----



OUDA



#### **SOUDASEAL MIRROR**

**Soudaseal Mirror** is a flexible, high strength mirror adhesive based on MS-Polymer<sup>®</sup>. Compatible with acetone resistant mirrors.

0S117339

Light Grey

290ml

12

**SOLVENT FREE** 



SOUDAL

udasea

# SOUDAL GRIP ALL

The new **GRIP ALL** series by Soudal combines two different technologies to form the ULTIMATE Grab Adhesive range. The ultra-strong Hybrid Polymer formulation provides superior flexibility within a Grab Adhesive you can rely on for any application. Suitable for use inside and outside, the GRIP ALL Hybrid is a high performance solvent free adhesive that even works on wet and humid surfaces. Once fully cured, it can be painted over with most varieties of paint.

00450005	Calvert Free	200 mal	10
0S152665	Solvent Free	290ml	12
			SOLVENT BASE
			SOLVENT BASE
0S152706	Solvent Based	290ml	SOLVENT BASE
0S152706	Solvent Based	290ml	

#### **GRIP ALL HYBRID POLYMER CLEAR**



**CLEAR** flexible hybrid polymer grab adhesive developed by Soudal using Flexible Bonding Technology. The flexible properties of the adhesive improve the overall durability of the final bond. The grab adhesive can be used inside and outside, in all weather conditions. Can be applied on both damp and humid surfaces.

0S152648	Clear	290ml	12
0S152645	White	290ml	12
0S152647	Black	290ml	12
0S152646	Grey	290ml	12



Polyurethane gun applied, thixotropic construction adhesive.

- Foaming action to fill gaps
- Transparent
- Conforms to DIN EN 204 D4
- Purocol- 15 min open time
- Purocol Express- 5 min open time

#### SOUDAL PUROCOL

Part No	Description	Fill	Box Qty
0S107300	Purocol	310ml	15
0S112524	Purocol Express	310ml	12

#### **SOUDAL PRO 45P**

0S134052	Brown	750g	6
0S108982	Brown	5kg	4

#### **SOUDAL PRO 40P**

0S108766	Brown	750g	6
0S108901	Brown	5kg	4

#### SOUDAL PRO 30D

0S108769	White	750g	6
0S108900	White	5kg	5
0S103069	White	201	1

# SOUDAL PRO 20D

0S108767	White	750g	6
0S108899	White	5kg	5
0S103057	White	201	1

#### SOUDAL PRO 10D

0S108768	White	750g	6
0S108898	White	5kg	5
0S103051	White	201	1



PRO 45P liquid wood adhesive.

- Foaming action to fill gaps
- Extra fast
- 5 min open time
- Conforms to DIN EN 204 D4



#### PRO 40P liquid wood adhesive.

- Foaming action to fill gaps
- Extra fast
- 15 min open time
- Conforms to DIN EN 204 D4



PRO 30D PVA based wood adhesive.

- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D3



PRO 20D PVA based wood adhesive.

- Superfast adhesive
- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D2



PRO 10D PVA based wood adhesive.

- Dries transparent
- Solvent Free
- Fast drying
- Conforms to DIN EN 204 D2



Butyrub is a POLYBUTYLENE based, semi-setting elastoplastic sealant. Very easy to apply. Forms an elastic and tight skin. Can be painted over after 24 hours. Very good adhesion on many building surfaces. UV and weather resistant. Good resistance against chemicals.



#### **Soudaseal EPDM** is a high quality, neutral, elastic, 1-component Hybrid polymer based adhesive sealant for bonding and sealing of EPDM membranes in interior and exterior applications. Soudaseal EPDM is part of Soudal Window System.

#### Neutral cure EPDM sealant

Neutral cure single component silicone based sealant-adhesive in black colour for the sealing and bonding of EPDM based materials.



Silirub MA is specially designed for sealing of joints and bonding of marble and other porous natural stones as well as all glazing jobs.

- 100% Silicone with no extension
- Does not cause staining on porous surfaces such as marble, granite,

blue stone

- Suitable for sanitary application
- UV-resistant



Silicone Remover is a ready to use gel for the removal of cured sealants. Terpene based. Brush applied. Non sagging.



PU Remover is a ready to use gel for the easy removal of all remains of cured PU Foam.

#### BUTYRUB

Part No	Description	Fill	Box Qty
0S101478	Black	310ml	15
0S102570	Grey	310ml	15
0S102572	White	310ml	15

#### SOUDASEAL EPDM

0S130549 Black	600ml	12
----------------	-------	----

#### **SILIRUB EPDM**

00440400	Dissis	000	10
0S112130	Black	600ml	12

# SOUDAL SILIRUB MA (MARBLE)

0S105100	Brilliant White	310ml	15
0S106120	Clear	310ml	15
0S106252	Black	310ml	15
0S104547	Travertine	310ml	15
0S104528	Marble Grey	310ml	15
0S107725	Portland Stone	310ml	15
0S114060	Anthracite Grey	310ml	15
0S117637	Stone Grey	310ml	15
0S123597	Jasmine	310ml	15

#### SOUDAL SILICONE REMOVER

0S102853 100ml

12

6

#### SOUDAL PU REMOVER

0S115778 100ml



#### **FILLS & BONDS**

Soudabond EASY is a high performance polyurethane adhesive foam. Quick and easy to use - no mixing required. Replaces traditional powder based adhesives. The formula combines strong adhesion with filling characteristics, making it suitable for bonding uneven surfaces.

Used for the bonding of many building materials, such as insulation panels, plasterboard and the construction of interior walls using lightweight building blocks.

FAST CURING PU plasterboard adhesive that replaces the need for traditional mortar based adhesives; this means no mixing required, avoiding any unnecessary mess. The ready to use adhesive saves time, effort and money. The 600ml Genius Gun cannister is capable of bonding up to 9m2 of plasterboard panels, which is the equivalent of a 20kg bag of

Part No	Description	Fill	Box Qty
0S121734	Gun Grade	750ml	12
0S128486	Hand Held	750ml	12
0S130426	Genius Gun	750ml	12

# SOUDAL TRADE PLASTERBOARD

#### **ADHESIVE GUN**

0S152328 Orange 750ml 12	2
--------------------------	---

# SOUDAFOAM WINDOW & DOOR

Colour

Champagne

Champagne

Fill

750ml

750ml

Box Qty

12

12

POLYURETHANE expanding foam filler. Window & door filling formulation with high linear expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials

Part NO.

0S130582

0S130581

Model

Gun Grade

Hand Held

#### Featured properties:

mortar.

- Linear yield FEICA TM1002 750ml Gun Grade: 26M
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C

Gun Grade high yield polyurethane expanding foam filler. Window & Door filling formulation with high linear expansion. Fills 50% more metres than standard Soudafoam Window & Door. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Gun Grade with DuraValve for improved yield and performance.

#### SOUDAFOAM WINDOW & DOOR XTRA

0S130578	Gun Grade	Champagne	750ml	12

ADHESIVE FOAM

SOUDAL

Soudafoam



20






Thermal insulation

SOUDAL

AIR- Acoustic insulation

TIGHT premium quality polyurethane expanding foam filler for use around windows & doors. Recommended for all A, A+ and A++ windows and doors. Vastly improved thermal and insulation properties. Totally airtight after curing. The product is highly flexible once cured, based on FLEXI-FOAM® Technology, which gives improved durability. Can be used at temperatures of between -10 Celsius to +30 Celsius. One component. Rapid curing. Primerless adhesion on most construction materials. Available in Gun Grade. APPLICATIONS Recommended for all A, A+ and A++ windows and doors or any applications where an airtight seal is required. Sealing gaps where improved thermal and acoustic properties are required. Any joint filling which has high and repetitive movement or where vibration resistance is required.

PREMIUM QUALITY acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces. Highly flexible. Very low emissions - EC-1R PLUS label.





Insulation of window & door frames outside



**Airtight Sealing** 

#### SOUDAFOAM WINDOW & DOOR SWS

Part No.	Model	Colour	Fill	Box Qty
0S130577	Gun Grade	Champagne	750ml	12

#### SOUDAL ACRYRUB SWS

Part No.	Model	Colour	Fill	Box Qty
0S124483	Cartridge	White	310ml	15

#### SOUDAL SILIRUB PRO N SWS

Part No.	Colour	Fill	Box Qty
0S117152	Clear	310ml	15
0S121077	Oak	310ml	15
0S121078	Light Brown	310ml	15
0S117151	White	310ml	15
0S121075	Light Concrete	310ml	15
0S118970	Chocolate Brown	310ml	15
0S117150	Grey	310ml	15
0S121076	Manhattan Grey	310ml	15
0S118969	Black	310ml	15
0S123754	Brown	310ml	15







SOUDAL

POLYURETHANE expanding foam filler. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.

#### **Featured Properties:**

- Polyurethane foam filler
- Volume yield FEICA TM1003 750ml Gun Grade: 34L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C

Soudafoam 2K is a two-component, selfexpanding, ready-to-use polyurethane foam. Due the high strength is it typically foam for mounting.

- Installing of window- and doorframes
- Filling of cavities
- Sealing of all openings in roof constructions
- Creation of a soundproof screen

#### SOUDAFOAM GAP FILLER

0S130585	Gun Grade	Champagne	750ml	12
0S130589	Click & Fix	Champagne	750ml	12
0S130584	Hand Held	Champagne	750ml	12
0S130583	Hand Held	Champagne	500ml	12

#### SOUDAFOAM<sup>®</sup> 2K HAND HELD

0S104881	Hand Held	Green	400ml	12



SMX® POLYMER expanding foam. Environmentally friendly, easy to use, one component. No free isocyanate content.Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held.

#### SOUDAFOAM SMX HAND HELD 500ML WHITE

0S130592	Hand Held	White	500ml	12



ONE SHOT polyurethane expanding foam filler. Small format packaging for minor filling applications. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.

#### SOUDAFOAM ONE SHOT

Part No.	Model	Colour	Fill	Box Qty
0S130575	Hand Held	Champagne	150ml	12



Solvent based aerosol spray applied, polyurethane foam cleaner. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

#### SOUDAL FOAM CLEANER

Part No.	Details	Fill	Box Qty
0S130576	Gun & Foam Cleaner	500ml	12
0S102080	Click & Clean	500ml	12

#### ROOFING

0S102668



Soudalead PB is a high-quality neutral, elastical onecomponent joint sealant based on silicones. Sealings between lead, treated wood, metal, PVC profiles and glass.

# SOUDALEAD

Part No	Description	Fill	Box Qty
0S113146	Grey	310ml	15



Roof and gutter sealant. Slump resistant. Repair product for leaks in roof elements, gutters and sewage pipes. Cold adhesive for all types of roofing. Emergency repairs, even in wet weather.

• Can be used on dry, damp and

Polyurethane adhesive foam in small canister format for the efficient, clean, economical and durable bonding of roofing insulation boards onto most underlying roofing substrates. The filling characteristics of the adhesive make it suitable for uneven surfaces.

- wet surfaces
- Multi-surface adhesion
- Seals and bonds



# SOUDATHERM ROOF 250

0S126512	Orange	800ml	12

#### **SOUDATHERM ROOF 250\***

#### **COMBI-BOX APPLICATOR PACK**

	5 x Soudatherm 250 800ml		
0S128609	1 x Soudafoam 500ml Cleaner	Pack	1
	1 x Compact Gun		



SOUDAL SOUDAFALT

15





SOUDAL

POLYURETHANE expanding foam filler. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials.

#### SOUDAFOAM GAP FILLER GENIUS

Part No.	Model	Colour	Fill	Box Qty
0S130590	Genius	Champagne	600ml	12

#### SOUDAL B2 FIRE & ACOUSTIC EXPANDING FOAM

**FIRE RATED** one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties.

Excellent Primerless adhesion on most construction materials.

- Fire rated polyurethane foam filler
- EN1366-4 Fire resistance, up to 2 hours depending on joint configuration
- Fire class DIN 4102 B2
- Acoustic rating 58 dB
- Insulation factor 36mW/mK

0S128450	Gun Grade	Champagne	750ml	12
0S128449	Hand Held	Champagne	750ml	12

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.



BE EXPANDING FOAM









# **CAULKING GUNS**

Part No	Description	Box Qty
920401	Gun (DIY)	1
920444	Cox Gun	1
0S106617	SOUDAL Heavy Duty Caulking Gun	1

#### SOUDAL FOAM GUNS

0S110226	Compact PU Foam Gun Click & Fix	1
0S106016	Design PU Foam Gun Click & Fix	1
0S119559	SOUDAL Soudatherm Roof 250 Application Gun (1m)	1
0S121824	SOUDAL Soudatherm Roof 330 Application Gun (1m) Extra Long	1

#### **SEALFIX FOAM GUNS**

9207615	Concept Premium Metal Foam Gun 60cm	1
9207616	Concept Premium Metal Foam Gun 100cm	1
9207612	Superior Teflon Coated Foam Gun	1
920763	Premium Metal Foam Gun	1
920764	Metal Foam Gun	1

#### **Superior Gun**

A fully Teflon coated gun for non stick protection leading to a longer life and with the same easy flow control mechanism as our premium gun this is truly the professional's choice.

#### Premium Gun

This foam gun has supreme air tightness and with Teflon coated needle and adaptor the gun is easily kept clean for a longer life. Now with easy flow control this foam gun can be used one handed.

#### Metal Gun

A reliable value for money foam gun with excellent air tightness.

#### **RAINBOW SEALANT**



Rainbow RAL Coloured Silicone is Suitable for indoor and/or outdoor use. It will bond to many types of surface including Metal, Plastic, Brick and Wood. This product also Contains Anti-Mould Properties, ideal for kitchen, bathroom and sanitary uses. This Low Modulus, Neutral Curing Silicone Sealant which has excellent adhesion to many surfaces is unaffected by water, sun, and in general, by the weather. It does not contract or crack, neither is there any sweating.

Part No	RAL	Description	Fill	Box Qty
0C1001B	1001	Beige	300ml	24
0C1002	1002	Sand Yellow	300ml	24
0C1003	1003	Signal Yellow	300ml	24
0C1011	1011	Brown Beige	300ml	24
0C1013	1013	Oyster White	300ml	24
0C1015	1015	Light Ivory	300ml	24
0C1018ZY	1018	Zinc Yellow	300ml	24
0C1019	1019	Grey Beige	300ml	24
0C2011	2011	Deep Orange	300ml	24
0C3000	3000	Flame Red	300ml	24
0C3001	3001	Signal Red	300ml	24
0C3002	3002	Carmine Red	300ml	24
0C3005	3005	Wine Red	300ml	24
0C3020	3020	Traffic Red	300ml	24
0C5001	5001	Green Blue	300ml	24
0C5002	5002	Ultramarine Blue	300ml	24
0C5008	5008	Grey Blue	300ml	24
0C5010GB	5010	Gentian Blue	300ml	24
0C5011	5011	Steel Blue	300ml	24
0C5012	5012	Light Blue	300ml	24
0C5014	5014	Pigeon Blue	300ml	24
0C5021	5021	Water Blue	300ml	24
0C5024	5024	Pastel Blue	300ml	24
0C6000	6000	Patina Green	300ml	24
0C6001	6001	Emerald Green	300ml	24
0C6003	6003	Olive Green	300ml	24
0C6005	6005	Moss Green	300ml	24
0C6009	6009	Fir Green	300ml	24
0C6013	6013	Reed Green	300ml	24
0C6015	6015	Black Olive	300ml	24
0C6019	6019	Pastel Green	300ml	24
0C6020	6020	Chrome Green	300ml	24
0C6020	6020	Pale Green	300ml	24
0C6027	6027	Light Green	300ml	24
0C6028	6028	Pine Green	300ml	24
0C7000	7000	Squirrel Grey	300ml	24
0C7001SG	7001	Silver Grey	300ml	24
0C7002	7002	Grey	300ml	24
0C7002	7002	Moss Grey	300ml	24
0C7003	7003	Signal Grey	300ml	24
0C7004	7004	Mouse Grey	300ml	24
0C7006	7006	Beige Grey	300ml	24
0C7010	7010	Tarpaulin Grey	300ml	24
0C7011	7010	Iron Grey	300ml	24
0C7012	7012	Basalt Grey	300ml	24
0C7012	7012	Slate Grey	300ml	24
0C7015	7015	-		24
0C7018 0C7021	7016	Anthracite Grey Black Grey	300ml 300ml	24
0C7021 0C7022	7021	Umbra Grey	300ml	24
0C7022	7022	Concrete Grey	300ml	24
0C7023 0C7024	7023	-	300ml	24
0C7024 0C7026	7024	Graphite Grey	300ml	24
		Granite Grey		
0C7030	7030	Stone Grey	300ml	24 24
0C7031	7031	Blue Grey	300ml	
0C7032	7032	Pebble Grey	300ml	24

Rainbow Ral Coloured Silicone Sealants are a low modulus, neutral curing silicone sealant with excellent adhesion to many surfaces, including metal, plastic, brick and wood. Rainbow Coloured Silicone contains anti-mould properties ideal for kitchen, bathroom and sanitary uses. Rainbow Ral Silicone Sealant can be used indoors and outdoors, and is unaffected by water, sun and most weather conditions. It does not contract or crack, and it does not sweat. 300ml tube size.

\* Please note we can source any RAL Colour, on request\*

0.07000	7000		000 I	<b>a</b> (
0C7033	7033	Cement Grey	300ml	24
0C7034YG	7034	Yellow Grey	300ml	24
0C7035	7035	Light Grey	300ml	24
0C7036	7036	Platinum Grey	300ml	24
0C7037	7037	Dusty Grey	300ml	24
0C7038	7038	Agate Grey	300ml	24
0C7039	7039	Quartz Grey	300ml	24
0C7040	7040	Window Grey	300ml	24
0C7042	7042	Traffic Grey A	300ml	24
0C7043	7043	Traffic Grey B	300ml	24
0C7044	7044	Silk Grey	300ml	24
0C7045	7045	Telegrey 1	300ml	24
0C7046	7046	Telegrey 2	300ml	24
0C7047	7047	Telegrey 3	300ml	24
0C8007	8007	Fawn Brown	300ml	24
0C8014	8014	Sepia Brown	300ml	24
0C8015	8015	Chestnut Brown	300ml	24
0C8017	8017	Chocolate Brown	300ml	24
0C8019	8019	Grey Brown	300ml	24
0C8022	8022	Black Brown	300ml	24
0C9001	9001	Cream	300ml	24
0C9002	9002	Grey White	300ml	24
0C9003	9003	Signal White	300ml	24
0C9005	9005	Jet Black	300ml	24
0C9006	9006	Aluminium White	300ml	24
0C9007	9007	Alu-Grey	300ml	24
0C9010	9010	Pure White	300ml	24
0C9016	9016	Traffic White	300ml	24



# **STELMAX PVC GAP FILLER & SEALANT**

	10
	1951 Lange 1

#### Stelmax 1965 & 1961 PVC Gap Filler & Adhesive

For sealing and joining PVC and PVCu to itself and most porous substrates such as brickwork. Product will skin rapidly to prevent penetration of the product surface from foreign bodies and when fully cured will give a water resistant colourfast seal.

Part No.	Details	Colour	Box Qty
998132	PVC Gap Filler 1965 132g	White	16
998300	PVC Gap Filler 1961 300g	White	20
9983001	PVC Gap Filler 1961 300g	Mahogany	20
9983002	PVC Gap Filler 1961 300g	Rosewood	20
9983003	PVC Gap Filler 1961 300g	Grey	20
9983004	PVC Gap Filler 1961 300g	Toffee	20
9983005	PVC Gap Filler 1961 300g	Black	20

\*Other colours available on request

#### Stelmax 1985 Adhesive

An easily applied PVC resin and solvent based mix. 1985 Adhesive is particularly suitable where bonding is only possible over a small and narrow surface area. When dry, the product will exhibit weathering, UV and chemical resistance similar to that of a good quality rigid PVC.

#### **STELMAX 1985 ADHESIVE**

998135W	PVC Adhesive 1985 135g	White	16
998135C	PVC Adhesive 1985 135g	Clear	16

#### Stelmax PVC Filler & Repair Paste

A mix of PVC resins, pigments, plasticiser and solvents that will gap fill and bond readily to form maintenance free joints of exceptional strength when used to bond and fill rigid and plasticized PVC and PVC coated metal.

#### **STELMAX PVC FILLER & REPAIR PASTE**

9981325	PVC Filler & Repair Paste 132g	Clear	16
9983006	PVC Filler & Repair Paste 300g	Anthracite	16



PVC FILLER & REPAIR PASTS

# \_\_\_\_\_

#### DOW CORNING 791

#### **EXTERNAL WEATHERPROOFING**



Dow Corning 791 is a one part, weatherproofing silicone sealant that gives excellent unprimed adhesion to most porous and non-porous construction substrates including brickwork, masonry, timber, PVC, glass and most metals.

- Excellent weathering characteristics, including resistance to ozone, UV radiation and temperature extremes
- 20-30 minutes working time
- Fast cure—tack free in 30 minutes
- Highly flexible
- Joint movement capacity +/- 50%
- Application temperature range -25 to +50°C



#### DOW CORNING 799 GLAZE &

#### **GO SILICONE SEALANT**

DC799B	Black	310ml	12
DC799BW	Brilliant White	310ml	12
DC799G	Grey	310ml	12
DC799BR	Brown	310ml	12
DC799C	Clear	310ml	12
DC799FG	Fir Green	310ml	12
DC799MG	Moss Green	310ml	12
DC799WR	Wine Red	310ml	12



One component, ready to use silicone sealant, which offers fast cure and good weathering characteristics. The excellent adhesive properties of Dow Corning 781 makes it suitable for use on aluminim, glass formica and most other nonporous surfaces.

#### **DOW CORNING 781**

#### ACETOXY SILICONE SEALANT

Part No.	Colour	Fill	Box Qty.
DC781B	Black	310ml	12
DC781W	White	310ml	12
DC781G	Grey	310ml	12
DC781A	Aluminium	310ml	12
DC781C	Clear	310ml	12



For use in glazing applications that utilise polycarbonate sheeting and for perimeter pointing of door and window frames.

# DOW CORNING C60 LOW MODULUS SILICONE



A one-part sealant, which has excellent adhesion to a range of porous and nonporous substrates including PVCu, glass, anodised and painted aluminim, metal cladding, brickwork, painted and unpainted wood.

Part No.	Colour	Fill	Box Qty.
DC-C60B	Black	380ml	12
DC-C60W	White	380ml	12
DC-C60BR	Brown	380ml	12
DC-C60PS	Portland Stone	380ml	12
DC-C60BRE	Brick Red	380ml	12
DC-C60G	Grey	380ml	12
DC-C60BUFF	Buff	380ml	12
DC-C60AG	Anthracite Grey	380ml	12
DC-C60TR	Translucent	380ml	12
DC-60MG	Mid Grey	380ml	12
DC-60MA	Magnolia	380ml	12



Designed specifically for the structural bonding of glass, metal, and other building components.

- Excellent adhesion to a wide range of substrates
- Odourless and non-corrosive cure system
- One-component product
- Resistant to ozone and temperature extremes

One component silicone sealant for structural glazing.

#### **DOW CORNING 895**

#### STRUCTURAL GLAZING SEALANT

DC895BL	Black	310ml	12
DC895BL600	Black Foil	600ml	12
DC895WH	White	310ml	12

# **High Performance Construction Sealants**





Brushable waterproof coating for instant repair in dry, damp and wet conditions. Emergency repair and renovating of roofs, gutters, cupolas etc. Waterproofing of cracks in roofing.

• Can be used on dry, damp and wet surfaces

BUTYL rubber based, ready to use, selfadhesive, elastoplastic flashing and sealing tape. Fast and excellent adhesion to many

substrates. Waterproof. Flexible even when cold. UV and weather resistant. Self-

- Multi-surface adhesion
- UV resistant

#### SOUDAL WATERSTOP

Part No.	Description	Fill	Box Qty
0S112595	Grey	4KG	1

# BUTYBAND BUTYL

# LEAD

Part No	Description	Colour	Box Qty
0S111088	10m x 75mm	LEAD	8
0S111089	10m x 100mm	LEAD	8
0S111090	10m x 150mm	LEAD	4
0S111091	10m x 225mm	LEAD	4
0S111092	10m x 300mm	LEAD	4



adhesive. Sealing around chimneys, air vents, skylights, window sills and sliding doors. Universal sealing and repairing tape. Sealing of glass constructions. Sealing in general and metal sheet working (e.g. sealing of sectional elements in metal constructions)

- Can be cut, shaped and formed
- Choice of lead or aluminium colour



#### Applications:

Sealing around chimneys, air vents, skylights, window sills and sliding doors

Universal sealing and repairing tape

Sealing of glass constructions

Sealing in general and metal sheet working (E.g. sealing of sectional elements in constructions)



#### ALUMINIUM

0S111083	10m x 75mm	ALU	8
0S111084	10m x 100mm	ALU	8
0S111085	10m x 150mm	ALU	4
0S111086	10m x 225mm	ALU	4
0S111087	10m x 300mm	ALU	4

#### FLOORING

0S124036



#### SMX-30 PLUS

3 x 6kg Bags in a Bucket

1

PREMIUM QUALITY trowellable, SMX polymer based, universal parquet adhesive. Suitable for bonding many types of parquet floors onto suitable indoor substrates. Ready to use, single component, no mixing required. Very high final bond strength - more than 2N/mm2. Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood, chipboard and OSB board. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- SMX polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing 2 hours
- Sandable 12 hours
- High final bond strength more than 2N/mm2
- Suitable for underfloor heating

#### MS-30 PLUS



SUPERIOR QUALITY trowellable, hybrid polymer based, parquet adhesive. For bonding many types of parquet onto indoor substrates. Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- Ready to use, single component, low odour
- Solvent, isocyanate and water free 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing 3 hours
- Sandable 16 hours
- High final bond strength more than 2N/mm2
- Suitable for underfloor heating

	MS-20 PLUS			
	Part No	Description	Fill	Box Qty
SOUDAL PARQUET	0S124203	Light Brown	6kg	1
MS-20 Plus	0S124165	Light Brown	16kg	1
	0S124164	3 x 6kg Bags in a Bucke	t	1

HIGH QUALITY trowellable, hybrid polymer based parquet adhesive. For bonding many types of parquet onto indoor substrates. Single component, no mixing required. Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous sub-strates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 160mm with solid wood, 200mm with engineered wood.

- Hybrid polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing 8 hours
- Sandable 24 hours
- High final bond strength 1.2N/mm2
- Suitable for underfloor heating



High Quality water based acrylic polymer, plasto-elastic one component sealant. Ready to use. Solvent free. Very easy to apply. Colourfast and waterproof. Can be varnished after curing.

- Water based acrylic
- Solvent free
- Fills and seals
- Colour matched to many wood types
- Virtually odourless

# OS125587 Ash Maple 300ml 6

0S125587	Ash Maple	300ml	6
0S125588	Cherry	300ml	6
0S125589	Medium Oak	300ml	6
0S125590	Light Oak	300ml	6
0S125591	Beech	300ml	6
0S125592	Мосса	300ml	6
0S125595	Merbau	300ml	6
0S127174	Dark Grey	300ml	6
0S127175	Light Grey	300ml	6
0S132208	Pearl White	300ml	6



Professional quality notched trowel adhesive spreader . Available in two sizes

#### TROWEL

0S112946	Small Bead Size (Nr 3)	1
0S112945	Large Bead Size (Nr 11)	1


#### **BACKER RODS PU**




Polyurethane based open cell backer rods in 1m lengths

Used to control depth and shape of sealant joints and avoid 3 sided adhesion.

Part No	Details	Box Qty
0S110283	15mm x 1m	250
0S110284	20mm x 1m	200
0S110285	25mm x 1m	100
0S110286	30mm x 1m	100
0S110287	40mm x 1m	50
0S110288	50mm x 1m	50





#### MEMORY FOAM TAPE—SOUDABAND PRO

Pre-compressed open cell polyurethane foam sealant tape. The tape is impregnated with an adhesive and can be used without primer.

Suitable for interior and exterior use. Sealing between aluminium, PVCu and wooden windows and door frames and walls. Sealing of concrete, steel, timber, brickwork, blockwork and prefabricated constructions.

- Weather resistant to at least 600Pa
- Full UV and rain resistant
- Provides long term thermal and acoustic insulation



Part No	Description	Colour	Box Qty
0S157831	15/8-15 x 5m	Black	21
0S157842	20/1-4 x 15m	Black	16
0S157838	20/2-6 x 12m	Black	16
0S157835	20/4-9 x 10m	Black	16
0S157832	20/5-12 x 8m	Black	16
0S157830	20/8-15 x 5m	Black	16
0S157829	20/10-20 x 4m	Black	16
0S157828	25/10-20 x 4m	Black	12
0S157827	25/13-24 x 3m	Black	12
0S157841	30/1-4 x 15m	Black	10
0S157837	30/2-6 x 12m	Black	10
0S157834	30/4-9 x 10m	Black	10
0S126668	30/18-34 x 3.3m	Anthracite	10
0S124793	35/18-34 x 3.3m	Anthracite	8
0S126670	35/24-42 x 2.6m	Anthracite	8
0S124795	40/24-42 x 2.6m	Anthracite	7

#### **PATINATION OIL**





-	Part No.	Details	Weight
	6004500	Patination Oil	11

#### Prevents white carbonate staining on newly fitted Lead

Patination Oil is a white spirit based liquid which provides a protective coating against carbonate formation on the surface of Lead Sheet which can discolour surrounding brickwork or tiles. The oil includes compounds designed to remove light oxide staining to produce a clean metallic surface on application.



#### LEADAX FIXING CLIPS

For use with above-ground masonry. Leadax fixing clips allow you to attach Leadax into masonry joints quickly and easily. To fix joints 6mm-18mm. 25 clips per bag.

#### **CORTEX® EPDM SYSTEM**



Part No.	Size	Details
82010020C.6	100mm x 20m x 0.6mm 0600	
82015020C.6	150mm x 20m x 0.6mm 0600	
82020020C.6	200mm x 20m x 0.6mm 0600	
820200206001	200mm x 2m x 0.6mm 0601	Membrane Butyl Strip
82030020C.6	300mm x 20m x 0.6mm 0600	
82035020C.6	350mm x 20m x 0.6mm 0600	
82040020C.6	400mm x 20m x 0.6mm 0600	
82045020C.6	450mm x 20m x 0.6mm 0600	

**CORTEX 0600 Black** coloured EPDM Membrane used for sealing interfaces to provide an airtight and weather tight seal.

The material has a textured surface on both sides to ensure maximum bond strength is achieved. Cortex 0600 does not contain solvents which could later migrate into adjacent surfaces. The product has a very long expected service life and is environmentally friendly.

#### Lengths Available: 20m





BLM Lead Sheet & flashings provide a lasting protection for a wide range of roofing applications including flashings, valley gutters, porches, dormers, flat and pitched roofs. All of BLMs rolled lead sheet is produced to BS EN 12588 using 100% recycled raw material. Extreme malleability makes it the ideal material for all types of flashing. Lead sheet should be fitted in accordance with BS6915 For further fitting details contact the Lead Sheet Association

**Applications:** flashings, soakers, valley gutters, porches, dormers, cladding, flat and pitched roofs





# Lead Rolls

Part No.	Size	Weight
60033150	Code 3, 3m x 150mm	7kg
60033150C	Code 3, 3m x 150mm	7kg, Cast
60033240	Code 3, 3m x 240mm	11kg
60033450	Code 3, 3m x 450mm	20kg
60033600	Code 3, 3m x 600mm	26kg
60043150	Code 4, 3m x 150mm	9kg
60043150C	Code 4, 3m x 150mm	9kg, cast
60043240	Code 4, 3m x 240mm	15kg
60043240C	Code 4, 3m x 240mm	15kg, Cast
60043300	Code 4, 3m x 300mm	18.5kg
60043300C	Code 4, 3m x 300mm	18kg, Cast
60043400	Code 4, 3m x 400mm	25kg
60043400C	Code 4, 3m x 400mm	25kg, Cast
60043450	Code 4, 3m x 450mm	28kg, Cast
60043600	Code 4, 3m x 600mm	37kg
60046600C	Code 4, 3m x 600mm	37kg, Cast
60043900	Code 4, 3m x 600mm	56kg
60046150	Code 4, 6m x 150mm	18kg
		-
60046150C	Code 4, 6m x 150mm	18kg, Cast
60046240	Code 4, 6m x 240mm	29kg
60046240C	Code 4, 6m x 240mm	29kg, Cast
60046300	Code 4, 6m x 300mm	37kg
60046300C	Code 4, 6m x 300mm	37kg, Cast
60046330	Code 4, 6m x 330mm	40kg
60046390	Code 4, 6m x 390mm	48kg
60046450	Code 4, 6m x 450mm	55kg

60053150	Code 5, 3m x 150mm	11kg
60053450	Code 5, 3m x 450mmCode 5, 3m x 450mm	34kg
60053100	Code 5, 3m x 1000mm	78kg, Cast
60056240	Code 5, 6m x 240mm	37kg
60056300	Code 5, 6m x 300mm	54kg
600561000	Code 5, 6m x 1000mm	152kg

Code 4, 6m x 500mm

Code 4, 6mx 600mm

61kg

73kg

60046500

60046600

#### KONIG WINDOW DOCTOR



Suitable for repairing minor scratches, dents or bruises to UPVC windows. Contains Special Applicator, Battery Heating Tool, Cotton Cloth A5 x 1, Hardwaxes 1 x 4cm stick of 496/01, 143, 960/06, 114, 9005 and 2 x 4cm sticks of 785/16.

Various wax colours also sold separately.

Part No.	Detail	Box Qty
K0614206	Kit	1

### KONIG PF COVERING LACQUER

1	- aller	the second
1	No.	and a second
-0	13	2
4	10	-
5000	-	

A pigmented covering lacquer with a silk matt finish, available in a range of colours. Suitable for plastic surfaces, lightfast and weather resistant, this lacquer is excellent for the window and door sector.

\*Other colours available on request.

# K039614706 White 400ml

K039614706	White	400ml
с	Anthracite Grey (RAL 7016)	400ml

### KONIG COLOURED PENS

	K02437038	Agate Grey RAL 7038	10
	K02439349	Anthracite Grey RAL 7016	10
RAL 9010 RAL 8002 RAL 8015 RAL 7016 RAL 6021 RAL 9005 RA	L 8022 K0243164	Antique Walnut	10
	K0243158	Beech	10
	K0243201	Birch	10
	K024302984	Black Brown	10
RAL 8001 RAL 9001 RAL 5010 RAL 3011 RAL 6009 RAL 1020 RA	K0243144	Brown	10
	K024362090	Brown Red RAL 3011	10
	K0243302	Brownish Oak	10
RAL 7015 RAL 7038 RAL 3005 RAL 7001 RAL 5011 RAL 1015 RA	L 7032 K02438000	Chartwell Green	10
	K0243118593	Cherrybase Pen (Golden Oak)	10
	K0243103	Cherrywood	10
	K024373713B	Cream White Pen 73713 /111315	10
	K0243162	Dark Alder Honey	10
	K0243106	Dark Elm Pen	10
	K02431318	Dark Green Pen	10
KANTEN-FIX PREMIU	K0243122	Dark Macore Pen	10
KANTEN	K0243114	Dark Mahogany Pen	10
	K0243143	Dark Oak Pen	10
	K0243120	Dark Pear Pen	10
1	K0243139	Dark Rosewood Pen	10
Contraction of the second seco	K0243111	Dark Walnut Pen	10
	K024347500	Fabrication White Pen (47500)	10



A highly pigmented solvent based acrylic resin paint pen with weather resistant properties. The unique valve mechanism in the neck of the pen improves paint flow. This is designed for painting in mitre joints or corner grooves. Featuring a bullet tip for good general coverage.

K024396006	Irish Oak Pen (960 06)	10
K02439005	Jet Black Pen RAL 9005	10
K0243105	Light Elm	10
K02437032	Pebble Grey Pen RAL 7032	10
K02437035	Light Grey RAL 7035	10
K0243121	Light Macore Pen	10
K0243113	Light Mahogany	10
K0243141	Light Oak Pen	10
K0243165	Light Rosewood	10
K0243109	Light Walnut Pen	10
K0243126	Limba	10
K02433986B	Mahogany (339 86)	10
K0243161	Medium Alder Decor	10
K0243160	Medium Alder	10
K0243142	Medium Oak	10
K0243119	Medium Pearwood	10
K0243118596E	Medium Steel Blue	10
K0243110	Medium Walnut	10
K0243147615	Moss Green	10
K0243157	Mud Oak	10
K0243178	Natural Maple	10
K0243208	Natural Pine Heart	10
K0243207	Natural Pine Sapwood	10
K0243203	Pine	10
K024336486	Poppy Red (3054.05)	10
K02439010	Pure PX White (168013)	10
K0243104	Red Cherrywood	10
K0243303	Rustic Oak	10
K0243300	Signal White RAL 9003	10
K02436229	Silver Grey	10
K02437015	Slate Grey RAL 7015	10
		10
K0243138	Teak	-0
K0243138 K02439016	Traffic White RAL 9016	10
K02439016	Traffic White RAL 9016	10

#### \*Konig 0245 Fine Point Pens are available on request

Please use the colour charts as a guide only. We cannot guarantee exact colour likeness. Photographs and printed colours will vary depending on screen settings and resolutions.





## AEROSOL SPRAY CANS—CUSTOM FILLED \*AVAILABLE IN ALL RAL CLASSIC SYSTEM

#### DIRECTIONS

- 1. The surface must be clean, dry and dust-free
- 2. Shake aerosol for at least two minutes, after agitator ball is free
- 3. Apply in cross coats from distance of 250mm from object
- 4. Drying time 10-25 minutes
- 5. After use, turn aerosol upside down and empty valve

Part No	Description	Fill	Box Qty
A610ALFCMC1013	Aerosol Oyster White RAL (1013)	400ml	1
6101014	Aerosol Ivory RAL (1014)	400ml	1
610ALFCMI	Aerosol Light Ivory RAL (1015) Gloss	400ml	1
610ALFC3001	Aerosol Signal Red RAL (3001)	400ml	1
610DAVBCPRR	Aerosol Ruby Red RAL (3003)	400ml	1
610ALFCMC3004	Aerosol Purple Red RAL (3004)	400ml	1
610ALFCMC3005	Aerosol Wine Red RAL (3005)	400ml	1
610DAVBCPT	Aerosol Tomaten Red RAL (3013)	400ml	1
610ALFCMC3020	Aerosol Traffic Red RAL (3020)	400ml	1
610ALFC5001	Aerosol Steel Blue RAL (5001)	400ml	1
610ALFCMC5002	Aerosol Ultramarine Blue RAL (5002)	400ml	1
610ALFCMC5003	Aerosol Sapphire Blue RAL (5003)	400ml	1
610ALFCMC5007	Aerosol Brilliant Blue RAL (5007)	400ml	1
610ALFCMC5009M	Aerosol Azure Blue RAL (5009)	400ml	1
610ALFCMC5010	Aerosol Gentian Blue RAL (5010)	400ml	1
610ALFCMC5011	Aerosol Steel Blue RAL (5011)	400ml	1
610ALFCMC5020	Aerosol Ocean Blue RAL (5020)	400ml	1
610ALFCMC6003	Aerosol Olive Green RAL (6003)	400ml	1
610ALFCMC6005	Aerosol Moss Green RAL (6005)	400ml	1
610ALFCMC6006	Aerosol Grey Olive RAL (6006)	400ml	1
610AG6009FG	Aerosol Fir Green RAL (6009)	400ml	1
610ALFCMC6010	Aerosol Grass Green RAL (6010)	400ml	1
610ALFCMCBO	Aerosol Black Olive (6015)	400ml	1
610ALFCMC6016	Aerosol Turquoise Green RAL (6016)	400ml	1



# Automotive Paint Supplies

610ALFCMC6019	Aerosol White Green RAL (6019)	400ml	1
610DAVBPG	Aerosol Pale Green RAL (6021) Gloss	400ml	1
610ALFCMC7000	Aerosol Squirrel Grey RAL (7000) Matt	400ml	1
610ALFCMC7001	Aerosol Silver Grey RAL (7001) Satin	400ml	1
610ALFCM7	Aerosol Signal Grey RAL (7004) Satin	400ml	1
610ALFCM	Aerosol Mouse Grey RAL (7005)	400ml	1
610ALFCMC7006	Aerosol Beige Grey RAL (7006)	400ml	1
610ALFC7009	Aerosol Green Grey RAL (7009)	400ml	1
610DAVBC	Aerosol Tarpaulin Grey RAL (7010) Matt	400ml	1
610ALFCMC7011	Aerosol Iron Grey RAL (7011)	400ml	1
610DAVBCPA	Aerosol Basalt Grey (7012) Matt	400ml	1
610ALFCMC7013	Aerosol Brown Grey RAL (7013)	400ml	1
610ALFCM7015SG	Aerosol Slate Grey RAL (7015)	400ml	1
610DAVBCB	Aerosol Anthracite Grey RAL (7016)	400ml	1
610DAVBCBM	Aerosol Anthracite Grey 7016 Matt	400ml	1
610ALFCMC7016AGG	Aerosol Anthracite Grey RAL (7016) GLOSS	400ml	1
610ALFCMCBG	Aerosol Black Grey RAL (7021)	400ml	1
610ALFCMCBGM	Aerosol Black Grey (7021) Matt	400ml	1
610ALFCMCUG	Aerosol Umbra Grey RAL (7022)	400ml	1
610ALFCMC7023	Aerosol Concrete Grey RAL (7023)	400ml	1
610ALFCMC7024	Aerosol Graphite Grey RAL (7024)	400ml	1
610ALFCMC7030	Aerosol Stone Grey RAL (7030)	400ml	1
610ALFCMC7031	Aerosol Blue Grey RAL (7031)	400ml	1
610ALFCMC7032	Aerosol Pebble Grey RAL (7032)	400ml	1
610ALFCMC7033	Aerosol Cement Grey RAL (7033)	400ml	1
610ALFCMC7034	Aerosol Yellow Grey RAL (7034)	400ml	1
610ALFCMC7035	Aerosol Light Grey RAL (7035)	400ml	1
610ALFCMCDG	Aerosol Dusty Grey RAL (7037)	400ml	1
610AG7038	Aerosol Agate Grey RAL (7038) Satin	400ml	1
610DAVBCPM	Aerosol Agate Grey (7038) Matt	400ml	1
610ALFCMC7039	Aerosol Quartz Grey RAL (7039)	400ml	1
610ALFCMC7040	Aerosol Window Grey RAL (7040)	400ml	1
610ALFCMC7042	Aerosol Traffic Grey A RAL (7042)	400ml	1
610ALFCMC7043	Aerosol Traffic Grey B RAL (7043)	400ml	1
610ALFCMCSG	Aerosol Silk Grey RAL (7044)	400ml	1
610ALFCMC7045	Aerosol Telegrey 1 RAL (7045)	400ml	1

# Automotive Paint Supplies

Part No	Description	Fill	Box Qty
610ALFCMC7046	Aerosol Telegrey 2 RAL (7046)	400ml	1
610ALFCMCTG	Aerosol Dusty Grey RAL (7047)	400ml	1
610ALFCMC7047	Aerosol Telegrey 3 RAL (7047)	400ml	1
610OB8011	Aerosol Ochre Brown RAL (8001) Matt	400ml	1
610ALFCMC8003	Aerosol Clay Brown RAL (8003)	400ml	1
610ALFCMC8007	Aerosol Fawn Brown RAL (8007)	400ml	1
610ALFCMC8014	Aerosol Sepia Brown RAL (8014)	400ml	1
610ALFCMC8015	Aerosol Chestnut Brown RAL (8015)	400ml	1
610ALFCMC8017M	Aerosol Chocolate Brown RAL (8017)	400ml	1
610ALFCMCGB	Aerosol Grey Brown (RAL 8019) Matt	400ml	1
610DAVBCPB	Aerosol Schwarz Brown RAL (8022)	400ml	1
610ALFCM8028	Aerosol Terra Brown RAL (8028)	400ml	1
610ALFCMC9001	Aerosol Grey Cream RAL (9001) Satin	400ml	1
610ALFCMC9002	Aerosol Grey White RAL (9002) Satin	400ml	1
610ALFCMC9003	Aerosol Signal White RAL (9003)	400ml	1
610DALFCMC	Aerosol Signal Black RAL (9004) Satin	400ml	1
610ALFCMC9005BK	Aerosol Black RAL 9005 Matt	400ml	1
610ALFCMCJB	Aerosol Jet Black RAL (9005) Matt	400ml	1
610ALFCMC9005JB	Aerosol Jet Black RAL (9005) Satin	400ml	1
610TEX481929	Aerosol Plastic Coating Matt Black	400ml	1
610ALF9006	Aerosol Aluminium White RAL (9006)	400ml	1
610ALFCMC9007	Aerosol Grey Aluminium RAL (9007) Satin	400ml	1
610ALFCMC9010	Aerosol Pure White RAL (9010)	400ml	1
610ALFCMC9016	Aerosol Traffic White RAL (9016)	400ml	1
610ALFCMC9018	Aerosol Papyrus White RAL (9018)	400ml	1
610ALFCMC9022	Aerosol Pearl Light Grey RAL (9022)	400ml	1
610DAVBCPC	Aerosol Chartwell Green	400ml	1

### **ETCH PRIMER AEROSOL**

Part No	Description	Fill	Box Qty
610ALFPROETCH	Aerosol ETCH PRIMER	500ml	1

### AUTOMOTIVE RANGE



#### **BODY REPAIR**

Finishing filler for body repair Single component nitro-cellulose based finishing putty for the repair of light damage and scratches. Also suited as a finishing layer prior to varnishing or spray painting.



Polyester based filler for body repair Universal application, high quality polyester body filler. Improved performance on zinc and galvanised surfaces. Top quality polyester body filler with excellent adhesion on all types of metals, even when zinccoated and galvanised. Can be used as a filler and finishing layer.



Polyester based filler for body repair. Extra fine, high quality two component polyester based body filler for the finishing of damaged surfaces prior to painting. The extra fine formulation is very easy to sand and smoothen.

### SOUDAL CELLUPLAST TUBE

Part No.	Consistency	Fill	Box Qty
0SA102477	Paste	175ml	12

### SOUDAL UNIVERSAL BODY-FILLER

0SA110347 Paste 2kg 6

#### SOUDAL METAL PLASTIC EXTRA FINE

0SA103425 Paste 2kg 6



Sandable, high quality, two component polyester body filler for the repair of damaged surfaces (scratches, dents, tears) in metal. Soft formulation, very easy to mix and apply. Extra soft finish to allow easier sanding of the finished product.

#### SOUDAL SOFT BODY-FILLER

0SA105975	Paste	2kg	6



Sprayable filler for body repair. Sprayable 2-component Polyester body filler for large surfaces. Can be sanded and finished both wet and dry.

#### SOUDAL SPRAY FILLER

0SA100315	Fluid	1L	6
-----------	-------	----	---

### AUTOMOTIVE RANGE BODY REPAIR



SOUDAL

Polyester resin for body repair. Pre-accelerated two-component Polyester Resin, to be used in combination with fibre glass tissue for the repair of holes, gaps and cracks in metal, timber and polyester surfaces.

### SOUDAL POLY LIQUID

Part No.	Consistency	Fill	Box Qty
0SA103438	Fluid	1kg	6

### SOUDAL POLYSET

0SA103437	Fluid	1kg	6
0SA103436	Fluid	250g	12



Ready to use, all in one repair set. For large scale repairs on metal, wood and polyster surfaces. Contains a pre-accelerated polyester resin, hardener, non-woven fibreglass matting tissue, mixing container, brush and spatula.



### SOUDAL POLYFIBER CLEAR

0SA103435 Paste 1.5kg 6

	00/(100+00	1 4510	1.ong	0			
Transpar	Transparent, high quality and fast curing, glass fibre reinforced two compo-						
nent poly	nent polyester body filler for the repair of damaged surfaces (dents, scratches						
and tears	and tears) in metals, wood or polyester. Pure polyester resin without fillers,						
reinforce	d with fibreglass	. Very easy to mix and	apply. The glass	s fibres add			
additiona	al strength to we	akened car body parts					



### SOUDAL POLYFIBER

0SA103434	Paste	1.5kg	6
0SA103431	Paste	250g	12

High quality, glass fibre reinforced, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes. The glass fibres add additional strength to weakened car body parts.

#### AUTOMOTIVE RANGE ANTI-CORROSION

Anti corrosion protection for body repair Bitumen based coating for the protection of the underbody of cars and trucks and for wheel openings. Creates a flexible noise absorbant layer which protects against rust, corrosion, humidity.

### SOUDAL UNDERBODY PROTECTION GUN

Part No.	Consistency	Fill	Box Qty
0SA106703	Tixotropic liquid	1kg	12



Anti corrosion protection for body repair Bitumen based coating for the protection of the underbody of cars and trucks and for wheel openings. Creates a flexible noise absorbant layer which protects against rust, corrosion, humidity.

Anti corrosion protection for body repair

which can be painted.

Durable flexible coating which protects against stone

chips and corrosion to be applied onto spoilers and below the carbody. Creates a fast setting, noise absorbant layer

#### SOUDAL UNDERBODY

#### **PROTECTION AEROSOL**

Part No.	Consistency	Fill	Box Qty
0SA106702	Tixotropic liquid	500ml	12



SOUDAL

Anti

Gravel

#### SOUDAL ANTI GRAVEL AEROSOL

Part No.	Colour	Fill	Box Qty
0SA106706	Black	500ml	12
0SA106709	Grey	500ml	12

#### Anti corrosion protection for body repair Synthetic rubber based stonechip protective coating. Provides a tough elastic film against rust, salt, sand, stones and gravel. Creates a sound absorbing protective Does not contain bitumen nor asphalt

#### SOUDAL ANTI GRAVEL GUN

Part No.	Colour	Fill	Box Qty
0SA106707	Black	1kg	12
0SA106710	Grey	1kg	12
0SA106708	White	1kg	12



Anti corrosion protection for body repair Sprayable coating which protects cavities against rust and corrosion. Fast drying, forming a water repellent, durable brown film once dry.

#### SOUDAL INCOAT ML AEROSOL

Part No.	Consistency	Fill	Box Qty
0SA106711	Fluid	500ml	12

### **AUTOMOTIVE RANGE ANTI-CORROSION**



Anti corrosion protection for body repair Incoat ML Wax is a ready-to-use anticorrosion coating, which forms a protective layer inside of wheel arches and empty cavities. The highly water-repellent waxbased cavity sealant forms a durable, waxy, film layer after drying.

#### SOUDAL INCOAT ML WAX

Part No.	Consistency	Fill	Box Qty
0SA106713	Fluid	1L	12



Incoat ML is a ready to use anti-corrosion sprayable coating. The highly water-repellent wax-based cavity sealant forms a durable, waxy, film layer after drying. The coating provides a protective layer in cavities (i.e. wheel arches) against rust and corrosion. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

### SOUDAL INCOAT ML GUN

Part No.	Consistency	Fill	Box Qty
0SA106712	Fluid	1L	12



Bitumen based underbody coating. Solvent based. Absorbs heat and noise. Protects the underbody of cars and trucks and wheel openings.

### **AUTOMOTIVE RANGE SEALANTS, ADHESIVES & COATINGS**

Heat resistant sealant for engines and heating units. High temperature resistant acetoxy silicone gasket sealant. Withstands temperatures of -60°C up to 285°C. Highly flexible and weatherproof. Can be used to create a temperature resistant gasket for motor parts, sealing between metal parts, sealing applications in motors, pumps and heating units.

Self levelling floor coating Two component polyurethane based, self-levelling floor coating. High wear resistance. Excellent resistance to many chemicals. Stays elastic. Solvent free. Easy to maintain. To be applied with special roller to prevent air inclusion



SOUDA

### SOUDAL UNDERBODY PROTECTION BRUSH

Part No.	Consistency	Fill	Box Qty
0SA106704	Tixotropic liquid	1kg	12

### SOUDAL GASKETSEAL

In furnition of the second	Part No.	Colour	Fill	Box Qty
d Links	0SA103460	Red	310ml	12

### SOUDAL SOUDAFLOOR SL2

Par	t No.	Consistency	Fill	Box Qty
0SA	103483	Fluid	10kg	1



SOUDAL

SOUDAL

### AUTOMOTIVE RANGE SEALANTS, ADHESIVES & COATINGS

PU sealant adhesive for body repair High modulus PU sealant-adhesive with excellent mechanical performance and chemical resistance for a wide range of bonding and sealing applications on metals and polyester.

Hybrid Polymer based sealant for welding seams. Very good resistance against all weather conditions, water, oil and gasoline. Easy to apply with specialist MS Sealer applicator gun. Can be painted wet-on-wet with waterborn paints. Professional OEM-like finish. Available in 290ml cartridges in beige and grey.

Seam sealer for body repair

### **SOUDAL CARBOND 940FC**

Part No.	Colour	Fill	Box Qty
0SA103445	Black	300ml	12
0SA103446	Grey	300ml	12
0SA103447	White	300ml	12

### SOUDAL MS SEAM SEALER (SPRAYABLE)

Part No.	Colour	Fill	Box Qty
0SA110326	Grey	290ml	12
0SA110327	Beige	ml	12

PU sealant adhesive for body repair Polyurithane based waterproof windscreen adhesive with airbag homologation. Available in black in 310ml cartridges.

### SOUDAL CARBOND 955DG

Part No.	Consistency	Fill	Box Qty
0SA105894	Stable Paste	310ml	6



SOUDAL

Primer PU sealant adhesive for body repair. Specialist primer to be used on glass prior to the application of Carbond 955 DG. Available in alu bottle of 30ml.

#### Cleaner PU sealant adhesive for body repair. Specialist cleaner and activator for surfaces prior to the application of Carbond 955DG Primer and Carbond

Carbond 955DG Primer and Carbond 955DG. Available in alu bottle of 30ml.



Sealant for body repair Synthetic rubber based sealant for

welding seams. Brushable or sprayable, single component sealer. Excellent resistance to water, mineral oil and fuels. Can be painted once dry.

### SOUDAL CARBOND 955DG PRIMER

Part No.	Consistency	Fill	Box Qty
0SA105928	Liquid	30ml	6

### SOUDAL CARBOND 955DG CLEANER

Part No.	Consistency	Fill	Box Qty
0SA105927	Liquid	30ml	6

### SOUDAL CAR SEALER (BRUSHABLE)

Part No.	Consistency	Fill	Box Qty
0SA102352	Liquid paste	1kg	6



Quick-drying cleaner and degreaser for various maintenance and assembly jobs. Cleaning & degreasing mechanical parts. Also suitable for the preparation of surfaces for the application of sealants or adhesives. For the removal of uncured excess MS, PU or silicone sealants, tar residue, grease, wax. Can be used on most surfaces (metal, plastic).

### SOUDAL CLEANER/DEGREASER

Part No.	Consistence	Fill	Box Qty
0S119708	Solvent Liquid	400ml	6



A universal cleaning spray that sprays foam, cleans and degreases, highly soluble, does not drip and does not leave a residue.

### SOUDAL MULTI CLEANER

09110711	Waterbased Cleaning Foam	400ml	6
----------	-----------------------------	-------	---



Soudal Sealant Remover is a ready-to-use and fast-working spray based on terpenes for removing hardened silicones and MS polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

#### SOUDAL SEALANT REMOVER

0S119709	Mixture based on terpenes	400ml	6
----------	---------------------------	-------	---



Cleaner and degreaser for use prior to the application of Soudal window fabrication products. It can also be used for the removal of excess Aluseal, PU, silicone and hybrid polymers. Cleaning and degreasing window profiles and other non-porous surfaces. Removing excess product (before curing) from surfaces.

#### SOUDAL SURFACE CLEANER

0S107789 Solvent mixture 500ml 6



Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

### SOUDAL ADHESIVE REMOVER

Part No.	Consistence	Fillq	Box Qty
0S121929	Solvent mixture	400ml	6



Silicone Spray is a transparent spray with lubricating and anti-adhesive characteristics based on high-grade silicone oil.

#### SOUDAL SILICONE SPRAY

0S119704 Water-repellent 400ml 6



Lithium soap and PTFE based penetrating lubricant and grease. Waterproof. Double action effect; applies like oil, then sets like grease. Anti-corrosive properties.

#### SOUDAL WHITE GREASE

0S119706 Water-repellent 400ml 6



High-quality universal spray with 8fold action: rust dissolver, lubricant, cleaner, water-repellent, penetrating oil, corrosion-resistant, contact spray, shock spray

Lubricant oil for all metal and composite parts with LONG LASTING protective PTFE coating. Safe on carbon frames.

General purpose cleaning and lubricant oil spray lubricant that stops oxidisation rust and salt corrosion on metal surfaces. It also loosens rusted or corroded nuts and bolts and is ideal for workshop and DIY use. Displaces moisture, prevents rust, and dries out electrical systems Protects metal from rust and corrosion.

### SOUDAL MULTI SPRAY

0S119707 Water-repellent 400ml

6

### **GT85 PTFE MAINTENANCE SPRAY 400ML**

WDPGT85400 Water-displacer 400ml

#### **BUILDING CHEMICALS**



Maintenance Sprays & Lubricants



Paints





Admixtures

TIMCO multi-purpose lubricant has been developed to penetrate, loosen, maintain, protect and clean metal surfaces. • Premium quality oil suspended in a low

- viscosity dispersing fluid
- Specially formulated to rapidly penetrate into hard to reach areas
- Excellent moisture repelling properties
- Maintains lasting performance of a variety
- of metal components
- Heat resistant from -50°C to +200°C



TIMCO Silicone Lubricant is specifically formulated for long lasting, low odour and nonstaining lubrication of plastic, vinyl and rubber materials and components. Ideal for: Window seals and slides, runners, bearings, O-rings, textile equipment and more.

- Low odour
- Long lasting
- No heavy hydrocarbons that can cause
- cracking, squeaking, splitting and hardening
- Heat resistant from -50°C to +200°C



TIMCO Copper anti-seize is a premium pure copper lubricant with a graphite additive, suspended in a high quality grease. It maintains and protects stainless steel, cast iron, copper & brass components from high temperatures, corrosion and seizure.

- Protects metal against heat, rust, seizure & corrosion
- Copper formulation resists high temperatures
- Heat resistant up to +1100°C



TIMCO white lithium grease is an opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance.

- Highly visible
- Extremely effective in areas requiring water resistance
- Heat resistant from -20°C to +140°C

#### **MULTI-PURPOSE LUBRICANT**

Part No.	Key Feature	Fill	Box Qty
237789	Water Resistant	480ml	12

#### SILICONE LUBRICANT

237357	Temperature Resistant	380ml	12	
			. —	

#### **COPPER ANTI-SIZE**

#### WHITE LITHIUM GREASE

237482 Temperature Resistant 380ml 12



49



TIMCO chain lubricant is designed to penetrate maintain, protect and clean chain, wire rope and moving metal parts. The high viscosity formula gives excellent lubricant retention, preventing "fling off" and unnecessary wear and maintenance.

• The Molybdenum disulfide additive gives exceptional long lasting friction reduction

• Prolongs the performance and lifespan of moving metal parts and surfaces

• Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments









TIMCO cutting & tapping lubricant is formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life and ensure a consistent high quality surface finish.

- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tool accuracy
- Suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel

• Complete with an easy-to-use 360° spray nozzle, for precise application in hard to reach and confined spaces

TIMCO welder's anti-spatter is specifically formulated to prevent spatter adhesion to welds, working areas and equipment. Eliminates the need to remove unsightly spatter from welds, significantly reducing working time.

- Can be easily removed after welding
- Low odour and colourless
- Silicone and petroleum free, so does not interfere with post-welding coatings

TIMCO air & gas leak detector is a professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems. 100% non-flammable, water based solutions will react instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak.

Water based

• Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak

A solvent based degreaser, which penetrates, lifts and easily removes heavy oils, grease and tar deposits from most metals and hard plastic surfaces.

Ideal for: automotive, industrial, general workshop maintenance, and surface preparation prior to applying paints, sealants and adhesives.

- Powerful degreasing performance
- Highly effective at penetrating and lifting unwanted contaminants
- Immediately emulsifies with water

#### CHAIN LUBRICANT

Part No.	Key Feature	Fill	Box Qty
237123	Water Resistant	380ml	12

#### **CUTTING & TAPPING LUBRICANT**

237159 Anti-Galling	380ml	12
---------------------	-------	----

#### WELDER'S ANTI-SPATTER

237560 Quick Drying	300ml	12	
---------------------	-------	----	--

#### **AIR & GAS LEAK DETECTOR**

237023	Instant Reaction	300ml	12
201020	motant rtodotion	00001111	

#### **OIL & GREASE REMOVER**

237156 Removes Dirt Grime	& 380ml	12
------------------------------	---------	----



Formulated to maximise the adhesion of finishing paints to metals and hard plastics. Ideal for protecting exposed metal surfaces after welding and fabrication.

- The corrosion resistant properties enhance the finish paint performance
- Protects exposed metal surfaces after welding and fabrication
- Excellent high-build formula fills and masks surface imperfections, resulting in a smooth and consistent finish
- Heat resistant from -50°C to +80°C



A multi-purpose acrylic finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals, stainless steel, aluminium, plaster, wood and some plastics.

- The fast drying, UV resistant and flexible formula gives a drip-free application
  Enhanced colour pigments for a long lasting finish
- Heat resistant from -50°C to +80°C



A premium quality zinc spray that gives excellent corrosion resistance, as either a primer or topcoat of metals after grinding, welding, cutting and drilling. The sacrificial zinc coating forms a hard wearing bond to ferrous metals, actively fighting rust and corrosion.

- Sacrificial zinc coating forms a hardwaring bond to ferrous metals
- Actively fights rust and corrosion
- The high zinc purity blends with previous galvanised coatings



Is a durable, corrosion resistant coating formulated to withstand temperatures of up to 650°C. The primerless fast drying formula gives a non-drip, run free application and requires only a single coat.

• During the curing process a heat resistant silicone matrix is formed

• A hardwearing heat and flame resistant protective coating for metal surfaces subjected to extreme heat

• Heat resistant to +650°C



A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces. Ideal for: Highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting and much more. • Contains built-in bright colour pigments for a bold finish after one pass

- Includes a heavy duty, non-clogging nozzle for inverted use
- Resists all but the most severe chemical and mechanical erasure

#### PRIMER

Part No.	Colour	Fill	Box Qty
237320	Red Oxide	380ml	12
237480	Grey	380ml	12

#### **FINISHING PAINT**

237128	Matt Bla	ack 380m	l 12
237190	Gloss B	lack 380m	l 12

#### **COLD GALVANASING PAINT**

237750	Galvanised	380ml	12	
--------	------------	-------	----	--

#### VERY HIGH TEMPERATURE PAINT

237896 Black	380ml	12
--------------	-------	----

#### SURVEY & SPOT MARKER-750ML

Part No.	Colour	Applications	Box Qty
237369	White	General Marker	12
237025	Yellow	General Marker	12
237798	Blue	Water	12
237206	Red	Electricity	12
237047	Green	Cablework	12
237225	Black	Covering Old Lines	12
237900	Orange	Hazards	12



Solvent based cleaner for PVCu surfaces.

- Solvent based
- Fast acting & drying
- Non smear
- Multi-purpose usage

#### SOUDAL PVCu FRAME CLEANER

Part No.	Detail	Fill	Box Qty
0S113621	Frame Cleaner	1L	12

#### SOUDAL GLASS & MIRROR CLEANER

0\$113620	Glass Cleaner	11	12
05113020	Glass Cleaner	IL	12

#### **GLASS & MIRROR FOAM CLEANER**

0S156176	Foam Glass Cleaner	750ml	12
03130170	Toam Glass Gleaner	73011	12

#### SOUDAL CREAM CLEANER

0S113619	Cream Cleaner	1L	12	
----------	---------------	----	----	--

#### **PVC SPRAY CLEANER**

0S156175 Spray Cleaner 750ml 12

High performance, alcohol based cleaner for the cleaning of different types of glass and glass materials. Fast drying. Non smear formula.

- Alcohol based
- Suitable for industrial scale applications

Professional quality, sprayable cleaning agent that provides a spotless streak-free finish. Suitable for cleaning most types of glass, mirrors, plastics and other hard surfaces.

- High yield
- No streaks
- Non-drip
- Fast drying

Solvent Free cream cleaner for a sparkling finish on PVCu and other materials. Removes ingrained dirt. Can be buffed to a deep and attractive sheen.

- Solvent free cleaner
- Fast acting and drying
- Smear free
- Works on PVCu

Highly effective, fast acting and drying spray cleaner that removes ingrained dirt and marks on white PVCu frames and other plastics. Also suitable for removing most ingrained dirt, grease, uncured sealant, pencil and pen marks and for cleaning plastic garden furniture.



DUD




Heavy-duty non-woven wipes, designed for the quick and effective removal of sealants, oils, paints and greases from hands, tools and non-porous surfaces.

- Heavy duty cleaning wipes
- Removes many types of contaminants
- Suitable for hands and tools
- Kind to skin

Multi-use wipes formulated to clean and remove wet and semicured paint, grease, glues, sealant, adhesive, bitumen, tar, uncured expanding foam, oil, silicone and permanent marker. Contains aloe vera and an antibacterial additive.

A heavy duty textured wipe designed to remove the most stubborn substances such as paint, grease, glue, sealant, adhesives, bitumen, tar, uncured expanding foam and many other wet and semi-cured substances.

SOUDAL Dergin



glue. Reduces blooming and odour and improves adhesion time.



Solvent based aerosol spray activator, used in conjunction with Soudal Superglue. Spray applied. Reduces blooming and odour. Improves adhesion time. Non-yellowing.



Mitre Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator.

- Hi bond strength
- Non yellowing

#### SOUDAL MULTI WIPES

0S113551	Non Woven Wipes	100 Wipes	6
00110001	Non woven wipes	100 wipes	0

#### **EXTRA TOUGH BUILDERS WIPES**

920SCRUB	Shield Tough Builders	100 Wipes	6

#### **TEXTURED HEAVY DUTY BUILDERS WIPES**

920HDSCRUB	Shield Textured Heavy Duty Wipes	75 Wipes	6
------------	-------------------------------------	----------	---

#### SOUDAL SUPER GLUE

Part No.	Detail	Fill	Box Qty
0S114747	Medium Viscosity	20g	25
0S124042	High Viscosity	20g	25
0S124041	Medium Viscosity	50g	25
0S115107	High Viscosity	50g	25

#### SOUDAL ACTIVATOR

0S114746	Activator	200ml	12
----------	-----------	-------	----

#### SOUDAL MITRE KITS

0S115103	200ml Activator & 50g Glue	12

#### PAPER ROLL TWIN PLY



800150600	175mm x 150m Twin Ply White	6
973508	150m x 175mm Centrefeed Rolls - Blue	6
973359	150m x 175mm Centrefeed Rolls - White	6
973169	66m x 175mm Centrefeed Rolls - Blue - Economy	6
8001506	175mm x 150m Twin Ply White Embossed	6

SOLIDAL PAPER ROLL

SOODAL PAPER ROLL			
0S123870	150m White 2ply	6	
0S124193	400m White 2ply	2	
PAPER ROLL JUMBO			
800480	400m x 28cm Twin Ply White	2	



800100125 3	320 Sheets	36
-------------	------------	----

Removes grease and dirt. Quick acting, non smearing cleaner. Directions: Lightly spray 15

#### SEALFIX GLASS CLEANER

#### **READY TO USE**

Part No.	Description	Box Qty
6001130	Professional Cleaner 1I	12
6001132	Trade Cleaner 1I	12
60015	51	1



- 20cm away from the surface to be cleaned. Wipe over using a clean lint free cloth then buff to a sparkling clear finish. Limitations: It is the user's responsibility to determine suitability.



Removes grease and dirt. Quick acting, non smearing cleaner. To dilute: 1:10 concentrate to water ratio for perfect use. Directions: Lightly spray 15 - 20cm away from the surface to be cleaned. Wipe over using a clean lint free cloth then buff to a sparkling clear finish.

#### SEALFIX GLASS CLEANER **CONCENTRATE DILUTE 10-1**

60010015	51	1



Removes stubborn dirt, grease and sealant residues. Directions: Use strong solvent resistant protective gloves. Put Sealfix Heavy Duty solvent cleaner onto a clean cloth and rub contaminated area. On damaged areas of PVC use ultra fine scotch pad or roll. Polish using Sealfix cream cleaner.

#### SEALFIX SOLVENT CLEANER





Sealfix Ultracleen is a flammable solvent for the cleaning of marked or soiled PVC. Ultracleen is designed to clean lightly/heavily soiled PVC and PVC-coated components.

#### SEALFIX ULTRACLEEN

#### **SOLVENT CLEANER**

6001000 1I 12	
---------------	--



Professional instant super strength bond fast acting, low odour low viscosity solvent based. It is fast acting and ensures a quick bond to most substrates, such as uPVC window trims, wood to wood and porous surfaces. It is suitable for use with most cyanoacrylate adhesives (superglues)

#### **SEALFIX SUPER GLUE ACTIVATOR**

600200	200ml	12
6002004	400ml	12

### **SEALFIX SUPER GLUE**

Part No	Description	Size	Box Qty
60020	Low Viscosity Super Glue	20g	25
60021	High Viscosity Super Glue	20g	25

Cyanoacrylate adhesive. Bonds to PVCu, metal, aluminium and Ceramics.

60050	Low Viscosity Super Glue	50g	25
60051	High Viscosity Super Glue	50g	25



#### **MULTI-FIX BOLT - HEX HEAD**



#### CONCRETE



BRICK





WOOD

This stress free, non-expansion through fixing is the new solution for heavy duty anchoring into concrete, brick, stone, wood and concrete block replacing the need for traditional anchors such as throughbolts, shield, sleeve and drop-in anchors.

• Designed to replace tradi-

tional expansion anchors • TIMCO micro plating technology gives a higher resistance to corrosion and enhances speed of installation

• High-Low parallel threads for ease of insertion and high pullout values

• Removable & adjustable non -expansion through fixing • Unique concave thread configuration

• All steel, non-flammable fixing conforming to BS 7671 standard's 18th edition, which requires wiring systems to be supported by materials which are unlikely to prematurely collapse in the event of a fire.

Part No.	Details	Box Qty
MF650	6.0 x 50mm Hex Flange	100
MF675	6.0 x 75mm Hex Flange	100
MF6100	6.0 x 100mm Hex Flange	100
MF6130	6.0 x 130mm Hex Flange	100
MF6150	6.0 x 150mm Hex Flange	75
MF860	8.0 x 60mm Hex Flange	100
MF875	8.0 x 75mm Hex Flange	100
MF8100	8.0 x 100mm Hex Flange	50
MF8130	8.0 x 130mm Hex Flange	50
MF8150	8.0 x 150mm Hex Flange	50
MF1060	10.0 x 60mm Hex Flange	50
MF1075	10.0 x 75mm Hex Flange	50
MF10100	10.0 x 100mm Hex Flange	50
MF10130	10.0 x 130mm Hex Flange	50
MF10150	10.0 x 150mm Hex Flange	25
MF1275	12.0 x 75mm Hex Flange	50
MF12100	12.0 x 100mm Hex Flange	25
MF12130	12.0 x 130mm Hex Flange	25
MF12150	12.0 x 150mm Hex Flange	25
MF12200	12.0 x 200mm Hex Flange	25
MF16100	16.0 x 100mm Hex Flange	10
MF16150	16.0 x 150mm Hex Flange	10

### **MULTI-FIX BOLT - COUNTERSUNK HEAD**

MF860C	8.0 x 60mm CSK Head	100
MF875C	8.0 x 75mm CSK Head	100
MF8100C	8.0 x 100mm CSK Head	50
MF1060C	10.0 x 60mm CSK Head	50
MF1075C	10.0 x 75mm CSK Head	50
MF10100C	10.0 x 100mm CSK Head	50

#### **MULTI-FIX BOLT - PAN HEAD**

MF860P	8.0 x 60mm Pan Head	100
MF875P	8.0 x 75mm Pan Head	100
MF8100P	8.0 x 100mm Pan Head	50
MF1060P	10.0 x 60mm Pan Head	50
MF1075P	10.0 x 75mm Pan Head	50
MF10100P	10.0 x 100mm Pan Head	50



#### **CONCRETE SCREWS**

#### 

COUNTERSUNK

Part No.	Details	Box Qty	Outer Qty
	YELLOW		
145TI7540	7.5mm x 40mm	100	18
145TI7550	7.5mm x 50mm	100	12
145TI7560	7.5mm x 60mm	100	12
145TI7570	7.5mm x 70mm	100	10
145TI7580	7.5mm x 80mm	100	10
145TI7590	7.5mm x 90mm	100	10
145TI75100	7.5mm x 100mm	100	10
145TI75110	7.5mm x 110mm	100	10
145TI75120	7.5mm x 120mm	100	8
145TI75130	7.5mm x 130mm	100	8
145TI75150	7.5mm x 150mm	100	8
145TI75180	7.5mm x 180mm	100	6
145TI75200	7.5mm x 200mm	100	6

For fixing of window and door frames, timber beams, battens, wooden laths, facades, metal profiles, panels etc. into masonry.

SEALFIX RECOMMENDATION:

Brick—6.5mm Drill Block—6mm Drill

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings.



#### COUNTERSUNK

ZINC				
145TI7580Z	7.5mm x 80mm	100	10	
145TI75100Z	7.5mm x 100mm	100	10	
145TI75120Z	7.5mm x 120mm	100	8	
145TI75150Z	7.5mm x 150mm	100	8	



PANHEAD

ZINC			
145TI7580P	7.5mm x 80mm	100	10
145TI75100P	7.5mm x 100mm	100	10
145TI75120P	7.5mm x 120mm	100	8





### **CONCRETE PLASTIC COVER CAPS**

145100	White Plastic Cover Caps	100
145103	Brown Plastic Cover Caps	100
145111	White Dome Cover Caps	100
145113	Black Dome Cover Caps	100

#### SELF-TAPPING SCREWS - PZ - COUNTER-



Used for stitching metal or attaching to metal. A predrilled hole is required. • Countersunk head gives a discreet finish into precountersunk holes • Plated in Trivalent Chromium (Cr3) Zinc

• 60° self-tapping thread for ease of insertion



THIN SHEET



STEEL

Part No	Description	Driver Bit size	Box Qty
ZINC			
400438CCAZ	4 x 3/8" (2.9 x 9.5mm)	No.1	1000
400612CCAZ	6 x 1/2" (3.5 x 13mm)	No.2	1000
400658CCAZ	6 x 5/8" (3.5 x 16mm)	No.2	1000
40061CCAZ	6 x 1" (3.5 x 25mm)	No.2	1000
4006114CCAZ	6 x 1 1/4" (3.5 x 32mm)	No.2	1000
4006112CCAZ	6 x 1 1/2" (3.5 x 38mm)	No.2	1000
00812CCAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000
400834CCAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000
40081CCAZ	8 x 1" (4.2 x 25mm)	No.2	1000
4008114CCAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000
4008112CCAZ	8 x 1 1/2" (4.2 x 38mm)	No.2	1000
4008134CCAZ	8 x 1 3/4" (4.2 x 44mm)	No.2	500
40082CCAZ	8 x 2" (4.2 x 50mm)	No.2	500
4001034CCAZ	10 3/4" (4.8 x 19mm)	No.2	1000
400101CCAZ	10 x 1" (4.8 x 25mm)	No.2	1000
40010114CCAZ	10 x 1 1/4" (4.8 x 32mm)	No.2	1000
40010112CCAZ	10 x 1 1/2" (4.8 x 38mm)	No.2	500
400102CCAZ	10 x 2" (4.8 x 50mm)	No.2	500
40012112CCAZ	12 x 1 1/2" (5.5 x 38mm)	No.3	500

A2/AUST. STAINLESS STEEL			
2913CCASS	4 x 1/2" (2.9x 13mm)	No.1	200
2919CCASS	4 x 3/4" (2.9 x 19mm)	No.1	200
3525CCASS	6 x 1" (3.5 x 25mm)	No.2	200
3995CCASS	7 x 3/8" (3.9 x 9.5mm)	No.2	200
3913CCASS	7 x 1/2" (3.9 x 13mm)	No.2	200
3925CCASS	7 x 1" (3.9 x 25mm)	No.2	200
3938CCASS	7 x 1 1/2" (3.9 x 38mm)	No.2	200
4295CCASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200
4213CCASS	8 x 1/2" (4.2 x 13mm)	No.2	200
4216CCASS	8 x 5/8" (4.2 x 16mm)	No.2	200
4219CCASS	8 x 3/4" (4.2 x 19mm)	No.2	200
4225CCASS	8 x 1" (4.2 x 25mm)	No.2	200
4232CCASS	8 x 1 1/4" (4.2 x 32mm)	No.2	200
4238CCASS	8 x 1 1/2" (4.2 x 38mm)	No.2	200
4819CCASS	10 x 3/4" (4.8 x 19mm)	No.2	200
4850CCASS	10 x 2" (4.8 x 50mm)	No.2	200

#### SELF-TAPPING SCREWS - PZ - PAN HEAD



Used for stitching metal or attaching to metal. A predrilled hole is required. Pan head for improved clamping. • Pan head for extra clamping • Plated in Trivalent Chromium (Cr3) Zinc • 60° self-tapping thread for ease of insertion



THIN SHEET



STEEL

Part No	Description	Driver Bit Size	Box Qty
ZINC			
02516CPAZ	2 x 5/16" (2.25 x 8mm)	No.1	1000
00438CPAZ	4 x 3/8" (2.9 x 9.5mm)	No.1	1000
00412CPAZ	4 x 1/2" (2.9 x 13mm)	No.1	1000
00614CPAZ	6 x 1/4" (3.5 x 6.5mm)	No.2	1000
00638CPAZ	6 x 3/8" (3.5 x 9.5mm)	No.2	1000
00612CPAZ	6 x 1/2" (3.5 x 13mm)	No.2	1000
00658CPAZ	6 x 5/8" (3.5 x 16mm)	No.2	1000
00634CPAZ	6 x 3/4" (3.5 x 19mm)	No.2	1000
00061CPAZ	6 x 1" (3.5 x 25mm)	No.2	1000
00838CPAZ	8 x 3/8" (4.2 x 9.5mm)	No.2	1000
00812CPAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000
00858CPAZ	8 x 5/8" (4.2 x 16mm)	No.2	1000
00834CPAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000
00081CPAZ	8 x 1" (4.2 x 25mm)	No.2	1000
08114CPAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000
08112CPAZ	8 x 1 1/2" (4.2 x 38mm)	No.2	1000
00082CPAZ	8 x 2" (4.2 x 50mm)	No.2	500
01058CPAZ	10 x 5/8" (4.8 x 16mm)	No.2	1000
01034CPAZ	10 x 3/4" (4.8 x 19mm)	No.2	1000
00101CPAZ	10 x 1" (4.8 x 25mm)	No.2	1000
10114CPAZ	10 x 1 1/4" (4.8 x 32mm)	No.2	1000
10112CPAZ	10 x 1 1/2" (4.8 x 38mm)	No.2	500
00102CPAZ	10 x 2" (4.8 x 50mm)	No.2	500
01212CPAZ	12 x 1/2" (5.5 x 13mm)	No.3	500
00121CPAZ	12 x 1" (5.5 x 25mm)	No.3	1000
12112CPAZ	12 x 1 1/2" (5.5 x 38mm)	No.3	500
01434CPAZ	14 x 3/4" (6.3 x 19mm)	No.3	1000
	A2/AUST. STAINLESS	STEEL	
2965CPASS	4 x 1/4" (2.9 x 6.5mm)	No.1	200
2995CPASS	4 x 3/8" (2.9 x 9.5mm)	No.1	200
3595CPASS	6 x 3/8" (3.5 x 9.5mm)	No.2	200
3513CPASS	6 x 1/2" (3.5 x 13mm)	No.2	200
3519CPASS	6 x 3/4" (3.5 x 19mm)	No.2	200
3525CPASS	6 x 1" (3.5 x 25mm)	No.2	200
3938CPASS	7 x 1 1/2" (3.9 x 38mm)	No.2	200
4295CPASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200
4213CPASS	8 x 1/2" (4.2 x 13mm)	No.2	200
4216CPASS	8 x 5/8" (4.2 x 16mm)	No.2	200
4219CPASS	8 x 3/4" (4.2 x 19mm)	No.2	200
4225CPASS	8 x 1" (4.2 x 25mm)	No.2	200
4232CPASS	8 x 1 1/4" (4.2 x 32mm)	No.2	200
4825CPASS	10 x 1" (4.8 x 25mm)	No.2	200

#### SELF-TAPPING SCREWS - PZ - PAN HEAD -

A2/AUST. STAINLESS STEEL			
4832CPASS	10 x 1 1/4" (4.8 x 32mm)	No.2	200
4838CPASS	10 x 1 1/2" (4.8 x 38mm)	No.2	200
4850CPASS	10 x 2" (4.8 x 50mm)	No.2	200
5519CPASS	12 x 3/4" (5.5 x 19mm)	No.3	200
5525CPASS	12 x 1" (5.5 x 25mm)	No.3	200

#### SELF-TAPPING SCREWS - PZ - FLANGE HEAD



Used for stitching metal or attaching to metal. A predrilled hole is required. • Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw

• 60° self-tapping thread for ease of insertion

Part No	Description	Driver Bit size	Box
ZINC	ZINC		
00634CFAZ	6 x 3/4" (3.5 x 19mm)	No.2	1000
00838CFAZ	8 x 3/8" (4.2 x 9.5mm)	No.2	1000
00812CFAZ	8 x 1/2" (4.2 x 13mm)	No.2	1000
00858CFAZ	8 x 5/8" (4.2 x 16mm)	No.2	1000
00834CFAZ	8 x 3/4" (4.2 x 19mm)	No.2	1000
00081CFAZ	8 x 1" (4.2 x 25mm)	No.2	1000
08114CFAZ	8 x 1 1/4" (4.2 x 32mm)	No.2	1000
01034CFAZ	10 x 3/4" (4.8 x 19mm)	No.2	1000



A light duty metal to metal screw with a reduced pan to give a flush finish. Silver organic plated to withstand over 500 hours salt spray test.

A2/AUST. STAINLESS STEEL			
4295CFASS	8 x 3/8" (4.2 x 9.5mm)	No.2	200
4213CFASS	8 x 1/2" (4.2 x 13mm)	No.2	200
4219CFASS	8 x 3/4" (4.2 x 19mm)	No.2	200

### **METAL FRAMING SCREWS - PH - LOW PROFILE PAN**

æ		-	2
		10.5	
	- 9	10	
	- 4	-1	
	-4	100	
	- 4	200	
	- 1	200	
	- 7	10	
	-4	1	
	- 4		
	- 4	100	
	- 7	3.5	
	- 1	23	
	- 1	10.0	
	- 8	2015	
	- 11	100	

STEEL

A light duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required.

Part No	Description	Box Qty	
116LPP16	4.8mm x 16mm	500	

### **METAL FRAMING SCREWS - PH - LOW PROFILE**

22LPW	4.8mm x 22mm	200



A medium duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required.



#### A light duty metal to metal screw with a square recess used for interior applications.

**METAL FRAMING SCREWS - PH - LOW PROFILE PANCAKE** 

FP19	5.5mm x 19mm	500
FP26	5.5mm x 26mm	500

### **METAL FRAMING SCREWS - SQUARE RECESS - PAN**

00812SPSD

### **METAL FRAMING SCREWS - PH - PAN HEAD**



A light duty metal to metal screw with a phillips recess used for interior applications.

Part No	Description	Box Qty
00658PPSD	3.5mm x 16mm	1000
00061PPSD	3.5mm x 25mm	1000
07716PPSD	3.9mm x 11mm	1000
00812PPSD	4.2mm x 13mm	1000
812PSD	4.2mm x 13mm	200
00834PPSD	4.2mm x 19mm	1000
834PSD	4.2mm x 19mm	200
00081PPSD	4.2mm x 25mm	1000
81PSD	4.2mm x 25mm	200

#### WING-TIP SELF-DRILLING SCREWS -

**COUNTERSUNK - PH** 

#### FOR TIMBER TO LIGHT SECTION STEEL

Specifically designed to attach wood to light section steel (Max. 4mm). Coarse self -tapping thread with wings designed to ream out the timber, so the screw can achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal.

• Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

• Exterior plating gives a reliable and durable corrosion resistant coating which resists 1,000 hours salt-spray

Part No	Description Recess Type (mm)		Box Qty
	BI-METAL SCRE	WS	
BMLW38	4.8mm x 38mm	PH2	200
BMLW65	5.5mm x 65mm	PH3	200
BMLW85	5.5mm x 85mm	PH3	100
	EXTERIOR PLATED S	CREWS	
LW38S	4.8mm x 38mm	PH2	200
LW50S	5.5mm x 50mm	PH3	200
LW65S	5.5mm x 65mm	PH3	200
LW85S	5.5mm x 85mm	PH3	100
LW100S	5.5mm x 100mm	PH3	100
	ZINC PLATED SCF	REWS	
LW32B	4.2mm x 32mm	PH2	200
LW38B	4.8mm x 38mm	PH2	200
LW50B	5.5mm x 50mm	PH3	200
LW65B	5.5mm x 65mm	PH3	200
LW85B	5.5mm x 85mm	PH3	100
LW100B	5.5mm x 100mm	PH3	100
LW130B	5.5mm x 130mm	PH3	100
LW150B	5.5mm x 150mm	PH3	100

### WING-TIP SELF-DRILLING SCREWS -COUNTERSUNK - PH FOR TIMBER TO HEAVY SECTION STEEL



Specifically designed to attach wood to metal (Max. 12mm). Metric thread with wings designed to ream out the timber, so the screw can achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal.

• Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

BI-METAL SCREWS			
BMHW55	5.5mm x 55mm	PH3	200
BMHW65	5.5mm x 65mm	PH3	200
BMHW85	5.5mm x 85mm	PH3	100
BMHW120	5.5mm x 120mm	PH3	100
	ZINC PLATED SCR	REWS	
HW45B	5.5mm x 45mm	PH3	200
HW65B	5.5mm x 65mm	PH3	200
HW85B	5.5mm x 85mm	PH3	100
HW100B	5.5mm x 100mm	PH3	100
HW120B	5.5mm x 120mm	PH3	100

### SELF-DRILLING SCREWS - HEX - FOR LIGHT SECTION COMPOSITE PANEL - BI-**METAL - WITH EPDM WASHER**



Specifically designed to attach composite panel to light section steel (Max. 5mm). Self-drilling point with hexagon head and split thread.

• Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

Part No	Description	Fixed Washer (mm)	EPDM Washer (mm)	Box Qty
	BI-METAL	SCREWS		
BMLH70W16	5.5/6.3mm x 70mm	12.0	16.0	100
BMLH100W16	5.5/6.3mm x 100mm	12.0	16.0	100
	EXTERIOR PL	ATED SCREWS		
LH82W16B	5.5/6.3mm x 82mm	12.0	16.0	100
LH98W16B	5.5/6.3mm x 98mm	12.0	16.0	100
LH115W16B	5.5/6.3mm x 115mm	12.0	16.0	100

### SLASH POINT SCREWS - HEX - FOR TIMBER - EXTERIOR - SILVER - WITH EPDM WASHER



Designed to attach sheet metal (max 0.8mm) to timber. Once installed the EPDM washer prevents water ingress. Exterior plating gives a reliable and coating which resists over 1,000 hours salt-spray.



durable corrosion resistant • Exterior plating gives a reliable and durable corro-

sion resistant coating which resists 1,000 hours saltspray

• Single slash point to reduce torque and the risk of timber splitting at low edge distance

Part No	Description	Fixed Washer (mm)	EPDM Washer (mm)	Box Qty
	EXTERIOR PL	ATED SCREWS		
DS25W16B	6.3mm x 25mm	12.0	16.0	100
DS32W16B	6.3mm x 32mm	12.0	16.0	100
DS45W16B	6.3mm x 45mm	12.0	16.0	100
DS45W19B	6.3mm x 45mm	12.0	19.0	100
DS60W16B	6.3mm x 60mm	12.0	16.0	100
DS60W19B	6.3mm x 60mm	12.0	19.0	100
DS80W16B	6.3mm x 80mm	12.0	16.0	100
DS100W16B	6.3mm x 100mm	12.0	16.0	100
DS125W16B	6.3mm x 125mm	12.0	16.0	100
DS150W16B	6.3mm x 150mm	12.0	16.0	100
	ZINC PLATI	ED SCREWS		
ZDS25W16	6.3mm x 25mm	13.0	16.0	100
ZDS32W16	6.3mm x 32mm	13.0	16.0	100
ZDS45W16	6.3mm x 45mm	13.0	16.0	100
ZDS60W16	6.3mm x 60mm	13.0	16.0	100
ZDS80W16	6.3mm x 80mm	13.0	16.0	100
ZDS100W16	6.3mm x 100mm	13.0	16.0	100

#### **EPDM WASHERS - GALVANISED**

	Section States	
6		The second
		1
	-	Se

Metal washer with rubber (EPDM), used to prevent washer ingress.

Part No	Washer (mm)	Hole (mm)	Washer Type	Box Qty
WG16	16	6.8	Galv. Steel	100
WG19	19	5.8	Galv. Steel	100
WA29	29	6.8	Aluminium	100

### STITCHING SCREWS - HEX - FOR SHEET STEEL -BI-METAL - WITH EPDM WASHER



Used for stitching two metal roofing sheets together without the need to pre-drill a hole (Max. 1.6mm). Self-drilling point and tapered shank, with a washered hexagon head. • Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

Part No	Description	Fixed Washer (mm)	Box Qty	
	BI-METAL S	CREWS		
BMS22W16	6.3mm x 22mm	11.0	100	
	EXTERIOR PLATED SCREWS			
S22W16B	6.3mm x 22mm	12.0	100	
S25W16B	6.3mm x 25mm	12.0	100	
ZINC PLATED SCREWS				
ZS22W16	6.3mm x 22mm	11.0	100	

### SELF-DRILLING SCREWS - HEX - FOR HEAVY SECTION STEEL - ZINC

Part No	Description	Fixed Washer (mm)	EPDM Washer (mm)	Box Qty
ZINC PLATED SCREWS				
ZH32W16	5.5mm x 32mm	11.0	16.0	100
ZH38W16	5.5mm x 38mm	11.0	16.0	100
ZH55W16	5.5mm x 55mm	11.0	16.0	100
ZH80W16	5.5mm x 80mm	11.0	16.0	100

Hex head self-drilling screws, for joining roofing sheets to light section steel (Max. 5.0mm) without the need to pre-drill a hole. • Hardened carbon steel drill tip fused on to an A2-304 Austenitic Stainless Steel body

### SELF-DRILLING SCREWS - HEX - FOR LIGHT SECTION STEEL - BI-METAL

Part No	Description	Fixed Washer (mm)	EPDM Washer (mm)	Box Qty
	BI-MET.	AL SCREWS		
BML25	5.5mm x 25mm	11.0	-	100
BML25W16	5.5mm x 25mm	11.0	16.0	100
BML32	5.5mm x 32mm	11.0	-	100
BML38	5.5mm x 38mm	11.0	-	100
BML38W16	5.5mm x 38mm	11.0	16.0	100
BML50	5.5mm x 50mm	11.0	-	100
BML50W16	5.5mm x 50mm	11.0	16.0	100
BML70	5.5mm x 70mm	11.0	-	100
BML100	5.5mm x 100mm	11.0	-	100
BML100W16	5.5mm x 100mm	11.0	16.0	100



Used for attaching metal to heavy section steel (Max. 12mm) without the need to pre-drill a hole



Used to secure plasterboard to timber stud work. The collated strips are specifically designed to be compatible with all leading power tool brands.

• The collated strips are specifically designed to be compatible with all leading power tool brands



\*Partially threaded from 65mm.

TIMBER STUD WORK

### COLLATED DRYWALL SCREWS - COARSE

#### THREAD - PH - BUGLE - BLACK

Part No.	Details	Box Qty
00025COLDYS	3.5mm x 25mm	1000
00032COLDYS	3.5mm x 32mm	1000
4013535COLDYS	3.5mm x 35mm	1000
4010038COLDYS	3.5mm x 38mm	1000
00045COLDYS	3.5mm x 45mm	1000
00050COLDYS	3.5mm x 50mm	1000
00055COLDYS	3.5mm x 55mm	1000
00065COLDYS	4.2mm x 65mm	500
00075COLDYS	4.2mm x 75mm	500

#### **COLLATED DRYWALL SCREWS - FINE**

#### THREAD - PH - BUGLE - ZINC

00025COLDZYS	3.5mm x 25mm	1000
00032COLDZYS	3.5mm x 32mm	1000
00035COLDZYS	3.5mm x 35mm	1000
00038COLDZYS	3.5mm x 38mm	1000
00042COLDZYS	3.5mm x 42mm	1000
00050COLDZYS	3.5mm x 50mm	1000
00055COLDZYS	3.5mm x 55mm	1000

### COLLATED DRYWALL SCREWS - SELF-DRILLING - PH - BUGLE - ZINC

00035COLLSD	3.5mm x 35mm	1000
00040COLLSD	3.5mm x 40mm	1000
00045COLLSD	3.5mm x 45mm	1000
00050COLLSD	3.5mm x 50mm	1000



Used to secure plasterboard to drywall and ceiling track systems with a max. of 0.6mm thickness. The collated strips are specifically designed to be compatible with all leading power tool brands.

• The collated strips are specifically designed to be compatible with all leading power tool brands

METAL STUD WORK



Self-drilling point to aid fixing plasterboard to wall/ceiling track systems with a max. of 2.0mm thickness. The collated strips are specifically designed to be compatible with all leading power tool brands.

• The collated strips are specifically designed to be compatible with all leading power tool brands



Specifically designed to attach wood to metal (Max. 4.0mm). Coarse selftapping thread with wings designed to ream out the timber, this helps the screw achieve Max. R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self-tap into the metal. Exterior plating to achieve a high corrosion resistance.

### COLLATED WING-TIP SELF-DRILLING SCREWS - PH - COUNTERSUNK - EXTERIOR - SILVER

00044COLLW	4.8mm x 44mm	1000
4865COLLW	4.8mm x 65mm	500

### COLLATED CLASSIC SCREWS - PZ - DOUBLE COUNTERSUNK - STAINLESS STEEL

All the features and superior performance of the Classic Multi -Purpose Screw manufactured from A2 Stainless Steel. Ideal where ultimate corrosion resistance is required when fixing to softwoods, hardwood (pre-drilled), chipboard, MDF and plastic. The collated strips are specifically designed to be compatible with all leading power tool brands. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.

	Part No.	Details	Box Qty
	4040CLASSCOL	4.0mm x 40mm	1000
I	4050CLASSCOL	4.0mm x 50mm	1000

### COLLATED C2 DECKING SCREWS - SQ - COUNTERSUNK - EXTERIOR -GREEN



A premium decking screw using the C2 twin-cut technology. Coated with a patented multi-layer corrosion resistant plating to withstand up to 1,000 hours in a salt spray cabinet. This new and innovative design enables the screw to rapidly penetrate the timber, cleanly countersink and securely clamp the decking board to the joists. The collated strips are specifically designed to be compatible with all leading power tool brands.

5C2DCOLL	4.5mm x 65mm	500

#### COLLATED SOLO SCREWS - PH - DOUBLE COUNTERSUNK - YELLOW



A single thread woodscrew mainly used in various types of timber and man-made boards.

- The collated strips are specifically designed to be compatible with all leading power tool brands
- Dual thread to assist with clamping

40SCOLY	4.2mm x 40mm	1000
50SCOLY	4.2mm x 50mm	1000
55SCOLY	4.2mm x 55mm	1000
60SCOLY	4.5mm x 60mm	500
70SCOLY	4.5mm x 70mm	500

### **COLLATED FLOORING SCREWS - SQ - COUNTERSUNK - YELLOW**

For attaching internal flooring sheets and planks to timber joints.

401000550COLLF 4.2mm x 55mm 1000

• The collated strips are specifically designed to be compatible with all leading power tool brands

### DRY WALL SCREWS- SELF DRILL



- 11. -

*Phillips Bugle Head-Self Drill* Used to secure plasterboard to drywall track and ceiling track systems



Part No.	Details	Box Qty
ZINC		
4013525PSDD	3.5 x 25mm Self Drill	1000
4013532PSDD	3.5 x 32mm Self Drill	1000
4013538PSDD	3.5 x 38mm Self Drill	1000
4013542PSDD	3.5 x 42mm Self Drill	1000
4013550PSDD	3.5 x 50mm Self Drill	1000
4013555PSDD	3.5 x 55mm Self Drill	500
4013965PSDD	3.9 x 65mm Self Drill	500
4014275PSDD	4.2 x 75mm Self Drill	500
40148100PSDD	4.8 x 100mm Self Drill	500
40148125PSDD	4.8 x 125mm Self Drill	100

#### SHARP POINT- FINE THREAD

ZINC

Phillips Bugle Head– Fine Thread Used to secure plasterboard to drywall track and ceiling track systems



4013525DRYZ	3.5 x 25mm Sharp Point	1000
4013532DRYZ	3.5 x 32mm Sharp Point	1000
4013538DRYZ	3.5 x 38mm Sharp Point	1000
4013542DRYZ	3.5 x 42mm Sharp Point	1000
4013545DRYZ	3.5 x 45mm Sharp Point	1000
4013550DRYZ	3.5 x 50mm Sharp Point	1000
4013555DRYZ	3.5 x 55mm Sharp Point	500
4013560DRYZ	3.5 x 60mm Sharp Point	500
4014265DRYZ	4.2 x 65mm Sharp Point	500
4014275DRYZ	4.2 x 75mm Sharp Point	500
4014890DRYZ	4.8 x 90mm Sharp Point	500
40148100DRYZ	4.8 x 100mm Sharp Point	500
40148125DRYZ	4.8 x 125mm Sharp Point	100
40148150DRYZ	4.8 x 150mm Sharp Point	100

### SHARP POINT- COARSE THREAD

**Phillips Bugle Head– Coarse Thread** Used to secure plasterboard to timber stud work

	BLACK	
4013525DRYC	3.5 x 25mm Sharp Point	1000
4013532DRYC	3.5 x 32mm Sharp Point	1000
4013535DRYC	3.5 x 35mm Sharp Point	1000
4013538DRYC	3.5 x 38mm Sharp Point	1000
4013542DRYC	3.5 x 42mm Sharp Point	1000
4013545DRYC	3.5 x 45mm Sharp Point	1000
4013550DRYC	3.5 x 50mm Sharp Point	1000
4014265DRYC	4.2 x 65mm Sharp Point	500
4014275DRYC	4.2 x 75mm Sharp Point	500
40148100DRYC	4.8 x 100mm Sharp Point	500





#### DRYWALL SCREWS - COARSE THREAD - PH - BUGLE - YELLOW

Used to secure plasterboard to timber stud work. NOTE: Partially threaded.

• Phillips No.2 recess for a positive drive

• Bugle head to reduce likelihood of damaging the board surface

- 25° super sharp point for ease of penetration
- Coarse thread for extreme hold

Part No	Description	Box Qty
00125DRYCY	4.8mm x 125mm	100
00150DRYCY	4.8mm x 150mm	100

#### DRYWALL SCREWS - FINE THREAD - PH - BUGLE - BLACK



Used to secure plasterboard to drywall and ceiling track systems with a max. of 0.6mm thickness.

• Phillips No.2 recess for a positive drive

• Bugle head to reduce likelihood of damaging the board surface

- 25° super sharp point for ease of penetration
- 60° twin-thread offers excellent pull-out values and insertion speed

00025DRY	3.5mm x 25mm	1000
00032DRY	3.5mm x 32mm	1000
00035DRY	3.5mm x 35mm	1000
00038DRY	3.5mm x 38mm	1000
00042DRY	3.5mm x 42mm	1000
00045DRY	3.5mm x 45mm	1000
4013550DRY	3.5mm x 50mm	1000
00055DRY	3.5mm x 55mm	500
00060DRY	3.5mm x 60mm	500
00065DRY	4.2mm x 65mm	500
00075DRY	4.2mm x 75mm	500
00090DRY	4.8mm x 90mm	500
00100DRY	4.8mm x 100mm	500

### DRYWALL SCREWS - DENSE BOARD - PH - REDUCED COUNTERSUNK - BLACK

Designed for attaching dense board to timber stud work. The super sharp point and high low thread is specially designed for an excellent fixing into timber.

• Phillips No.2 recess for a positive drive

Reduced countersunk head for improved countersinking into the dense board

- High-Low thread for increased pull-out value into both timber and thin sheet metal
- Coarse thread for extreme hold
- 25° super sharp point for ease of penetration

00030DRYD	3.9mm x 30mm	1000
00045DRYD	3.9mm x 45mm	1000
00055DRYD	3.9mm x 55mm	1000

#### DRYWALL SCREWS - REVERSE THREAD - PH - BUGLE - BLACK



For fixing dense board or hard boards to wall/ceiling track system with a max. of 0.6mm thickness. The reverse thread is designed to assist countersinking for a flush finish.

- Phillips No.2 recess for a positive drive
- Bugle head to reduce likelihood of damaging the board surface
- 25° super sharp point for ease of penetration
- Reverse thread under the head to assist countersinking into hard/dense boards

00038DRYR	3.9mm x 38mm	1000
00042DRYR	3.9mm x 42mm	1000



### CEMENT BOARD SCREWS - COUNTERSUNK WAFER - PH TWIN-CUT

Specifically designed for fixing cement board to timber and thin sheet metal (max. 0.6mm). Self countersinking head for a secure and flush finish. Twin-cut point with a hi-low thread. Exterior grade coating for superior corrosion resistance in damp or corrosive environments, when compared to standard fasteners.

- Organic plating withstands 1,500 hours in salt spray test
- Fixing to timber and thin sheet metal (max. 0.6mm)
- Twin-cut for rapid "pick-up" and reduce torque
- Ribs under the head for improved countersinking

Part No	Description	Box Qty
217283	4.2mm x 32mm	200
217796	4.2mm x 42mm	200

### CEMENT BOARD SCREWS - COUNTERSUNK WAFER - PH - SELF-DRILLING

217154	4.2mm x 32mm	200
217228	4.2mm x 42mm	200

### SELF-DRILLING SCREWS - PH - WAFER - ZINC



Used when constructing drywall track and ceiling track systems to stitch the track together (Max. 3.0mm) without the need to pre-drill a hole.

117TI13WHSD	4.2mm x 13mm	1000
117TI16WHSD	4.2mm x 16mm	1000
117TI19WHSD	4.2mm x 19mm	1000
117TI25WHSD	4.2mm x 25mm	1000

#### SHARP POINT SCREWS - PH - WAFER - ZINC



Used when constructing drywall track and ceiling track systems to stitch the track together (Max. 0.6mm) without the need to pre-drill a hole.

1178926WHSP 4.2mm x 13mm

1000

#### **BAYPOLE SCREWS**

Baypole Screws	
----------------	--

Head: Wafer Flange Thread: Self Tapping with V Flute Tip Design: Self-Drilling Phillips recess

Part No Description		Box Qty	Outer Qty
	ZINC		
117TI289Z	4.8mm x 40mm	200	15
117TI290Z	4.8mm x 50mm	200	16
117TI291Z	4.8mm x 60mm	200	12
117TI292Z	4.8mm x 70mm	200	12
117TI293Z	4.8mm x 80mm	200	8
117TI294Z	4.8mm x 90mm	200	8
117TI295Z	4.8mm x 100mm	200	8

#### **REINFORCED FRAME SCREWS**

Head: Pan Thread: Self Tapping with V Flute Tip Design: Self-Drilling Phillips recess

ZINC			
113TI130Z	4.2mm x 13mm	1000	
113TI131Z	4.2mm x 16mm	1000	
113TI132Z	4.2mm x 19mm	1000	
113TI133Z	4.2mm x 25mm	1000	
STAI	STAINLESS STEEL MARTENSITIC + RUSP.		
113TI130SS	4.2mm x 13mm	1000	
113TI131SS	4.2mm x 16mm	1000	
113TI132SS	4.2mm x 19mm	1000	
113TI133SS	4.2mm x 25mm	1000	

#### **CILL SCREWS**

#### **Cill Screws**

Head: Bugle Thread: Twin Tip Design: Self-Drilling Phillips recess

ZINC		
120TI225Z	4.2mm x 50mm	500
120TI226Z	4.2mm x 55mm	500
120TI227Z	4.2mm x 65mm	200

#### WEATHER BAR SCREWS

#### Weather Bar Screws

Head: Nipple Thread: Self Tapping Tip Design: Self-Drilling Phillips recess

ZINC		
110TI241Z100	4.2mm x 13mm	100
110TI241Z	4.2mm x 13mm	1000

### COUNTERSUNK HEAD, SELF-TAPPING THREAD,

#### **SELF-DRILLING POINT**

	-	-	
		100	
- 14			
		-	er.
	Σ	-	
	Е	ж	
	2	x	2
	-0	÷	с.
	÷		~
		ж	
	1	Ŧ	5
			С.
	I	æ	~
	Т	ж	2
		Ŧ	5
	٠		C.
	-		~
	Т	ж	
		Ŧ	5
			с.
	4	ж	e.
	Т	ж	2
	ъ	Ŧ	5
	٠	÷	€.
	-	э.	e.
	Ξ	ж.	æ.
		7	ε.
		10	

Self	Drilling	Screws
------	----------	--------

Head: Countersunk Thread: Self Tapping Tip Design: Self-Drilling Phillips recess

	ZINC			
110TI423Z 4.8mm x 25mm		4.8mm x 25mm	1000	
	110TI424Z	4.8mm x 32mm	500	
	110TI425Z	4.8mm x 38mm	500	
	110TI427Z	4.8mm x 45mm	500	
	110TI429Z	4.8mm x 60mm	200	

69

### COUNTERSUNK HEAD, METRIC THREAD, SELF-DRILLING POINT



	Sel	f Drilling	Screws
--	-----	------------	--------

Head: Countersunk Thread: Metric Tip Design: Self-Drilling Phillips recess

Part No.	Details	Box Qty			
	ZINC				
122TI150Z	M4 x 16mm	1000			
122TI151Z	M4 x 19mm	1000			
122TI153Z	M4 x 25mm	1000			
122TI154Z	M4 x 32mm	1000			
122TI155Z	M4 x 38mm	500			
	YELLOW				
122TI150Y	M4 x 16mm	1000			
122TI151Y	M4 x 19mm	1000			
122TI153Y	M4 x 25mm	1000			
122TI154Y	M4 x 32mm	1000			
122TI155Y	M4 x 38mm	500			

### COUNTERSUNK HEAD, METRIC THREAD, SELF-DRILLING POINT

Self Drilling	Screws
---------------	--------

Head: Countersunk Facet Thread: Metric Tip Design: Self-Drilling Phillips recess

ZINC				
122TI230Z	M4 x 13mm	1000		
122TI231Z M4 x 16mm		1000		
122TI232Z M4 x 19mm		1000		
MARTENSITIC SS + SILVER ORGANIC PLATING				
122TI231SS	M4 x 16mm	1000		

### SHALLOW PAN, SELF-TAPPING THREAD, SELF-DRILLING POINT

e		2	3	3
	0	F.	r	
2	1	Б		
1	헙	D	۲.	
3	H	R	2	
2	연	6		
	11	D	•	
- 3	13	Р	2	
3	Н	В	5	
1	Ħ	Ы		
	5	P	٢.	
	Н	5		
	11	3		

#### Self Drilling Friction Stay Screws

Head: Shallow Pan Countersunk Thread: Self Tapping Tip Design: Self-Drilling Phillips recess

ZINC			
114TI135Z	3.9mm x 16mm	1000	
114TI136Z	3.9mm x 19mm	1000	
114TI137Z	3.9mm x 25mm	1000	
114TI138Z	3.9mm x 29mm	1000	
114TI141Z	4.8mm x 16mm	1000	
114TI142Z	4.8mm x 19mm	1000	
114TI143Z	4.8mm x 23mm	1000	
STAINLESS STEEL MARTENSITIC + RUSP.			
114TI135SS	3.9mm x 16mm	1000	
114TI136SS	3.9mm x 19mm	1000	
114TI137SS	3.9mm x 25mm	1000	
114TI138SS	3.9mm x 29mm	1000	
114TI143SS	4.8mm x 23mm	1000	

### SELF DRILLING HEX HEAD SCREWS—LIGHT DUTY

	Part No.	Details	Box Qty
		ZINC	
	112L25W16B	5.5mm x 25mm—16mm washer	100
	112L32W16B	5.5mm x 32mm—16mm washer	100
Self Drilling Hex Head	112L38W16B	5.5mm x 38mm—16mm washer	100
Light Section Steel	112L50W16B	5.5mm x 50mm—16mm washer	100
Exterior	112L70W16B	5.5mm x 70mm—16mm washer	100
For urban & industrial	112L100W16B	5.5mm x 100mm—16mm washer	100
areas with a low salt atmosphere	112L25B	5.5mm x 25mm—no washer	100
	112L32B	5.5mm x 32mm—no washer	100
	112L38B	5.5mm x 38mm—no washer	100
	112L50B	5.5mm x 50mm—no washer	100
	112L70B	5.5mm x 70mm—no washer	100
	112L100B	5.5mm x 100mm—no washer	100

#### SELF DRILLING HEX HEAD SCREWS—HEAVY DUTY

ZINC				
112H32B	5.5mm x 32mm—no washer	100		
112H38B	5.5mm x 38mm—no washer	100		
112H55B	5.5mm x 55mm—no washer	100		
112H100B	5.5mm x 100mm—no washer	100		
112H32W16B	5.5mm x 32mm—16mm washer	100		
112H38W16B	5.5mm x 38mm—16mm washer	100		
112H55W16B	5.5mm x 55mm—16mm washer	100		
112H65W16B	5.5mm x 65mm—16mm washer	100		
112H80W16B	5.5mm x 80mm—16mm washer	100		
112H100W16B	5.5mm x 100mm—16mm washer	100		

#### SELF DRILLING HEX HEAD SCREWS

		2	i i	1
	-			
	12	2		
	- Number			
1				

- mmmmm

Self Drilling Hex Head Washer Face

Self Drilling Hex Head Heavy Section Steel For Urban & Industrial

areas with a low salt atmosphere

Zinc -

For Clean Dry & Low

Humidity Environments

ZINC				
112812HWSD	4.2mm x 13mm	1000		
112834HWSD	4.2mm x 19mm	1000		
1121012HWSD	4.8mm x 13mm	1000		
1121058HWSD	4.8mm x 16mm	1000		
1121034HWSD	4.8mm x 19mm	1000		
1121234HWSD	5.5mm x 19mm	500		
112121HWSD	5.5mm x 25mm	500		
11212114HWSD	5.5mm x 32mm	500		
112112HWSD	5.5mm x 38mm	500		
112134HWSD	5.5mm x 45mm	500		

#### **ELEMENT SCREWS**

Mechanical jointing screw with special truncated head for fixing either frame to frame or frame to mullions.

Part No.	Details	Box Qty
YELLOW		
116TI191Y	4.8mm x 55mm	200
116TI192Y	4.8mm x 65mm	200
116TI193Y	4.8mm x 80mm	200
116TI194Y	4.8mm x 95mm	200

## WINDOW SCREW—COUNTERSUNK HEAD, SELF-TAPPING THREAD, SELF-DRILLING POINT

ZINC			
110TI120Z (#)	3.9mm x 13mm	1000	
110TI121Z	3.9mm x 16mm	1000	
110TI122Z (#)	3.9mm x 19mm	1000	
110TI123Z	3.9mm x 25mm	1000	
110TI126Z	3.9mm x 29mm	1000	
110TI124Z	3.9mm x 32mm	1000	
110TI125Z	3.9mm x 38mm	1000	
110TI127Z	3.9mm x 45mm	500	

YELLOW			
110TI120Y (#)	3.9 mm x 13mm	1000	
110TI121Y (#)	3.9mm x 16mm	1000	
110TI122Y (#)	3.9mm x 19mm	1000	
110TI123Y	3.9mm x 25mm	1000	
110TI124Y	3.9mm x 32mm	1000	
110TI125Y	3.9mm x 38mm	1000	
110TI127Y	3.9mm x 45mm	500	

STAINLESS STEEL MARTENSITIC + RUSP.				
110TI121SS (#)	3.9mm x 16mm	1000		
110TI122SS (#)	3.9mm x 19mm	1000		
110TI123SS	3.9mm x 25mm	1000		
110TI124SS	3.9mm x 32mm	1000		
110TI125SS	3.9mm x 38mm	1000		

#### Self Drilling Screws

Head: Countersunk (# with ribs) Thread: Self Tapping Tip Design: Self-Drilling Phillips recess

### WINDOW SCREW—COUNTERSUNK HEAD WITH RIBS,

#### SINGLE THREAD, GIMLET TIP

Part No.	Details	Box Qty
100TI201Z	4.3mm x 16mm	1000
100TI202Z	4.3mm x 20mm	1000
100TI204Z	4.3mm x 25mm	1000
100TI205Z	4.3mm x 30mm	1000
100TI203Z	4.3mm x 35mm	1000
100TI206Z	4.3mm x 40mm	1000
100TI207Z	4.3mm x 45mm	500
100TI208Z	4.3mm x 55mm	500

#### Window Fabrication Screws

Head: Shallow Countersunk with Ribs Thread: Single Deep Tip Design: Gimlet Phillips recess

Multiple uses for fitting a variety of hardware to frames where there is no steel or aluminium reinforcement present. Countersunk head with ribs under head for improved countersinking.

YELLOW		
100TI201Y	4.3mm x 16mm	1000
100TI202Y	4.3mm x 20mm	1000
100TI204Y	4.3mm x 25mm	1000
100TI205Y	4.3mm x 30mm	1000
100TI203Y	4.3mm x 35mm	1000
100TI206Y	4.3mm x 40mm	1000
100TI207Y	4.3mm x 45mm	500
100TI208Y	4.3mm x 55mm	500



ーーーーーーーーーーーー

STAINLESS STEEL A2		
100TI201SS	4.3mm x 16mm	1000
100TI202SS	4.3mm x 20mm	1000
100TI204SS	4.3mm x 25mm	1000
100TI205SS	4.3mm x 30mm	1000
100TI203SS	4.3mm x 35mm	1000
100TI206SS	4.3mm X 40mm	1000

#### COUNTERSUNK HEAD WITH RIBS, SINGLE THREAD, GIMLET TIP

Window F	abrication	Screws
----------	------------	--------

Head: Shallow Countersunk with Ribs Thread: Single Deep Tip Design: Gimlet Phillips recess

Friction Stay to PVCu

Head: Shallow Pan Countersunk

Thread: Single Deep Tip Design: Gimlet Phillips recess

Part No.	Details	Box Qty
	ZINC	
101TI209Z	4.8mm x 25mm	1000
101TI210Z	4.8mm x 38mm	1000
	YELLOW	
101TI209Y	4.8mm x 25mm	1000
STAINLESS STEEL A2		
101TI209SS	4.8mm x 25mm	1000

#### SHALLOW PAN COUNTERSUNK HEAD, SINGLE THREAD, GIMLET TIP



	ZINC	
115TI213Z	4.3mm x 16mm	1000
115TI211Z	4.3mm x 20mm	1000
115TI212Z	4.3mm x 25mm	1000
	STAINLESS STEEL A2	
115TI213SS	4.3mm x 16mm	1000
115TI211SS	4.3mm x 20mm	1000
115TI212SS	4.3mm x 25mm	1000

#### SHALLOW PAN WITH SERRATIONS, SINGLE THREAD, GIMLET TIP

Friction Stay to PVCu
Head: Shallow Pan
with Serrations
Thread: Single Deep
Tip Design: Gimlet
Phillips recess

ZINC		
115TI215Z	4.8mm x 16mm	1000
115TI216Z	4.8mm x 20mm	1000
115TI217Z	4.8mm x 25mm	1000
115TI218Z 4.8mm x 30mm		1000
STAINLESS STEEL A2		
	STAINLESS STEEL A2	
115TI215SS	STAINLESS STEEL A2 4.8mm x 16mm	1000
115TI215SS 115TI216SS		1000 1000
115TI216SS	4.8mm x 16mm	

### SHALLOW PAN COUNTERSUNK HEAD, HI-LOW THREAD, SLASH TIP

#### Friction Stay to PVCu

ZINC		
115TI111Z	4.3mm x 20mm	1000
115TI112Z	4.3mm x 25mm	1000

#### TWIN THREADED WOODSCREWS



# For general applications into softwoods and various types of hardwood.

Twin Thread Wood Screws

- Designed and manufactured to BS 1210 Standards - major diameter and threads excepted.
- 25° sharp point and single leading thread for a fast start and improved thread acceptance.
- Surface hardened up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.
- Double countersunk, reduces the likelihood of head shear and assists completion of countersinking.

Part No.	Details	Box Qty	
4" ZINC			
200412CWZ	4 x 1/2" (3.0 x 12mm)	200	
200458CWZ	4 x 5/8" (3.0 x 16mm)	200	
200434CWZ	4 x 3/4" (3.0 x 20mm)	200	
213041CWZ	4 x 1" (3.0 x 25mm)	200	
	5" ZINC		
200558CWZ	5 x 5/8" (3.3 x 16mm)	200	
200534CWZ	5 x 3/4" (3.3 x 20mm)	200	
	6" ZINC		
200612CWZ	6 x 1/2" (3.5 x 12mm)	200	
200658CWZ	6 x 5/8" (3.5 x 16mm)	200	
200634	6 x 3/4" (3.5 x 20mm)	200	
20061	6 x 1" (3.5 x 25mm)	200	
2006114	6 x 1 1/4" (3.5 x 30mm)	200	
206112CWZ	6 x 1 1/2" (3.5 x 40mm)	200	
2006134CWZ	6 x 1 3/4" (3.5 x 45mm)	200	
200062CWZ	6 x 2" (3.5 x 50mm)	200	
	7" ZINC		
20758CWZ	7 x 5/8" (3.9 x 16mm)	200	
200734CWZ	7 x 3/4" (3.9 x 20mm)	200	
200071CWZ	7 x 1" (3.9 x 25mm)	200	
207114CWZ	7 x 1 1/4" (3.9 x 33mm)	200	
207112CWZ	7 x 1 1/2" (3.9 x 40mm)	200	
	8" ZINC		
200812CWZ	8 x 1/2" (4.0 x 12mm)	200	
200858CWZ	8 x 5.8" (4.0 x 16mm)	200	
200834CWZ	8 x 3/4" (4.0 x 20mm)	200	
20081CWZ	8 x 1" (4.0 x 25mm)	200	
2008114CWZ	8 x 1 1/4" (4.0 x 30mm)	200	
2008112CWZ	8 x 1 1/2" (4.0 x 40mm)	200	
2008134CWZ	8 x 1 3/4" (4.0 x 45mm)	200	
20082CWZ	8 x 2" (4.0 x 50mm)	200	
2008214CWZ	8 x 2 1/4" (4.0 x 55mm)	200	
2008212CWZ	8 x 2 1/2" (4.0 x 60mm)	200	
20083CWZ	8 x 3" (4.0 x 80mm)	200	





#### TWIN THREADED WOODSCREWS—CONTINUED

Softwood



Part No.	Details	Box Qty
	10" ZINC	
2001034CWZ	10 x 3/4" (5.0 x 20mm)	200
200101CWZ	10 x 1" (5.0 x 25mm)	200
20010114CWZ	10 x 1 1/4" (5.0 x 30mm)	200
20010112CWZ	10 x 1 1/2" (5.0 x 40mm)	200
20010134CWZ	10 x 1 3/4" (5.0 x 45mm)	200
200102CWZ	10 x 2" (5.0 x 50mm)	200
20010214CWZ	10 x 2 1/4" (5.0 x 55mm)	200
20010212CWZ	10 x 2 1/2" (5.0 x 60mm)	200
200103CWZ	10 x 3" (5.0 s 80mm)	200
20010312CWZ	10 x 3 1/2" (5.0 x 90mm)	100
200104CWZ	10 x 4" (5.0 x 100mm)	100
	12" ZINC	
200121CWZ	12 x 1" (6.0 x 25mm)	200
20012114CWZ	12 x 1 1/4" (6.0 x 30mm)	200
20012112CWZ	12 x 1 1/2" (6.0 x 40mm)	200
200122CWZ	12 x 2" (6.0 x 50mm)	200
20012212CWZ	12 x 2 1/2" (6.0 x 60mm)	200
200123CWZ	12 x 3" (6.0 x 80mm)	100
200123CWZ	12 x 3 1/2" (6.0 x 90mm)	100
200124	12 x 4" (6.0 x 100mm)	100

#### **CLASSIC PAN HEAD SCREWS**

	YELLOW	
22435012CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 12mm	200
22435016CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 16mm	200
22435020CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 20mm	200
22435025CLAP	Classic Wood Screw PZ2 Panhead 3.5 x 25mm	200
22440016CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 16mm	200
22440020CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 20mm	200
22440025CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 25mm	200
22440030CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 30mm	200
22440035CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 35mm	200
22440040CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 40mm	200
22440050CLAP	Classic Wood Screw PZ2 Panhead 4.0 x 50mm	200
22450030CLAP	Classic Wood Screw PZ2 Panhead 5.0 x 30mm	200
22450050CLAP	Classic Wood Screw PZ2 Panhead 5.0 x 50mm	200





#### SOLO YELLOW WOODSCREWS

A single thread woodscrew mainly used in various types of timber and man-made boards or into masonry with the use of a plastic plug.

- Double countersunk reduces the likelihood of head shear and assists completion of countersinking
- Wax lubricated to enhance screw insertion time, extra driving torque and resistance to corrosion
- 40° deep single thread to provide a secure fixing with high pull-out resistance
- 25° sharp point and single lead for a fast start and improved thread acceptance
- All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length

#### Also available in:

#### TITTTTTTTTTTTTTTTTTTTTTTT

Zinc









Part No.	Details	Box Qty
	YELLOW	
21030012SOLOC	Solo PZ1 3.0 x 12mm	200
21030015SOLOC	Solo PZ1 3.0 x 15mm	200
21030017SOLOC	Solo PZ1 3.0 x 17mm	200
21030020SOLOC	Solo PZ1 3.0 x 20mm	200
21030025SOLOC	Solo PZ1 3.0 x 25mm	200
21030030SOLOC	Solo PZ1 3.0 x 30mm	200
21035012SOLOC	Solo PZ2 3.5 x 12mm	200
21035015SOLOC	Solo PZ2 3.5 x 15mm	200
21035017SOLOC	Solo PZ2 3.5 x 17mm	200
21035020SOLOC	Solo PZ2 3.5 x 20mm	200
21035025SOLOC	Solo PZ2 3.5 x 25mm	200
21035030SOLOC	Solo PZ2 3.5 x 30mm	200
21035035SOLOC	Solo PZ2 3.5 x 35mm	200
21035040SOLOC	Solo PZ2 3.5 x 40mm	200
21035050SOLOC	Solo PZ2 3.5 x 50mm	200
21040015SOLOC	Solo PZ2 4.0 x 15mm	200
21040017SOLOC	Solo PZ2 4.0 x 17mm	200
21040020SOLOC	Solo PZ2 4.0 x 20mm	200
21040025SOLOC	Solo PZ2 4.0 x 25mm	200
21040030SOLOC	Solo PZ2 4.0 x 30mm	200
21040035SOLOC	Solo PZ2 4.0 x 35mm	200
21040040SOLOC	Solo PZ2 4.0 x 40mm	200
21040045SOLOC	Solo PZ2 4.0 x 45mm	200
21040050SOLOC	Solo PZ2 4.0 x 50mm	200
21040060SOLOC	Solo PZ2 4.0 x 60mm	200
21040070SOLOC	Solo PZ2 4.0 x 70mm	200
21040080SOLOC	Solo PZ2 4.0 x 80mm	200
21045020SOLOC	Solo PZ2 4.5 x 20mm	200
21045030SOLOC	Solo PZ2 4.5 x 30mm	200
21045035SOLOC	Solo PZ2 4.5 x 35mm	200
21045040SOLOC	Solo PZ2 4.5 x 40mm	200
21045045SOLOC	Solo PZ2 4.5 x 45mm	200
21045050SOLOC	Solo PZ2 4.5 x 50mm	200
21045060SOLOC	Solo PZ2 4.5 x 60mm	200
21045070SOLOC	Solo PZ2 4.5 x 70mm	200
21045080SOLOC	Solo PZ2 4.5 x 80mm	200



#### SOLO YELLOW WOODSCREWS CONTINUED

- 25° sharp point tip for easy • penetration into wood and chipboard.
- Double Countersunk
- Made from C10-18 steel. •
- 40° deep single thread to • provide a secure fixing with high pull-out resistance.
- Fully threaded up to 70mm •

Part No.	Details	Box Qty
	YELLOW	
21050025SOLOC	Solo PZ2 5.0 x 25mm	200
21050030SOLOC	Solo PZ2 5.0 x 30mm	200
21050035SOLOC	Solo PZ2 5.0 x 35mm	200
21050040SOLOC	Solo PZ2 5.0 x 40mm	200
21050045SOLOC	Solo PZ2 5.0 x 45mm	200
21050050SOLOC	Solo PZ2 5.0 x 50mm	200
21050060SOLOC	Solo PZ2 5.0 x 60mm	200
21050070SOLOC	Solo PZ2 5.0 x 70mm	200
21050075SOLOC	Solo PZ2 5.0 x 75mm	200
21050080SOLOC	Solo PZ2 5.0 x 80mm	200
21050090SOLOC	Solo PZ2 5.0 x 90mm	100
21050100SOLOC	Solo PZ2 5.0 x 100mm	100
21050120SOLOC	Solo PZ2 5.0 x 120mm	100
21060040SOLOC	Solo PZ3 6.0 x 40mm	200
21060050SOLOC	Solo PZ3 6.0 x 50mm	200
21060060SOLOC	Solo PZ3 6.0 x 60mm	200
21060070SOLOC	Solo PZ3 6.0 x 70mm	200
21060080SOLOC	Solo PZ3 6.0 x 80mm	200
21060090SOLOC	Solo PZ3 6.0 x 90mm	100
21060100SOLOC	Solo PZ3 6.0 x 100mm	100
21060120SOLOC	Solo PZ3 6.0 x 120mm	100
21060130SOLOC	Solo PZ3 6.0 x 130mm	100
21060150SOLOC	Solo PZ3 6.0 x 150mm	100
21060200SOLOC	Solo PZ3 6.0 x 200mm	100

Also available in:













#### **CLASSIC MULTI PURPOSE SCREWS**



- Double Countersunk
- Fully Threaded to 70mm
- Special Thread configuration
- Surface Hardened
- 25° Sharp Point
- Molecular Lubrication

#### Also available in:

Zinc (222)

Cummunummer-

A2 Stainless Steel (223)







-----

Chipboard







MDF

Product Code	Description	Box Qty
	YELLOW	
22130012CLAF	Classic Wood Screw PZ1 3.0 x 12mm	200
22130016CLAF	Classic Wood Screw PZ1 3.0 x 16mm	200
22130020CLAF	Classic Wood Screw PZ1 3.0 x 20mm	200
22130025CLAF	Classic Wood Screw PZ1 3.0 x 25mm	200
22130030CLAF	Classic Wood Screw PZ1 3.0 x 30mm	200
22130035CLAF	Classic Wood Screw PZ1 3.0 x 35mm	200
22130040CLAF	Classic Wood Screw PZ1 3.0 x 40mm	200
22135012CLAF	Classic Wood Screw PZ2 3.5 x 12mm	200
22135016CLAF	Classic Wood Screw PZ2 3.5 x 16mm	200
22135020CLAF	Classic Wood Screw PZ2 3.5 x 20mm	200
22135025CLAF	Classic Wood Screw PZ2 3.5 x 25mm	200
22135030CLAF	Classic Wood Screw PZ2 3.5 x 30mm	200
22135035CLAF	Classic Wood Screw PZ2 3.5 x 35mm	200
22135040CLAF	Classic Wood Screw PZ2 3.5 x 40mm	200
22135045CLAF	Classic Wood Screw PZ2 3.5 x 45mm	200
22135050CLAF	Classic Wood Screw PZ2 3.5 x 50mm	200
22140012CLAF	Classic Wood Screw PZ2 4.0 x 12mm	200
22140016CLAF	Classic Wood Screw PZ2 4.0 x 16mm	200
22140020CLAF	Classic Wood Screw PZ2 4.0 x 20mm	200
22140025CLAF	Classic Wood Screw PZ2 4.0 x 25mm	200
22140030CLAF	Classic Wood Screw PZ2 4.0 x 30mm	200
22140035CLAF	Classic Wood Screw PZ2 4.0 x 35mm	200
22140040CLAF	Classic Wood Screw PZ2 4.0 x 40mm	200
22140045CLAF	Classic Wood Screw PZ2 4.0 x 45mm	200
22140050CLAF	Classic Wood Screw PZ2 4.0 x 50mm	200
22140055CLAF	Classic Wood Screw PZ2 4.0 x 55mm	200
22140060CLAF	Classic Wood Screw PZ2 4.0 x 60mm	200
22140070CLAF	Classic Wood Screw PZ2 4.0 x 70mm	200
22140080CLAF	Classic Wood Screw PZ2 4.0 x 80mm	200
22145016CLAF	Classic Wood Screw PZ2 4.5 x 16mm	200
22145020CLAF	Classic Wood Screw PZ2 4.5 x 20mm	200
22145025CLAF	Classic Wood Screw PZ2 4.5 x 25mm	200
22145030CLAF	Classic Wood Screw PZ2 4.5 x 30mm	200
22145035CLAF	Classic Wood Screw PZ2 4.5 x 35mm	200
22145040CLAF	Classic Wood Screw PZ2 4.5 x 40mm	200

#### **CLASSIC MULTI PURPOSE SCREWS CONTINUED**



- Double Countersunk
- Fully Threaded to 70mm
- Special Thread configuration
- Surface Hardened
- 25' Sharp Point
- Molecular lubrication

#### Also available in:

Zinc (222)

A2 Stainless Steel (223)



Sheet Metal





Chipboard







MDF

Product Code	Description	Box Qty
	YELLOW	
22145045CLAF	Classic Wood Screw PZ2 4.5 x 45mm	200
22145050CLAF	Classic Wood Screw PZ2 4.5 x 50mm	200
22145055CLAF	Classic Wood Screw PZ2 4.5 x 55mm	200
22145060CLAF	Classic Wood Screw PZ2 4.5 x 60mm	200
22145070CLAF	Classic Wood Screw PZ2 4.5 x70mm	200
22145080CLAF	Classic Wood Screw PZ2 4.5 x 80mm	200
22150020CLAF	Classic Wood Screw PZ2 5.0 x 20mm	200
22150025CLAF	Classic Wood Screw PZ2 5.0 x 25mm	200
22150030CLAF	Classic Wood Screw PZ2 5.0 x 30mm	200
22150035CLAF	Classic Wood Screw PZ2 5.0 x 35mm	200
22150040CLAF	Classic Wood Screw PZ2 5.0 x 40mm	200
22150045CLAF	Classic Wood Screw PZ2 5.0 x 45mm	200
22150050CLAF	Classic Wood Screw PZ2 5.0 x 50mm	200
22150055CLAF	Classic Wood Screw PZ2 5.0 x 55mm	200
22150060CLAF	Classic Wood Screw PZ2 5.0 x 60mm	200
22150070CLAF	Classic Wood Screw PZ2 5.0 x 70mm	200
22150075CLAF	Classic Wood Screw PZ2 5.0 x 75mm	200
22150080CLAF	Classic Wood Screw PZ2 5.0 x 80mm	200
22150090CLAF	Classic Wood Screw PZ2 5.0 x 90mm	100
22150100CLAF	Classic Wood Screw PZ2 5.0 x 100mm	100
22150120CLAF	Classic Wood Screw PZ2 5.0 x 120mm	100
22160040CLAF	Classic Wood Screw PZ3 6.0 x 40mm	200
22160045CLAF	Classic Wood Screw PZ3 6.0 x 45mm	200
22160050CLAF	Classic Wood Screw PZ3 6.0 x 50mm	200
22160060CLAF	Classic Wood Screw PZ3 6.0 x 60mm	200
22160070CLAF	Classic Wood Screw PZ3 6.0 x 70mm	200
22160080CLAF	Classic Wood Screw PZ3 6.0 x 80mm	200
22160090CLAF	Classic Wood Screw PZ3 6.0 x 90mm	100
22160100CLAF	Classic Wood Screw PZ3 6.0 x 100mm	100
22160120CLAF	Classic Wood Screw PZ3 6.0 x 120mm	100
22160130CLAF	Classic Wood Screw PZ3 6.0 x 130mm	100
22160150CLAF	Classic Wood Screw PZ3 6.0 x 150mm	100
22160180CLAF	Classic Wood Screw PZ3 6.0 x 180mm	100
22160200CLAF	Classic Wood Screw PZ3 6.0 x 200mm	100



Using the most modern manufacturing methods and design techniques, the C2 is a revolutionary high performance multipurpose screw. Designed to give ultimate performance in a multitude of materials, the patented twin-cut point gives a consistent and rapid "pick-up" and reduces timber splitting. These unique features coupled with a synthetic lubrication and dual angle thread results in 52% less insertion torque and 43% quicker insertion time. NOTE: Partially threaded.

• Deep recess to prevent 'cam-out', giving a precise and positive drive control on every screw

• Ribs under head for improved countersinking and to give a smooth and flush finish, also prevents splitting and material damage

• Coated with a high-molecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating

• Dual angle thread gives an ultimate performance and an exceptionally high pullout resistance

• Patented twin cut technology for rapid "pick-up" and reduces timber splitting

• All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length



Plastic





Sheet Metal Hardwood





Softwood

MDF

### C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK - YELLOW

Product Code	Description	Box Qty	
YELLOW			
23035012C2	3.5mm x 12mm	200	
23035016C2	3.5mm x 16mm	200	
23035020C2	3.5mm x 20mm	200	
23035025C2	3.5mm x 25mm	200	
23035030C2	3.5mm x 30mm	200	
23035040C2	3.5mm x 40mm	200	
23035050C2	3.5mm x 50mm	200	
23040025C2	4.0mm x 25mm	200	
23040030C2	4.0mm x 30mm	200	
23040035C2	4.0mm x 35mm	200	
23040040C2	4.0mm x 40mm	200	
23040045C2	4.0mm x 45mm	200	
23040050C2	4.0mm x 50mm	200	
23040060C2	4.0mm x 60mm	200	
23040070C2	4.0mm x 70mm	200	
23040080C2	4.0mm x 80mm	200	
23045030C2	4.5mm x 30mm	200	
23045040C2	4.5mm x 40mm	200	
23045050C2	4.5mm x 50mm	200	
23045060C2	4.5mm x 60mm	200	
23045070C2	4.5mm x 70mm	200	
23045080C2	4.5mm x 80mm	200	
23050030C2	5.0mm x 30mm	200	
23050040C2	5.0mm x 40mm	200	
23050045C2	5.0mm x 45mm	200	
23050050C2	5.0mm x 50mm	200	
23050060C2	5.0mm x 60mm	200	
23050070C2	5.0mm x 70mm	200	
23050075C2	5.0mm x 75mm	200	
23050080C2	5.0mm x 80mm	200	
23050090C2	5.0mm X 90mm	100	
23050100C2	5.0mm x 100mm	100	
23050120C2	5.0mm x 120mm	100	
23060050C2	6.0mm x 50mm	200	

### C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK - CONTINUED



ic Chipboard

Sheet Metal Hardwood



Softwood MDF

Part No.	Details	Box Qty	Price
	YELLOW		
23060060C2	6.0mm x 60mm	200	
23060070C2	6.0mm x 70mm	200	
23060080C2	6.0mm x 80mm	200	
23060090C2	6.0mm x 90mm	100	
23060100C2	6.0mm x 100mm	100	
23060120C2	6.0mm x 120mm	100	
23060130C2	6.0mm x 130mm	100	
23060150C2	6.0mm x 150mm	100	
23060180C2	6.0mm x 180mm	100	
23060200C2	6.0mm x 200mm	100	

## C2 MULTI-PURPOSE ADVANCED SCREWS - PZ - DOUBLE COUNTERSUNK

Part No.	Details	Tub Qty
35025C2TUB	3.5 mm x 25mm Yellow	2000
35030C2TUB	3.5mm x 30mm Yellow	1800
40025C2TUB	4.0mm x 25mm Yellow	1700
40030C2TUB	4.0mm x 30mm Yellow	1500
40040C2TUB	4.0 mm x 40mm Yellow	1200
40050C2TUB	4.0mm x 50mm Yellow	800
40060C2TUB	4.0mm x 60mm Yellow	600
40070C2TUB	4.0mm x 70mm Yellow	500
40080C2TUB	4.0mm x 80mm Yellow	400
45040C2TUB	4.5mm x 40mm Yellow	1000
45050C2TUB	4.5mm x 50mm Yellow	700
45080C2TUB	4.5mm x 80mm Yellow	375
50040C2TUB	5.0mm x 40mm Yellow	800
50050C2TUB	5.0mm x 50mm Yellow	600
50060C2TUB	5.0mm x 60mm Yellow	400
50070C2TUB	5.0mm x 70mm Yellow	375
50080C2TUB	5.0mm x 80mm Yellow	350
50090C2TUB	5.0mm x 90mm Yellow	325
50100C2TUB	5.0mm x 100mm Yellow	300
60100C2TUB	6.0mm x 100mm Yellow	225



## C2 MULTI-PURPOSE ADVANCED SCREWS - PZ -DOUBLE COUNTERSUNK - EXTERIOR - SILVER

Part No.	Details	Tub Qty
40030C2S	4.0mm x 30mm	400
40040C2S	4.0mm x 40mm	350
40050C2S	4.0mm x 50mm	300
40060C2S	4.0mm x 60mm	200
40070C2S	4.0mm x 70mm	170
50040C2S	5.0mm x 40mm	200
50050C2S	5.0mm x 50mm	180
50060C2S	5.0mm x 60mm	150
50070C2S	5.0mm x 70mm	120
50080C2S	5.0mm x 80mm	110
50100C2S	5.0mm x 100mm	80
60040C2S	6.0mm x 40mm	150
60050C2S	6.0mm x 50mm	120
60070C2S	6.0mm x 70mm	90
60100C2S	6.0mm x 100mm	60

All the features and superior performance of the C2 screw complete with an organic plating for optimal corrosion resistance when used in the harshest of environments. Silver colour to match commonly used ironmongery. Ideal for many general external applications.

• Ribs under head for improved countersinking

- Special plating to give 1,000 hours salt spray resistance
- Multi-layer coating consisting of organic top coat barrier and a zinc base layer
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting

• All sizes up to and including 75mm are fully threaded and lengths 80mm and above all have 70mm thread length



#### **VELOCITY WOOD SCREWS**



- Self-Gripping Double Countersunk Head
- Superior Corrosion Resistance
- Partially Threaded from 40mm
- Anti-Friction Lubrication
- Extreme Grip Thread
- Rapid Twist Shank
- Quick Start Point









Sheet Metal





Sal

Chipboard



Softwood

Part No.	Details	Box Qty
	YELLOW	,
25030016VY	Velocity Screw PZ1 3.0 x 16mm	200
25030020VY	Velocity Screw PZ1 3.0 x 20mm	200
25030030VY	Velocity Screw PZ1 3.0 x 30mm	200
25030040VY	Velocity Screw PZ1 3.0 x 40mm	200
25035012VY	Velocity Screw PZ2 3.5 x 12mm	200
25035016VY	Velocity Screw PZ2 3.5 x 16mm	200
25035020VY	Velocity Screw PZ2 3.5 x 20mm	200
25035025VY	Velocity Screw PZ2 3.5 x 25mm	200
25035030VY	Velocity Screw PZ2 3.5 x 30mm	200
25035035VY	Velocity Screw PZ2 3.5 x 35mm	200
25035040VY	Velocity Screw PZ2 3.5 x 40mm	200
25035045VY	Velocity Screw PZ2 3.5 x 45mm	200
25035050VY	Velocity Screw PZ2 3.5 x 50mm	200
25040012VY	Velocity Screw PZ2 4.0 x 12mm	200
25040016VY	Velocity Screw PZ2 4.0 x 16mm	200
25040020VY	Velocity Screw PZ2 4.0 x 20mm	200
25040025VY	Velocity Screw PZ2 4.0 x 25mm	200
25040030VY	Velocity Screw PZ2 4.0 x 30mm	200
25040035VY	Velocity Screw PZ2 4.0 x 35mm	200
25040040VY	Velocity Screw PZ2 4.0 x 40mm	200
25040045VY	Velocity Screw PZ2 4.0 x 45mm	200
25040050VY	Velocity Screw PZ2 4.0 x 50mm	200
25040060VY	Velocity Screw PZ2 4.0 x 60mm	200
25040070VY	Velocity Screw PZ2 4.0 x 70mm	200
25040080VY	Velocity Screw PZ2 4.0 x 80mm	200
25045030VY	Velocity Screw PZ2 4.5 x 30mm	200
25045040VY	Velocity Screw PZ2 4.5 x 40mm	200
25045050VY	Velocity Screw PZ2 4.5 x 50mm	200
25045055VY	Velocity Screw PZ2 4.5 x 55mm	200
25045060VY	Velocity Screw PZ2 4.5 x 60mm	200
25045070VY	Velocity Screw PZ2 4.5 x 70mm	200
25045080VY	Velocity Screw PZ2 4.5 x 80mm	200
25050030VY	Velocity Screw PZ2 5.0 x 30mm	200
25050040VY	Velocity Screw PZ2 5.0 x 40mm	200
25050045VY	Velocity Screw PZ2 5.0 x 45mm	200
25050050VY	Velocity Screw PZ2 5.0 x 50mm	200
25050060VY	Velocity Screw PZ2 5.0 x 60mm	200
25050070VY	Velocity Screw PZ2 5.0 x 70mm	200
25050075VY	Velocity Screw PZ2 5.0 x 75mm	200
25050080VY	Velocity Screw PZ2 5.0 x 80mm	200
25050090VY	Velocity Screw PZ2 5.0 x 90mm	100
25050100VY	Velocity Screw PZ2 5.0 x 100mm	100



### **VELOCITY WOOD SCREWS CONTINUED**





Details	Box Qty		
YELLOW			
Velocity Screw PZ3 6.0 x 40mm	200		
Velocity Screw PZ3 6.0 x 45mm	200		
Velocity Screw PZ3 6.0 x 50mm	200		
Velocity Screw PZ3 6.0 x 60mm	200		
Velocity Screw PZ3 6.0 x 70mm	200		
Velocity Screw PZ3 6.0 x 80mm	200		
Velocity Screw PZ3 6.0 x 90mm	100		
Velocity Screw PZ3 6.0 x 100mm	100		
Velocity Screw PZ3 6.0 x 120mm	100		
Velocity Screw PZ3 6.0 x 130mm	100		
Velocity Screw PZ3 6.0 x 150mm	100		
Velocity Screw PZ3 6.0 x 180mm	100		
Velocity Screw PZ3 6.0 x 200mm	100		
	YELLOWVelocity Screw PZ3 6.0 x 40mmVelocity Screw PZ3 6.0 x 45mmVelocity Screw PZ3 6.0 x 50mmVelocity Screw PZ3 6.0 x 60mmVelocity Screw PZ3 6.0 x 70mmVelocity Screw PZ3 6.0 x 70mmVelocity Screw PZ3 6.0 x 80mmVelocity Screw PZ3 6.0 x 90mmVelocity Screw PZ3 6.0 x 100mmVelocity Screw PZ3 6.0 x 120mmVelocity Screw PZ3 6.0 x 130mmVelocity Screw PZ3 6.0 x 130mmVelocity Screw PZ3 6.0 x 150mmVelocity Screw PZ3 6.0 x 180mm		



### **VELOCITY TORX HEAD WOOD SCREWS**



	YELLOW	
24050050VYTX	Velocity Screw Torx.25 5.0 x 50mm	200
24050060VYTX	Velocity Screw Torx.25 5.0 x 60mm	200
24050070VYTX	Velocity Screw Torx.25 5.0 x 70mm	200
24050080VYTX	Velocity Screw Torx.25 5.0 x 80mm	200
24050100VYTX	Velocity Screw Torx.25 5.0 x 100mm	100
24060080VYTX	Velocity Screw Torx.30 6.0 x 80mm	200
24060180VYTX	Velocity Screw Torx.30 6.0 x 180mm	100

The unique patented Velocity screw with a TX drive recess for a more positive drive. The unique patented Velocity screw has been specifically designed to give rapid installation into many different materials, whilst achieving exceptional pull-out resistance. It has been designed to give the user a consistent and reliable product that can be used in a variety of applications. Note: Partially threaded.





### CLASSIC BLACK WOOD SCREWS

Part No.	Details	Box Qty
	BLACK	
22035016CLAB	Classic Wood Screw PZ2 3.5 x 16mm	200
22035025CLAB	Classic Wood Screw PZ2 3.5 x 25mm	200
22040025CLAB	Classic Wood Screw PZ2 4.0 x 25mm	200
22040030CLAB	Classic Wood Screw PZ2 4.0 x 30mm	200
22040040CLAB	Classic Wood Screw PZ2 4.0 x 40mm	200
22045030CLAB	Classic Wood Screw PZ2 4.5 x 30mm	200
22050030CLAB	Classic Wood Screw PZ2 5.0 x 30mm	200
22050040CLAB	Classic Wood Screw PZ2 5.0 x 40mm	200
22050080CLAB	Classic Wood Screw PZ2 5.0 x 80mm	200

### **TOILET SEAT COVER CAPS**

Part No.	Details	Colour	Box Qty
2108101	4mm Wood Screw	White	1000
2108102	4mm Wood Screw	Brown	1000
2108103	4mm Wood Screw	Black	1000
2108105	4mm Wood Screw	7016 AG	1000
2108105100	4mm Wood Screw	7016 AG	100
2108121	5mm Wood Screw	White	1000
2108122	5mm Wood Screw	Brown	1000
2108123	5mm Wood Screw	Black	1000
2108125	5mm Wood Screw	7016 AG	1000
2108125100	5mm Wood Screw	7016 AG	100


#### PUSH FIT COVER CAPS

i			
21010002	4mm Wood Screw	White	1000
210100022	4mm Wood Screw	Brown	200
210100023	4mm Wood Screw	Caramel	200
21010003	5mm Wood Screw	White	1000
210100033	5mm Wood Screw	Brown	1000

#### WALL PLUGS

2801	Red Plug 5mm	100
2802	Brown Plug 7mm	100
2803	Blue Plug 10mm	40
28060MIX	Rawlplug Uno Plug Mix	60
280600R	Rawlplug Fix Expansion Plug Red 6 x 30mm	600
280400B	Rawlplug Fix Expansion Plug 7 x 35mm	400







#### **PASLODE COLLATED NAIL & FUEL CELLS PACKS**







#### **IM360CI NAIL & FUEL PACKS**

Part No.	Size (mm)	Head Type	Shank Type	Box Qty
	TRADE PA	CK—WITH FUEI	L CELLS	
BRIGHT				
PAS141083	2.8 x 51 /3CFC	Fully Round	Ring	3300
PAS141078	2.8 x 63 /3CFC	Fully Round	Ring	3300
PAS141081	3.1 x 75 /2CFC	Fully Round	Ring	2200
PAS141082	3.1 x 90 /2CFC	Fully Round	Ring	2200
PAS141076	3.1 x 90 /2CFC	Fully Round	Plain	2200
		GALVANISED+		
PAS141075	2.8 x 51 /3CFC	Fully Round	Ring	3300
PAS141071	2.8 x 63 /3CFC	Fully Round	Ring	3300
PAS141073	3.1 x 63 /2CFC	Fully Round	Ring	2200
PAS141072	3.1 x 75 /2CFC	Fully Round	Ring	2200
PAS141074	3.1 x 90 /2CFC	Fully Round	Ring	2200
PAS141070	3.1 x 90 /2CFC	Fully Round	Plain	2200
	HOT D	IPPED GALVANIS	ED	
PAS140631	2.8 x 63 /3CFC	Fully Round	Ring	3300
PAS140625	3.1 x 63 /2CFC	Fully Round	Ring	2200
PAS140630	3.1 x 75 /2CFC	Fully Round	Ring	2200
PAS140628	3.1 x 90 /2CFC	Fully Round	Ring	2200
PAS140629	3.1 x 90 /2CFC	Fully Round	Plain	2200

Best in class nails that offer optimum performance and the best quality finish. The bright finish is suitable for indoor applications • Suitable for indoor applications




Best in class nails that offer optimum performance and the best quality finish. The galvanised plus finish is suitable for external protected applications

• Suitable for indoor and covered outdoor applications

RETAIL PACK—WITH FUEL CELLS							
	(	GALVANISED+					
PAS141080	2.8 x 51 /1CFC	Fully Round	Ring	1100			
PAS141079	2.8 x 63 /1CFC	Fully Round	Ring	1100			
PAS141077	3.1 x 90 /1CFC	Fully Round	Plain	1100			
	A2 S	STAINLESS STEE	iL				
PAS140624	2.8 x 51 /1CFC	Fully Round	Ring	1100			
PAS140626	2.8 x 63 /1CFC	Fully Round	Ring	1100			
PAS140627	PAS140627 3.1 x 80 /1CFC Fully Round Ring 1100						
A4 STAINLESS STEEL							
PAS140632	2.8 x 63 /1CFC	Fully Round	Ring	1100			

Best in class nails that offer optimum performance and the best quality finish. The bright finish is suitable for indoor applications • Suitable for indoor applications




Best in class nails that offer optimum performance and the best quality finish. The stainless steel material is suitable for external applications

• Suitable for outdoor applications

Paslode hardened twist nails can be used for nailing connectors and hangers into solid wood. CE marked & EC5 compliant. The electro galvanised finish is suitable for external protected applications



The stronger, stiffer 16 gauge nail ensures consistent drivability and creates a smaller hole to provide excellent finishing. The electro galvanised finish is suitable for indoor applications.



M350+ NAIL & FU	<b>JEL PACKS</b>
-----------------	------------------

I

Part No.	Size (mm)	Head Type	Shank Type	Box Qty		
	TRADE PACK-	-WITH FUEL	CELLS			
BRIGHT						
PAS141202	2.8 x 51 /3CFC	Clipped	Ring	3300		
PAS141208	2.8 x 63 /3CFC	Clipped	Ring	3300		
PAS141226	3.1 x 75 /2CFC	Fully Round	Ring	2200		
PAS141233	3.1 x 90 /2CFC	Fully Round	Plain	2200		
	GAL	VANISED+				
PAS141204	2.8 x 51 /3CFC	Clipped	Ring	3300		
PAS141210	2.8 x 63 /3CFC	Clipped	Ring	3300		
PAS141221	3.1 X 63 /2CFC	Clipped	Ring	2200		
PAS141227	3.1 x 75 /2CFC	Fully Round	Ring	2200		
PAS141234	3.1 x 90 /2CFC	Fully Round	Plain	2200		
	HOT DIPP	ED GALVANIS	ED			
PAS141205	2.8 x 51 /3CFC	Clipped	Ring	3300		
PAS141211	2.8 x 63 /3CFC	Clipped	Ring	3300		
PAS141222	3.1 x 63 /2CFC	Fully Round	Ring	2200		
PAS141228	3.1 x 75 /2CFC	Fully Round	Ring	2200		
PAS141236	3.1 x 90 /2CFC	Fully Round	Uni Lock	2200		
PAS141235	3.1 x 90 /2CFC	Fully Round	Plain	2200		
	RETAIL PACK	-WITH FUEL	CELLS			
	GAL	VANISED+				
PAS141256	2.8 x 51 /1CFC	Clipped	Ring	1100		
PAS141259	2.8 x 63 /1CFC	Clipped	Ring	1100		
	HOT DIPP	ED GALVANIS	ED			
PAS141265	3.1 x 75 /1CFC	Fully Round	Ring	1100		
PAS141267	3.1 x 90 /1CFC	Fully Round	Plain	1100		
	A2 STA	INLESS STEEL	-			
PAS141257	2.8 x 51 /1CFC	Clipped	Ring	1100		
PAS141261	2.8 x 63 /1CFC	Clipped	Ring	1100		
PAS141266	3.1 X 80 /1CFC	Fully Round	Ring	1100		

#### PPN35CI TWIST SHANK NAIL & FUEL PACK

TRADE PACK—WITH FUEL CELLS					
ELECTRO GALVANISED					
PAS141185         3.4 x 35 /2CFC         Fully Round         Twist         2500					

#### IM65 STRAIGHT BRAD NAIL & FUEL PACKS

Part No.	Gauge	Length (mm)	Collation angle	Box Qty	
STRAIGHT BRADS—WITH FUEL CELLS					
		A2 STAINLESS	STEEL		
PAS921593	16	25	Straight	2000	
PAS921594	16	38	Straight	2000	
PAS921595	16	50	Straight	2000	
PAS921596	16	63	Straight	2000	

### IM65 STRAIGHT BRAD NAIL & FUEL PACKS—CONTINUED

Part No.	Gauge	Length (mm)	Collation angle	Box Qty
	STRAIGH	T BRADS—WI	TH FUEL CELLS	
	ł	ELECTRO GALV	ANISED	
PAS921585	16	16	Straight	2000
PAS921586	16	19	Straight	2000
PAS921587	16	25	Straight	2000
PAS921588	16	32	Straight	2000
PAS921589	16	38	Straight	2000
PAS921590	16	45	Straight	2200
PAS921591	16	50	Straight	2200
PAS921592	16	63	Straight	2200

#### IM65A ANGLED BRAD NAIL & FUEL PACKS

Part No.	Gauge	Length (mm)	Collation angle	Box Qty	
ANGLED BRADS—WITH FUEL CELLS					
	E	ELECTRO GALV	ANISED		
PAS300270	16	32	20°	2000	
PAS300271	16	38	20°	2000	
PAS300272	16	45	20°	2000	
PAS300273	16	51	20°	2000	
PAS300274	16	63	20°	2000	
		A2 STAINLESS	STEEL		
PAS300276	16	32	20°	2000	
PAS300277	16	38	20°	2000	
PAS300279	16	50	20°	2000	
PAS300280	16	64	20°	2000	

The stronger, stiffer 16 gauge nail ensures consistent drivability and creates a smaller hole to provide excellent finishing. The electro galvanised finish is suitable for indoor applications







Part No.	Dia.(mm)	Length (mm)	Fuel Cell	Shank Type	Box Qty		
CO	COLLATED CLIPPED HEAD—WITH FUEL CELLS						
		BRIGHT					
CBRT50G	2.8	50	3	Ring	3300		
CBRT63G	2.8	63	3	Ring	3300		
CBRT75G	3.1	75	2	Ring	2200		
CBRT90G	3.1	90	2	Plain	2200		
		FIRMAGAL	V				
CFGT50G	2.8	50	3	Ring	3300		
CFGT63G	2.8	63	3	Ring	3300		
CFGT75G	3.1	75	2	Ring	2200		
CFGT90G	3.1	90	2	Plain	2200		



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

- 34° collation angle
- Diamond point for maximum penetration

• Clipped head to increase the number of nails per strip and therefore reduce tool loading times

• Suitable for indoor applications

• Ring shank type

#### FIRMAHOLD COLLATED CLIPPED NAILS TRADE PACK—CONTINUED

FIRMAGALV+					
CPLT50G	2.8	50	3	Ring	3300
CPLT63G	2.8	63	3	Ring	3300
CPLT63RG	3.1	63	3	Ring	3300
CPLT75G	3.1	75	2	Ring	2200
CPLT90G	3.1	90	2	Plain	2200
CPLT90PG	3.1	90	2	Part Ring	2200
		HOT DIP GA	LV		
CHDT50G	2.8	50	3	Ring	3300
CHDT63G	2.8	63	3	Ring	3300
CHDT75G	3.1	75	2	Ring	2200
CHDT90G	3.1	90	2	Plain	2200

#### FIRMAHOLD COLLATED CLIPPED NAILS—RETAIL PACK

Part No.	Dia.(mm)	Length (mm)	Fuel Cell	Shank Type	Box Qty
		FIRMAGAL	V		
CFGR50G	2.8	50	1	Ring	1100
CFGR63G	2.8	63	1	Ring	1100
CFGR75G	3.1	75	1	Ring	1100
CFGR90G	3.1	90	1	Plain	1100
		A2 STAINLESS	STEEL		
CSSR50G	2.8	50	1	Ring	1100
CSSR63G	2.8	63	1	Ring	1100
CSSR80G	3.1	80	1	Ring	1100

#### FIRMAHOLD COLLATED BRAD NAILS

Part No.	Gauge	Length (mm)	Fuel Cell	Collation Angle	Box Qty
	16 G	AUGE STRAIGH	HT BRADS	;	
		GALVANISE	ED		
BG1619G	16	19	2	Straight	2000
BG1625G	16	25	2	Straight	2000
BG1632G	16	32	2	Straight	2000
BG1638G	16	38	2	Straight	2000
BG1645G	16	45	2	Straight	2000
BG1650G	16	50	2	Straight	2000
BG1664G	16	64	2	Straight	2000
		A2 STAINLESS	STEEL		
BSS1625G	16	25	2	Straight	2000
BSS1638G	16	38	2	Straight	2000
BSS1650G	16	50	2	Straight	2000
BSS1664G	16	64	2	Straight	2000



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

• 34° collation angle

• Diamond point for maximum penetration

• Clipped head to increase the number of nails per strip and therefore reduce tool loading times

• Suitable for indoor applications



Ideal for internal applications such as skirting, architrave, tongue and groove fixing with a T head for a concealed finish. • Straight collation

• T Head to give a concealed fixing

• Shank Design: Low penetration resistance into all materials

#### FIRMAHOLD COLLATED BRAD NAILS—CONTINUED

Part No.	Gauge	Length (mm)	Fuel Cell	Collation angle	Box Qty
	ANGLE	ED BRADS—W	ITH FUE	EL CELLS	
		GALVAN	ISED		
ABG1632G	16	32	2	20°	2000
ABG1638G	16	38	2	20°	2000
ABG1645G	16	45	2	20°	2000
ABG1650G	16	50	2	20°	2000
ABG1664G	16	64	2	20°	2000
		A2 STAINLES	S STEEL	-	
ABSS1638G	16	38	2	20°	2000
ABSS1650G	16	50	2	20°	2000
ABSS1664G	16	64	2	20°	2000

#### **MULTI-FIX CHEMICAL RESIN**

Part No.	Details	Fill	Box Qty
70PE310	Polyester	310ml	12
70PE410	Polyester	410ml	12
70PESF310	Polyester Styrene Free	310ml	12
70VESF410	Vinylester Styrene Free	410ml	12



Concrete follow Block

Polyester Resin-An economic resin for day to day non safety critical applications that are well ventilated at the time of installation. Not suitable in concrete that is or may become damp.

Polyester Styrene Free Resin—Low odour resin, for day to day non-safety critical fixing. For enclosed or poorly ventilated environments.

Vinylester Styrene Free Resin-Low odour resin to be used in safety critical fixing. For enclosed, poorly ventilated, damp and wet environments. This high performance resin will give consistent results in a wide range of environments and conditions, whilst offering exceptional tensile strength.

	Fart NO.	Details
	11930	30mm WHI
and the second se	11940	40mm WHI
	119500	50mm WHI
	119650	65mm WHI
	119530	30mm BLA
/	119540	40mm BLA
	119550	50mm BLA
	1195650	65mm BLA
	119730	30mm CAF
TUTTUN	119740	40mm CAF
	119750	50mm CAF
	1197650	65mm CAF
	119830	30mm DAF
and the second s	119840	40mm DAI



Part No.	Details	Box Qty
11930	30mm WHITE Pins	250
11940	40mm WHITE Pins	250
119500	50mm WHITE Nails	100
119650	65mm WHITE Nails	100
119530	30mm BLACK Pins	250
119540	40mm BLACK Pins	250
119550	50mm BLACK Nails	100
1195650	65mm BLACK Nails	100
119730	30mm CARAMEL Pins	250
119740	40mm CARAMEL Pins	250
119750	50mm CARAMEL Nails	100
1197650	65mm CARAMEL Nails	100
119830	30mm DARK BROWN Pins	250
119840	40mm DARK BROWN Pins	250
1194001	40mm DARK BROWN Nails	100
119850	50mm DARK BROWN Nails	100
1198650	65mm DARK BROWN Nails	100
1196730	30mm ANTHRACITE GREY Pins	250
1196740	40mm ANTHRACITE GREY Pins	250
1196750	50mm ANTHRACITE GREY Nails	100
1196765	65mm ANTHRACITE GREY Nails	100
119BN30CG	30mm CHARTWELL GREEN Pins	250
119BP40CG	40mm CHARTWELL GREEN Pins	250
119BN65CG	65mm CHARTWELL GREEN Nails	100

#### **SEAC A4 POLY TOP PINS & NAILS**

1196730S	30mm ANTHRACITE GREY Pins	250
1195650S	65mm BLACK Nails	100
119650S	65mm WHITE Nails	100

Plastic headed A4 stainless nails available in 30, 40, 50, and 65mm. Ring shanked pins. These pins and nails are the recommended method for fixing fascia and soffit to the roofline. The plastic head is made from engineered plastic and is U.V light and shatterproof.

POLYTOPS plastic top pins and nails are most popular for use with PVCU fascia & soffit and in wall cladding. Their outstanding quality means remedial work or rejects are much reduced, unlike other fasteners. POLYTOPS A4 stainless steel material ensures no rust stain especially in such outdoor application. Standard head colours to match major brands of PVCU boards are white, oak, golden oak, mahogany and black.

#### **POLY TOP PINS & NAILS**

#### NANO GALVANISED

Part No.	Details	Box Qty
119130	30mm WHITE Pins	250
119140	40mm WHITE Pins	250
1191500	50mm WHITE Nails	100
1191650	65mm WHITE Nails	100
119430	30mm BLACK Pins	250
119440	40mm BLACK Pins	250
1194500	50mm BLACK Nails	100
1194650	65mm BLACK Nails	100
119330	30mm TOFFEE Pins	250
119340	40mm TOFFEE Pins	250
1193500	50mm TOFFEE Nails	100
1193650	65mm TOFFEE Nails	100
119230	30mm BROWN Pins	250
119240	40mm ROWN Pins	250
1192500	50mm BROWN Nails	100
1192650	65mm ROWN Nails	100

POLYTOPS plastic top pins and nails are most popular for use with PVCU fascia & soffit and in wall cladding. Their outstanding quality means remedial work or rejects are much reduced, unlike other fasteners.







#### **CLADDING PINS**

1	1970030	CLADDING PINS 30mm A4	250
1	19700333	CLADDING PINS 30mm Nano	250

Cladding pins are manufactured to the highest quality, with A4 grade stainless steel. Ideal for fixing PVCu boards, trims, fascias & soffits.

#### **HSS JOBBER DRILL SET**

Part No.	Details	Box Qty
950HSSR19DS	19pc. 1-10mm X 0.5mm	1
950HSSR25DS	25pc. 1-13mm x 0.5mm	1
950HSSR170DS	170pc. 1-8mm x 10pc, 8.5-10mm x 5pc	1

#### **HSS JOBBER MAGAZINES**

954722	170pc. 1mm –10mm Black	1
954726	170pc. 1mm-10mm Titanium	1
954799	99pc. 1mm-10mm Titanium	1

HSS ROLL FORGED JOBBER DRILLS

For drilling carbon and alloy steel, non-ferrous metal and plastics.

#### **Features**

- Manufactured to DIN338
- High quality HSS steel.
- Roll forged
- Black oxide finish
- 135° split point eradicates the need to pre-drill/ centre punch. Prevents 'walking' and enables faster penetration.
- High performance split point tip from 3mm or 1/8" and above.



Part No.	Drill	Full Length	Box Qty
950HSSR1	1.0mm	34mm	10
950HSSR15	1.5mm	40mm	10
950HSSR2	2.0mm	49mm	10
950HSSR25	2.5mm	57mm	10
950HSSR3	3.0mm	61mm	10
950HSSR32	3.2mm	65mm	10
950HSSR33	3.3mm	65mm	10
950HSSR35	3.5mm	70mm	10
950HSSR36	3.6mm	70mm	10
950HSSR4	4.0mm	75mm	10
950HSSR42	4.2mm	75mm	10
950HSSR45	4.5mm	80mm	10
950HSSR48	4.8mm	86mm	10
950HSSR49	4.9mm	86mm	10
950HSSR5	5.0mm	86mm	10
950HSSR52	5.2mm	86mm	10
950HSSR55	5.5mm	93mm	10
950HSSR6	6.0mm	93mm	10
950HSSR65	6.5mm	101mm	10
950HSSR68	6.8mm	109mm	10
950HSSR7	7.0mm	109mm	10
950HSSR72	7.2mm	109mm	5
950HSSR75	7.5mm	109mm	5
950HSSR8	8.0mm	109mm	5
950HSSR85	8.5mm	109mm	5
950HSSR9	9.0mm	125mm	5
950HSSR95	9.5mm	125mm	5
950HSSR96	9.6mm	133mm	5
950HSSR100	10.0mm	133mm	5
950HSSR102	10.2mm	133mm	5
950HSSR105	10.5mm	133mm	5
950HSSR110	11.0mm	142mm	5
950HSSR115	11.5mm	142mm	5
950HSSR120	12.0mm	151mm	5
950HSSR125	12.5mm	151mm	5
950HSSR130	13.0mm	151mm	5



A 15 piece mixed selection of the most popular Brad Point wood drills. Sold in a robust weatherproof case.

• High grade High Speed Steel (HSS) for longer life

• Fully ground

• Up to 3x the heat resistance of standard carbon steel bits

Substrates: Hardwood, Softwood, Plywood, Chipboard, MDF



A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications. Sold in a robust weatherproof case. **Substrates:** Softwood, Plywood, Chipboard,

MDF



A 15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° degree quick start split point. Sold in a robust weatherproof case. **Substrates:** Plastic, Steel, Aluminium, Non-Ferrous Metals, Cast Iron

#### HSS BRAD POINT DRILL SET

Part No.	Drill Ø (mm)	Working Length (mm)	Total Length (mm)	Set Qty
	CONTENTS (	OF SET		
	3.0	37	60	3
	3.5	45	70	2
	4.0	45	75	2
	4.5	55	80	1
DIFOFT	5.0	60	85	1
B15SET	5.5	60	90	1
	6.0	60	90	1
	6.5	65	95	1
	7.0	67	100	1
	8.0	77	110	1
	10.0	80	120	1

#### FLAT WOOD BIT SET

Part No.	Drill Ø (mm)	Total Length (mm)	Set Qty
	CONTENTS OF SET		
	10.0	152	1
	12.0	152	1
	16.0	152	1
F7SET	19.0	152	1
	22.0	152	1
	25.0	152	1
	32.0	152	1

#### **GROUND JOBBER DRILLS SET - HSS**

Part No.	Drill Ø (mm)	Flute Length (mm)	Total Length (mm)	Set Qty
	CONTENTS	OF SET		
	1.5	18	40	2
	2.0	24	49	2
	2.5	30	57	2
	3.0	33	61	1
	3.2	36	65	1
HSS15SET	3.5	39	70	1
	4.0	43	75	1
	4.5	47	80	1
	5.0	52	86	1
	6.0	57	93	1
	8.0	75	117	1
	10.0	87	133	1

#### **DRIVER BIT & GROUND JOBBER DRILL BIT SET**

\_\_\_\_

Part No.	Size(mm)	Length (mm)	Type (mm)	Set Qty
	CONTENTS	OF SET		
	1.5	16	HSS Drill Bit	1
	2.0	22	HSS Drill Bit	1
	3.0	40	HSS Drill Bit	1
	3.5	48	HSS Drill Bit	1
	4.0	55	HSS Drill Bit	1
	4.5	55	HSS Drill Bit	1
	5.0	55	HSS Drill Bit	1
	6.0	65	HSS Drill Bit	1
	PH1	50	Phillips	1
MIX20SET	PH2	50	Phillips	1
	PH3	50	Phillips	1
	PZ1	50	Pozi	1
	PZ2	50	Pozi	1
	PZ3	50	Pozi	1
	5.0	50	Slotted	1
	6.0	50	Slotted	1
	6.0	-	Nut Driver	1
	8.0	-	Nut Driver	1
	10.0	-	Nut Driver	1
	-	-	Quick Changer	1



Part No.	Drill Ø (mm)	Working Length (mm)	Total Length (mm)	Drill Type	Set Qty		
	CONTEN	CONTENTS OF SET					
	1.5	18	40	HSS	1		
	2.0	24	49	HSS	1		
	2.5	30	57	HSS	1		
	3.0	33	61	HSS	1		
	3.2	36	65	HSS	1		
	3.5	39	70	HSS	1		
	4.0	43	75	HSS	1		
MUX470ET	4.5	47	80	HSS	1		
MIX17SET	4.8	55	85	HSS	1		
	5.0	55	86	HSS	1		
	5.5	60	93	HSS	1		
	6.0	65	93	HSS	1		
	5.0	50	85	Masonry	1		
	5.5	50	85	Masonry	1		
	6.0	60	100	Masonry	1		
	7.0	60	100	Masonry	1		
	10.0	75	120	Masonry	1		



A selection of quick release HSS ground metal drills, S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications. Sold in a robust weatherproof case.



A mixed selection of 12 HSS Ground Metal Drills with a 135° degree quick start split point and 5 carbide tipped Masonry Drills. Sold in a robust weatherproof case.



A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs. Sold in a robust weatherproof case.



A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver bits with a magnetic adaptor and an assortment of socket drivers. Sold in a robust weatherproof case.

#### **MASONRY DRILL BIT SET 15PC**

Part No.	Drill Ø	Working Length	Total Length	Set Qty
	CONTENTS	OF SET		
	4.0	45	75	1
	5.0	50	85	2
M15SET	5.5	50	85	3
WIJJEI	6.0	60	100	2
	7.0	60	100	3
	8.0	75	120	2
	10.0	75	120	2

#### **MIXED S2 DRIVER BIT SET 37PC**

Part No.	Size(mm)	Length (mm)	Type (mm)	Set Qty
	CONTENTS	OF SET		
	4.0	25	Slotted	1
	4.5	25	Slotted	1
	5.5	25	Slotted	1
	6.0	25	Slotted	1
	6.5	25	Slotted	1
	7.0	25	Slotted	1
	PH1	25	Phillips	1
	PH2	25	Phillips	1
	PH3	25	Phillips	1
	PZ1	25	Pozi	1
	PZ2	25	Pozi	1
	PZ3	25	Pozi	1
	TX10	25	TX Drive	1
	TX15	25	TX Drive	1
	TX20	25	TX Drive	1
	TX25	25	TX Drive	1
BIT37SET	TX27	25	TX Drive	1
	TX30	25	TX Drive	1
	TX40	25	TX Drive	1
	3.0	25	Hex	1
	4.0	25	Hex	1
	5.0	25	Hex	1
	5.5	25	Hex	1
	6.0	25	Hex	1
	PH1	50	Phillips	1
	PH2	50	Phillips	1
	PH3	50	Phillips	1
	PZ1	50	Pozi	1
	PZ2	50	Pozi	1
	PZ3	50	Pozi	1
	5.5	50	Slotted	1
	7.0	50	Slotted	1
	5, 6, 8,10	-	Nut Driver	1 each

For particularly tough or hard metal drilling applications.

- Manufactured to DIN338
- M35 alloyed HSS steel with 5% cobalt content.
- Fully ground from solid material.
- High heat resistance for particularly tough metal drilling.
- 135° split point eradicates the need to predrill/ centre punch. Prevents 'walking' and enables faster penetration.
- High performance split point tip on drills with a 3mm diameter and above.

Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials. The 135° split point prevents the bit from drifting and enables faster penetration.



HSS COBALT JOBBER DRILLS

<b>D</b> (1)			<b>D</b>		
Part No.	Drill	Full Length	Box Qty		
957HSSCO1	1.0mm	34mm	10		
957HSSCO15	1.5mm	40mm	10		
957HSSCO2	2.0mm	49mm	10		
957HSSCO25	2.5mm	57mm	10		
957HSSCO3	3.0mm	61mm	10		
957HSSCO32	3.2mm	65mm	10		
957HSSCO33	3.3mm	65mm	10		
957HSSCO35	3.5mm	70mm	10		
957HSSCO4	4.0mm	75mm	10		
957HSSCO42	4.2mm	75mm	10		
957HSSCO45	4.5mm	80mm	10		
957HSSCO48	4.8mm	86mm	10		
957HSSCO5	5.0mm	86mm	10		
957HSSCO55	5.5mm	93mm	10		
957HSSCO6	6.0mm	93mm	10		
957HSSCO65	6.5mm	101mm	10		
957HSSCO68	6.8mm	109mm	10		
957HSSCO7	7.0mm	109mm	10		
957HSSCO75	7.5mm	109mm	5		
957HSSCO8	8.0mm	117mm	5		
957HSSCO85	8.5mm	117mm	5		
957HSSCO9	9.0mm	125mm	5		
957HSSCO95	9.5mm	125mm	5		
957HSSCO10	10.0mm	133mm	5		
957HSSCO102	10.2mm	133mm	5		
957HSSCO105	10.5mm	133mm	5		
957HSSCO110	11.0mm	142mm	5		
957HSSCO115	11.5mm	142mm	5		
957HSSCO120	12.0mm	151mm	5		
957HSSCO125	12.5mm	151mm	5		
957HSSCO130	13.0mm	151mm	5		
957HSSCO19DS Ground Jobber Drills Set 1-10mm 19pcs					
957HSSCO25DS	957HSSCO25DS Ground Jobber Drills Set 1-13mm 25pcs				

#### **TITANIUM JOBBER DRILLS LONG SERIES**

955TIN32	3.2mm	106mm	10
955TIN35	3.5mm	106mm	10
955TIN40	4.0mm	119mm	10
955TIN42	4.2mm	119mm	10
955TIN45	4.5mm	126mm	10
955TIN50	5.0mm	132mm	10
955TIN60	6.0mm	139mm	10
955TIN65	6.5mm	148mm	10
955TIN70	7.0mm	156mm	10
955TIN70	7.5mm	156mm	10
955TIN85	8.5mm	165mm	10

HSS fully ground drill bit, split point - 135 degrees. Titanium coated for longer life. For drilling steel, plastic, wood and similar materials. HSS M2 Fully ground jobber drills have a 1350 split point tip from 3mm or 1/8" and above it eradicates the need to pre-drill/centre punch. Prevents "walking" and enables faster penetration.

It is a premium quality drill for use with alloy steel, cast iron, non-ferrous metals and plastics.

It is made from fully ground solid material of high grade M2 alloyed HSS steel and manufactured to DIN338.

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials. The 135° split point prevents the bit from drifting and enables faster penetration.



Part No.	Drill	Full Length	Box Qty
953HSSG25	2.5mm	57mm	10
953HSSG3	3.0mm	61mm	10
953HSSG32	3.2mm	65mm	10
953HSSG35	3.5mm	70mm	10
953HSSG4	4.0mm	75mm	10
953HSSG45	4.5mm	80mm	10
953HSSG48	4.8mm	86mm	10
953HSSG5	5.0mm	86mm	10
953HSSG55	5.5mm	93mm	10
953HSSG6	6.0mm	93mm	10
953HSSG65	6.5mm	101mm	5
953HSSG7	7.0mm	109mm	5
953HSSG8	8.0mm	117mm	5
953HSSG85	8.5mm	117mm	5
953HSSG9	9.0mm	125mm	5
953HSSG10	10.0mm	133mm	5
953HSSG102	10.2mm	133mm	5
953HSSG105	10.5mm	133mm	5
953HSSG11	11.0mm	142mm	5
953HSSG115	11.5mm	142mm	5
953HSSG12	12.0mm	151mm	5
953HSSG125	12.5mm	151mm	5
953HSSG130	13.0mm	151mm	5
953HSSG19DS	HSS Ground [	Drill Set 1-10m	m 19pcs
953HSSG25DS	HSS Ground [	Drill Set 1-13m	m 25pcs

#### HSS M2 GROUND LONG SERIES JOBBER DRILLS

For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

- Manufactured to DIN340
- High quality M2 grade HSS steel
- Fully ground from solid material
- Dimensionally precise
- Bright finish
- 135° split point eradicates the need to pre-drill/centre punch. Prevents 'walking' and enables faster penetration.

High performance split point tip is only on drills with a 3mm diameter and above.

V12				
	952HSSGL2	2.0mm	85mm	10
	952HSSGL25	2.5mm	95mm	10
	952HSSGL3	3.0mm	100mm	10
	952HSSGL32	3.2mm	106mm	10
	952HSSGL35	3.5mm	112mm	10
	952HSSGL4	4.0mm	119mm	10
	952HSSGL42	4.2mm	119mm	10
	952HSSGL45	4.5mm	126mm	10
	952HSSGL48	4.8mm	132mm	10
	952HSSGL5	5.0mm	132mm	10
	952HSSGL55	5.5mm	139mm	10
	952HSSGL6	6.0mm	139mm	10
	952HSSGL65	6.5mm	148mm	5
	952HSSGL7	7.0mm	156mm	5
	952HSSGL8	8.0mm	165mm	5
	952HSSGL85	8.5mm	165mm	5
	952HSSGL9	9.0mm	175mm	5
	952HSSGL100	10.0mm	184mm	5


#### HSS M2 GROUND JOBBER DRILLS

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials.

• Fully ground from solid material

• High grade M2 alloyed High Speed Steel (HSS)

- Manufactured to DIN 1897
- Dimensionally precise



- Fully heat treated to eliminate bending.
- Twin flute design.
- Shot blast finish for rust protection.



Part No.	Details	Box Qty
952HSSGS32	3.2mm x 49mm	10
952HSSGS33	3.3mm x 49mm	10
952HSSGS4	4.0mm x 55mm	10
952HSSGS41	4.1mm x 55mm	10
952HSSGS42	4.2mm x 55mm	10
952HSSGS49	4.9mm x 62mm	10
952HSSGS5	5.0mm x 62mm	10

#### SDS HAMMER BITS (MASONRY)

Part No.	Details	Box Qty
972SDS4160	4.0mm x 160mm	1
972SDS5110	5.0mm x 110mm	1
972SDS5160	5.0mm X 160mm	1
972SDS5210	5.0mm x 210mm	1
972SDS55110	5.5mm x 110mm	1
972SDS55160	5.5mm x 160mm	1
972SDS55210	5.5mm x 210mm	1
972SDS6110	6.0mm x 110mm	1
972SDS6160	6.0mm x 160mm	1
972SDS6210	6.0mm x 210mm	1
972SDS6260	6.0mm x 260mm	1
972SDS65110	6.5mm x 110mm	1
972SDS65160	6.5mm x 160mm	1
972SDS65210	6.5mm x 210mm	1
972SDS65260	6.5mm x 260mm	1
972SDS7110	7.0mm x 110mm	1
972SDS7160	7.0mm x 160mm	1
972SDS7210	7.0mm x 210mm	1
972SDS8110	8.0mm x 110mm	1
972SDS8160	8.0mm x 160mm	1
972SDS8210	8.0mm x 210mm	1
972SDS8260	8.0mm x 260mm	1
972SDS8310	8.0mm x 310mm	1
972SDS8450	8.0mm x 450mm	1
972SDS10160	10.0mm x 160mm	1
972SDS10210	10.0mm x 210mm	1
972SDS10260	10.0mm x 260mm	1
972SDS10310	10.0mm x 310mm	1
972SDS10450	10.0mm x 450mm	1
972SDS10600	10.0mm x 600mm	1



A high performance drill bit with a superior European carbide tip to give extended durability. German tested and PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry. USER CAUTION: Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside.

- Special nickel chromoly shank
- High quality European BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability

#### **PROFESSIONAL SDS PLUS HAMMER BIT**

Part No	Details	Box Qty
970AP4110	4.0 mm x 110mm	1
970AP4160	4.0mm x 160mm	1
970AP5110	5.0mm x 110mm	1
970AP5160	5.0mm x 160mm	1
970AP5210	5.0mm x 210mm	1
970AP55110	5.5mm x 110mm	1
970AP55160	5.5mm x 160mm	1
970AP55210	5.5mm x 210mm	1
970AP6110	6.0mm x 110mm	1
970AP6160	6.0mm x 160mm	1
970AP6210	6.0mm x 210mm	1
970AP6260	6.0mm x 260mm	1
970AP6350	6.0mm x 350mm	1
970AP65110	6.5mm X 110mm	1
970AP65160	6.5mm x 160mm	1
970AP65210	6.5mm x 210mm	1
970AP65260	6.5mm x 260mm	1
970AP7110	7.0mm x 110mm	1
970AP7160	7.0mm x 160mm	1
970AP7210	7.0mm x 210mm	1
970AP7260	7.0mm x 260mm	1
970AP8110	8.0mm x 110mm	1
970AP8160	8.0mm x 160mm	1
970AP8210	8.0mm x 210mm	1
970AP8260	8.0mm x 260mm	1
970AP8310	8.0mm x 310mm	1
970AP8350	8.0mm x 350mm	1
970AP8450	8.0mm x 450mm	1
970AP9210	9.0mm x 210mm	1
970AP10160	10.0mm x 160mm	1
970AP10210	10.0mm x 210mm	1
970AP10260	10.0mm x 260mm	1
970AP10310	10.0mm x 310mm	1
970AP10450	10.0mm x 450mm	1
970AP10600	10.0mm x 600mm	1
970AP101000	10.0mm x 1000mm	1
970AP12160	12.0mm x 160mm	1
970AP12210	12.0mm x 210mm	1
970AP12260	12.0mm x 260mm	1
970AP12310	12.0mm x 310mm	1

The Booster Plus has three cutting edges. The 120° cutter angle guarantees perfect concentric holes, giving greater pull-out values for your anchor. Three cutting edges means no "snagging" of the bit on the rebar. The Booster Plus can then drill straight through the reinforcing.

- 3 Cutting edges.
- Square section flute.
- Suitable for use in reinforced concrete.
- PGM approved and marked.

A premium quality masonry bit for use with impact or percussion drills fitted with a standard three jaw chuck.

<u>Features</u>

- Ground flute.
- Industrial grade tungsten carbide tip.
- Silver/black finish.
- Heat treated.



#### SDS BOOSTER PLUS DRILL

972B6210	6.0mm x 210mm	1
972B6260	6.0mm x 260mm	1
972B65160	6.5mm x 160mm	1
972B65210	6.5mm x 210mm	1
972B65260	6.5mm x 260mm	1

#### **PROFESSIONAL MASONRY BIT**

Part No	Details	Box Qty
970APM475	4.0mm x 75mm	1
970APM4150	4.0mm x 150mm	1
970APM585	5.0mm x 85mm	1
970APM5150	5.0mm x 150mm	1
970APM5585	5.5mm x 85mm	1
970APM55150	5.5mm x 150mm	1
970APM6100	6.0mm x 100mm	1
970APM6150	6.0mm x 150mm	1
970APM6200	6.0mm x 200mm	1
970APM6300	6.0mm x 300mm	1
970APM65100	6.5mm x 100mm	1
970APM65150	6.5mm x 150mm	1
970APM65200	6.5mm x 200mm	1
970APM65300	6.5mm x 300mm	1
970APM7100	7.0mm x 100mm	1
970APM7150	7.0mm x 150mm	1
970APM7300	7.0mm x 300mm	
970APM8120	8.0mm x 120mm	1
970APM8150	8.0mm x 150mm	1
970APM8200	8.0mm x 200mm	1
970APM8300	8.0mm x 300mm	1
970APM8400	8.0mm x 400mm	1
970APM10200	10.0mm x 200mm	1
970APM10300	10.0mm x 300mm	1
970APM10400	10.0mm x 400mm	1
970APM12150	12.0mm x 150mm	1
970APM12200	12.0mm x 200mm	1
970APM12300	12.0mm x 300mm	1
970APM12400	12.0mm x 400mm	1
970APM14150	14.0mm X 150mm	1
970APM14200	14.0mm x 200mm	1
970APM14400	14.0mm x 400mm	1



Part No	Details	Box Qty
90060	1/4" Drive 60mm Premium	1
9006011	1/4" Drive 60mm	1
9006150MAX6	1/4" Drive 150mm Premium	1
9006150	1/4" Drive 150mm	1

#### **SLOTTED DRIVER BITS**

9005508SL25GB	5.5 x 0.8 25mm GREY	10
9006010SL25GB	6.0 x 1.0 25mm GREY	10
9007012SL25GB	7.0 x 1.2 25mm GREY	10
9001016SL25GB	10.0 x 1.6 25mm GREY	10

### CROSS-RECESS (POZI) DRIVER BITS

Choos			
9001CB25GJ	PZ1 25mm GR	EY	10

9001CBZ3GJ	PZT Zomm GRET	10
9002CB25GJ	PZ2 25mm GREY	10
9002CB50GJ	PZ2 50mm GREY	10
9002CB100GB	PZ2 100mm GREY	10
9002CB150GB	PZ2 150mm GREY	10
9003CB25GJ	PZ3 25mm GREY	10
9002CB300GB	PZ3 300mm GREY	10

9002CB25TJ	PZ2 25mm TITANIUM	10
9002CB50	PZ2 50mm TITANIUM	10

#### **V5 IMPACT BITS**

9002CB25V5	V5 Impact Pozi Bits 25mm	10	
------------	--------------------------	----	--

#### PHILLIPS DRIVER BITS

9002PH25GJ	PH2 25mm GREY	10
9002PH50GJ	PH2 50mm GREY	10
9002PH100GB	PH2 100mm GREY	10
9002PH150GB	PH2 150mm GREY	10
9002PH300GB	PH2 300mm GREY	10
9003PH25GP	PH3 25mm GREY	10
9003PH50GP	PH3 50mm GREY	10



9002PH25TJ	PH2 25mm TITANIUM	10
9002PH50	PH2 50mm TITANIUM	10

S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.



#### S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.

**Titanium Coated S2 Steel** Reduced cam out preventing damage to work piece





002CB25TJ	PZ2 25mm TITANIUM
002CB50	PZ2 50mm TITANIUM



9002CB50	PZ2 50mm TITAN

#### V5 Impact Bits

V5 steel or superior performance. New torsion zone withstands extreme impact. New drive fins for maximum grip. Reduced "cam-out".

#### S2 Hardened steel

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vanadium bits.

Titanium Coated S2 Steel Reduced cam out preventing damage to work piece

#### **S2 SQUARE DRIVER BITS**

#### S2 grade hardened steel

S2 Hardened steel

dium bits.

S2 Steel is premium quality alloy steel for exceptional strength and durability compared with standard chrome vanadium driver bits. .

With a rust resistant grey phosphate coating to offer 680hv edge hardness and fast superior performance when compared to standard chrome vana-





#### Part No Details Box Qty 9002SQ25 S2 Square No.2 x 25 10 9002SQ50 S2 Square No.2 x 50 5 9002SQ25GB S2 Square No.2 x 25 2

#### **TORX DRIVER BITS**

90010TX25GP	Т	ORX 10 25mm GREY	10
90015TX25GP	т	ORX 15 25mm GREY	10
90020TX25GP	Т	ORX 20 25mm GREY	10
90025TX25GP	Т	ORX 25 25mm GREY	10
90030TX25GJ	Т	ORX 30 25mm GREY	10
90040TX25GP	Т	ORX 40 25mm GREY	10
90030TX50	Т	ORX 30 50mm GREY	5
90010TX25GB		TORX 10 25mm GREY– Mini Bit Pack	2
90030TX25GJ1 0	0	TORX 30 x 25mm GREY – Small Jar	100
90030TX50GJ		TORX 30 x 50mm GREY – Small Jar	50
90030TX25TUB		TORX 30 x 25mm GREY – Dispensing Jar	500
90030TX50TUB		TORX 30 x 50mm GREY – Dispensing Jar	250




#### **S2 HEX DRIVER BIT**

#### S2 Hardened steel

S2 Steel is premium quality alloy steel for exceptional strength and durability compared with standard chrome vanadium driver bits.





#### **MIXED V5 IMPACT DRIVER BIT SET**



900

Mixed selection of 50mm impact resistant driver bits, specifically designed for use with an impact driver

	PZ2 50mm—Pozi	
	PH2 50mm—Phillips	0
V5MIXSET	T25 50mm—TX Drive	6
	T30 50mm—TX Drive	

#### **31 PIECE S2 DRIVER BIT SET**

Part No

Details



Comprehensive 31 piece assorted case containing the most commonly used 25mm driver bits and a quick release adaptor. Convenient protective case with rubber corners and a handy belt clip.



netic bit holder.

	DBSETG31	31 Piece S2 Driver	Bit Set	31	
Con	tents of Set				
PH1	x 25mm– Phil	lips (Qty 1)	3.5 x 25mm	—Slotted (Qt	y 1)
PH2	x 25mm—Phil	lips Qty 3)	4.5 x 25mm-	– Slotted (Qt	ty 1)
PH3	x 25mm - Phi	llips Qty 2)	5.0 x 25mm	—Slotted (Qt	y 1)
PZ1	x 25mm—Pozi	Qty 1)	5.5 x 25mm	- Slotted (Qt	y 1)
PZ2	x 25mm– Pozi	(Qty 5)	8.0 x 25mm	—Slotted (Qt	y 1)
PZ3	x 25mm—Pozi	(Qty 2)	2.0 x 25mm	- Square (Qt	y 1)
TX1	0 x 25mm—TX	Drive (Qty 1)	H4.0 x 25mi	m—Hex (Qty	1)
TX1	5 x 25mm—TX	Drive(Qty 1)	H5.0 x 25mi	m—Hex (Qty	1)
TX2	0 x 25mm—TX	Drive (Qty 1)	H6.0 x 25mi	m—Hex (Qty	1)
TX2	5 x 25mm—TX	Drive (Qty 1)	H7.0 x 25mi	m—Hex (Qty	1)
TX3	0 x 25mm—TX	Drive (Qty 1)	Quick Relea	se Adaptor (	Qty 1)
TX4	0 x 25mm—TX	Drive (Qty 1)			

Set Qty

#### **11 PIECE S2 DRIVER BIT SET**

	228030 11 Piece S2	2 Driver Bit Set 11
	Cont	ents of Set
ADDAX	PH2 x 25mm—Phillips (Qty 2)	TX15 x 25mm—TX Drive (Qty 1)
	PZ1 x 25mm—Pozi (Qty 1)	TX20 x 25mm—TX Drive (Qty 1)
	PZ2 x 25mm—Pozi (Qty 2)	TX25 x 25mm—TX Drive (Qty 1)
Convenient pocket sized mixed	PZ3 x 25mm—Pozi (Qty1)	TX30 x 25mm—TX Drive (Qty 1)
set of 10 commonly used S2 25mm bits with 1 x 60mm mag-	1/4" x 60mm Ma	gnetic Bit Holder (Qty 1)

#### 49 PIECE X6 IMPACT BIT SET



DCCCCC

Comprehensive 49 piece impact resistant bit and nut driver set. Includes a range of 25mm and 50mm bits with 3 x nut drivers and 1x impact magnetic bit holder. Designed to handle the most demanding impact driving applications with unbeatable break resistance. Comes in a tough case with easy release bit holders.

		Part No	Details		Set Qty
		228258	49 Piece X6 In	npact Bit Set	49
	Cont	ents of Set			
	PH1	x 25mm—Phill	ips (Qty 2)	PZ1 x 25mm—Po	ozi (Qty 2)
	PH2	x 25mm—Phill	ips (Qty 8)	PZ2 x 25mm—Po	ozi (Qty 9)
	PH3 x 25mm—Phillips (Qty 2)		ips (Qty 2)	PZ3 x 25mm—Pozi (Qty 3)	
	PH2 x 50mm - Phillips (Qty 2)		PZ1 x 50mm—Pozi (Qty 1)		
	PH3 x 50mm—Phillips (Qty 1)		ips (Qty 1)	PZ2 x 50mm—Pozi (Qty 3)	
	TX20	x 25mm—TX I	Drive(Qty 1)	PZ3 x 50mm—Pc	ozi (Qty 1)
		x 25mm—TX   x 25mm—TX	, ,	TX30 x 25mm— TX30 x 50mm—	· · · / /
1/4 " x 60mm Magnetic Bit Holder (Qty 1) 8 x 65mm Magnetic Socket Driver (Qty 1) 10 x 65mm Magnetic Socket Driver (Qty 1)					

13 x 65mm Magnetic Socket Driver (Qty 1)

#### **11 PIECE X6 IMPACT BIT SET**

	228447	11 Piece X6 Impact Bit Set		11	
	Contents of Set				
PH2	x 25mm—Philli	ps (Qty 2)	TX15 x 25mm—T	X Drive (Qty 1)	
PZ1>	25mm—Pozi	(Qty 1)	TX20 x 25mm—T	X Drive (Qty 1)	
PZ2 >	25mm—Pozi	(Qty 2)	TX25 x 25mm—T	X Drive (Qty 1)	
PZ3 >	x 25mm—Pozi (	(Qty 1)	TX30 x 25mm—T	X Drive (Qty 1)	
	1/4 " x 60mm Magnetic Bit Holder (Qty 1)				

**RODRXE** Convenie

Convenient pocket sized mixed set of 10 commonly used 25mm impact resistant bits with 1x 60mm impact magnetic bit holder.

# 28 PIECE X6 IMPACT BIT SET

28SETX6



Comprehensive mixed set of 27 commonly used 25mm impact resistant bits with 1x 60mm magnetic bit holder. Packed in a shock resistant case which will withstand the toughest of working environments.

Contents of Set					
PH0 x 2	25mm—Phillip	os (Qty 1)	PZO x 25mm—Po	zi (Qty 1)	
PH1 x 2	25mm—Phillip	os (Qty 2)	PZ1 x 25mm—Po	zi (Qty 2)	
PH2 x 2	25mm—Phillip	os (Qty 4)	PZ2 x 25mm—Po	zi (Qty 3)	
PH3 x 2	25mm—Phillip	os (Qty 2)	PZ3 x 25mm—Po	zi (Qty 2)	
TX10 x 2	25mm—TX D	rive (Qty 1)	TX15 x 25mm—T	X Drive (Qty 2	1)
TX20 x 2	25mm—TX D	rive (Qty 2)	TX25 x 25mm—T	X Drive (Qty 2	2)
TX27 x 2	25mm—TX D	rive (Qty 1)	TX30 x 25mm—T	X Drive (Qty 2	2)
TX40 x 2	25mm—TX D	rive (Qty 1)	1⁄4 " x 60mm He	ex Driver Ada	ptor

28 Piece X6 Impact Bit Set

28

#### SABRE SAW BLADES WOODS AND PLASTICS

	- A		Part No	Length	Bosch	Pack									
			920A3020/150BI	150mm (5/8TPI)	S610VF	5	$\checkmark$								
		920A3021/150A	150mm (6 TPI)	S644D	5	$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$	
		920908 *	225mm (6TPI)	R910DF	5	$\checkmark$									
		920A3029/240	Pruning Wood 240mm (4/5TPI)	S1531L	5			~							
	A number of the second	ХНО	920A3021/300BI	300mm (6TPI)	S1411DF	5	~	$\checkmark$		$\checkmark$	✓				
		B	920A3020/228BI	228mm (5/8TPI)	S1110VF	5	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$				
4	d L	٩	920644D	150mm	-	1									$\checkmark$

\*920908 will also cut through metal nails

Inless Steel

Hard Mhood Sort Wood Green Wood Plywood Chibboard MDF Board Board Brymall Plantic

### METALS, PLASTICS AND CERAMICS SABRE SAW BLADES

	them .		8.	
FILLIFIX MANDE	HODHX	Manhardon a same	RWIN WINA POR	HIE MICE

Part No	Length	Bosch Equiv.	Pack Qty				
920A3013/150	150mm (14TPI)	S922BF	5	$\checkmark$		$\checkmark$	$\checkmark$
920A3014/150	150mm (18TPI)	S922EF	5	$\checkmark$		$\checkmark$	
920A3015/150	150mm (24TPI)	S922AF	5	$\checkmark$	$\checkmark$		
920A3014/200	200mm (18TPI)	S1122EF	5	$\checkmark$		$\checkmark$	
920A3013/200	200mm (18TPI)	S1122BF	5	$\checkmark$		$\checkmark$	$\checkmark$
920A3015/200	200mm (24TPI)	S1122AF	5	$\checkmark$	$\checkmark$		
920A3018/280	280mm (10TPI)	-	5		$\checkmark$		
920610R	150mm (10TPI)	-	5			$\checkmark$	$\checkmark$
920622BF	150mm (14TPI)	-	1		$\checkmark$		$\checkmark$
920R825BF	200mm (14TPI)	-	1		$\checkmark$		$\checkmark$
IRW10507365	200mm (Carbide Grit)	-	2				$\checkmark$

### **BLOCK/BRICK CUTTING BI-METAL BLADES**

Part No	Length	Bosch Equiv.	Pack Qty	Material
920AB305-215	215mm (2TPI)	1243HM	1	Aircrete Block, Brick

#### **BAHCO HACK SAW BLADES**

920300180	Bi-Metal 18 TPI	10
920300240	Bi-Metal 24 TPI	10
920300320	Bi-Metal 32 TPI	10

### WOOD/BOARD CUTTING—HIGH CARBON STEEL BLADES



Part no	Length	Bosch Equiv.	Box Qty	Material
920AHG13	100mm (8TPI)	T111C	5	Softwood/Plastic
920AHW12	75mm (12TPI)	T119B	5	Softwood/Insulation Mat.
920AHW12K	75mm (12TPI)	T119BO	5	Softwood/Insulation Mat
920AHGS14	100mm (6TPI)	T144D	5	All Wood Types
920AHGS24	100mm (6TPI)	7244D	5	All Wood Types
920105	75mm (6TPI)	T101D	5	All Wood/Plastic
920101	75mm (10TPI)	T101B	5	All Wood/Plastic
920AHC14D	100mm (6TPI)	T101DP	5	All Wood/Plastic
920AHC12K	75mm (18TPI)	T101AO	5	Softwood/Laminate
920AHC12R	100mm (10TPI)	T101BR	5	Wood/Laminate/Plastic
920AHC32R	132mm (10TPI)	T101BRLong	5	Wood/Laminate/Plastic
920APC110	132mm (6TPI)	T341HM	5	Glass Fibre Reinforced Plastic/ Plasterboard

#### **BI-METAL JIGSAW BLADES**

Part no	Length	Bosch Equiv.	Pack Qty	Material
920AHGS14BI	100mm (6TPI)	T144DF	5	All Wood
920AHC12BI	100mm (10TPI)	T101BF	5	All Wood/Plastic
920AHC12RBI	100mm (10TPI)	T101BRF	5	Laminate
920AMG11BI	76mm (21TPI)	T118AF	5	Steel/Stainless Steel
920AMG12BI	76mm (12TPI)	T118BF	5	Steel/Stainless Steel/ Alu./Non-Ferrous

#### METAL CUTTING—HIGH SPEED STEEL BLADES

Part no	Length	Bosch Equiv.	Pack Qty	Material
920103	75mm (8TPI)	T127D	5	Non-Ferrous/Alu./ Steel/Plastic
920AMG107	75mm (32TPI)	T118G	5	Very Thin Sheet Met- al
920118	75mm (21TPI)	T118A	5	Thin Sheets of Steel & Stainless Steel
920AMG21	75mm (21TPI)	T218A	5	Thin Sheet/Steel
920AMG12	75mm (12TPI)	7118B	5	Steel/Stainless Steel/ Alu./Non-Ferrous
920AMG32	132mm (12TPI)	T318B	5	Steel/Non-Ferrous/ Pipes
920AMG31	130mm (21TPI)	T318A	5	Pipes/Profiles



XHOOH

хноон

хнаан

## **CIRCULAR SAW BLADES**



COARSE/MEDIUM



MEDIUM



MEDIUM/FINE



EXTRA FINE

TCT Circular Saw Blade have copper inserts fitted to the aluminium blades to help dissipate heat and reduce the risk of blade deflection. High quality European tips maximize blade life, and an Anodised finish protects the blade against corrosion and guarantees maximum performance. Longer life Silver brazed tips ensure a secure adhesion to the body and fully hardened steel body with expansion slots to resist blade deflection.

Part No	Cut Type	Disc Ø	Bore	No of Teeth	Pack Qty
920C1402016	Coarse/Medium	140mm	20mm	16	1
920C1502012	Coarse/Medium	150mm	20mm	12	1
920C1603016	Coarse/Medium	160mm	30mm	16	1
920C1841624	Coarse/Medium	184mm	16mm	24	1
920C1843024	Coarse/Medium	184mm	30mm	24	1
920C1903024	Coarse/Medium	190mm	30mm	24	1
920C1903040	Coarse/Medium	190mm	30mm	40	1
920C2103032	Coarse/Medium	210mm	30mm	32	1
920C2163024	Coarse/Medium	216mm	30mm	24	1
920C2303030	Coarse/Medium	230mm	30mm	30	1
920C2353024	Coarse/Medium	235mm	30mm	24	1
920C2353040	Coarse/Medium	235mm	30mm	40	1
920C2543030	Coarse/Medium	254mm	30mm	30	1
920C2603030	Coarse/Medium	260mm	30mm	30	1
920C3153030	Coarse/Medium	315mm	30mm	30	1
920C1603024	Medium	160mm	30mm	24	1
920C1653018	Medium	165mm	30mm	18	1
920C2303040	Medium	230mm	30mm	40	1
920C2503040	Medium	250mm	30mm	40	1
920C2543040	Medium	254mm	30mm	40	1
920C3003040	Medium	300mm	30mm	40	1
920C3153048	Medium	315mm	30mm	48	1
920C1502040	Medium/Fine	150mm	20mm	40	1
920C1841640	Medium/Fine	184mm	16mm	40	1
920C1843040	Medium/Fine	184mm	30mm	40	1
920C2163040	Medium/Fine	216mm	30mm	40	1
920C2353060	Medium/Fine	235mm	30mm	60	1
920C2503060	Medium/Fine	250mm	30mm	60	1
920C2543060	Medium/Fine	254mm	30mm	60	1
920C2603060	Medium/Fine	260mm	30mm	60	1
920C3003060	Medium/Fine	300mm	30mm	60	1
920C3003080	Medium/Fine	300mm	30mm	80	1
920C3153060	Medium/Fine	315mm	30mm	60	1
920C1843060	Extra Fine	184mm	30mm	60	1
920C2163060	Extra Fine	216mm	30mm	60	1
920C2163080	Extra Fine	216mm	30mm	80	1
920C2503080	Extra Fine	250mm	30mm	80	1

## **CIRCULAR SAW BLADES**









## **PCD FIBRE CEMENT BLADES**

920PCD160204	Coarse/Medium	160mm	20mm	4	1
920PCD165204	Coarse/Medium	165mm	20mm	4	1
920PCD190204	Coarse/Medium	190mm	20mm	4	1
920PCD216308	Coarse/Medium	216mm	30mm	8	1
920PCD250306	Coarse/Medium	250mm	30mm	6	1

#### For cutting fibre cement boards



High quality blades with polycrystalline diamond tipped teeth for faster cleaner cutting ability and a longer life when cutting fibre cement board. Also ideal for laminated boards. • Longer working life

Reduced dust when cutting fibre cement materials

Laminate	
Board	

Fibre

Cement

Part No	Cut Type	Disc Ø	Bore	No of Teeth	Pack Qty				
Hand-Held Cordless Circular Saw Blades									
920T1361024	Medium	136mm	10mm	24	1				
920T1501024	Medium	150mm	10mm	24	1				
920T1651024	Coarse/Medium	165mm	10mm	24	1				
920T1652024	Coarse/Medium	165mm	20mm	24	1				
920T1651040	Medium/Fine	165mm	10mm	40	1				
920T1903024	Coarse/Medium	190mm	30mm	24	1				

#### For cutting wood

0° Mitre Saw Blades									
920Z2163024	Coarse/Medium	216mm	30mm	24	1				
920Z2163048	Medium/Fine	216mm	30mm	48	1				
920Z2503048	Medium	250mm	30mm	48	1				
920Z2503060	Medium/Fine	250mm	30mm	60	1				

#### For cutting wood

	-5° Circular Saw Blades										
9	20A2163060	Fine	216mm	30mm	60	1					
9	20A2163080	Fine	216mm	30mm	80	1					
9	20A2503080	Fine	250mm	30mm	80	1					
9	20A3053048	Fine	305mm	30mm	48	1					
9	20A3053060	Fine	305mm	30mm	60	1					
9	20A3053080	Fine	305mm	30mm	80	1					

For cutting aluminium & plastics

## **JACK SAW**



Our online trade counter features over 25,000 products from over 200 Hand Tool, Power Tool and Hardware Brands. There are several features designed to provide you with the information you require at the touch of a button. Here are just a few of the key benefits:

- An advanced search facility to find the correct product quickly.
- In depth product information, including technical specifications and product images.
- Real time stock availability.
- A quick and easy ordering facility.







## **CUTTING & GRINDING DISCS**

Part No	Details	Disc Ø	Bore	Thickness	Pack Qty
CDFCMT115222	For Cutting	115mm	22.2mm	1.0mm	25
CDFCMT125222	For Cutting	125mm	22.2mm	1.0mm	25
CDFCMT230222	For Cutting	230mm	22.2mm	1.9mm	25
CDDGM115222	For Grinding	115mm	22.2mm	6.4mm	25

Used for cutting or grinding various types of metals. 1.0mm & 1.9mm are ideal for cutting stainless steel. Dimension, expiry date, mazimum speed, peripheral speed & safety standards all stated on the blades front.

Manufactured to European standard EN124136

## CUTTING DISCS—DIAMOND BLADE SINTERED

	.6				Part No		Details		Disc Ø	Bore	Segment Height	Pack Qty
C-				CDGPE115	222	For Cuttin	g	115mm	22.2mm	7mm	1	
~			1	CDGPE230	222	For Cuttin	g	230mm	22.2mm	7mm	1	
				CDGPE300	20	For Cuttin	ıg	300mm	20mm	7mm	1	
BRICK	CLAY ROOF	HĂRD SLATE	CONCRETE (15-30)	KER85/SL	ABS MEDIUM FACE BRICK	LIMESTO	NE CONCRET PAVIORS	2	building m		or cutting medium den as common bricks, atels.	-

Approved to European standard EN13236

## CUTTING DISCS—DIAMOND BLADE LASER



SOFT SLATE CONCRETE TILES

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
CDGPL115222	For Cutting	115mm	22.2mm	10mm	1
CDGPL125222	For cutting	125mm	22.2mm	10mm	1
CDGPL230222	For Cutting	230mm	22.2mm	10mm	1
CDGPL30020	For Cutting	300mm	20mm	10mm	1



HARD SANDSTONE

SOFT FACE BRICK

SOFT FACE SOFT SLATE CONCRETE BRICK TILES

HARD SANDSTONE SANDSTONE

A Cost effective laser welded blade with longer life than the sintered blades. For use in medium density building materials such as concrete, common bricks, paving slabs, kerbs, lintels, clay roof tiles and naterual stone.

- Deep 10amm diamond segment for longer life .
- Approved to European standard EN13236 and • oSa requirements.



Mortar

## **MORTAR RAKING BLADE**

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
		Silver Br	azed		
CDMRP115	For Raking	115mm	22.2mm	10mm	1
CDMRP125	For Raking	125mm	22.2mm	10mm	1

A top quality product for raking mortar from between bricks prior to re-pointing.

10mm silver brazed segments for a long service life

Approved to European standard EN 13236 and oSa requirements

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
		Cold Si	ntered		
CDMRE115	For Raking	115mm	22.2mm	7mm	1
CDMRE125	For Raking	125mm	22.2mm	7mm	1

An economic product for raking mortar from between bricks prior to re-pointing. Approved to European standard EN 13236 and oSa requirements

## **PORCELAIN & CERAMIC DISCS**

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
	Ceramic Continuous Rim - Sintered				
CDTE10016	For Cutting	100mm	16mm	5mm	1
CDTE115222	For Cutting	115mm	22.2mm	5mm	1
CDTE180222	For Cutting	180mm	22.2mm	5mm	1

Bore

22.2mm

Porcelain & Ceramic - Thin Turbo

Segment Height

10mm

A cost effective blade for cutting porcelain, ceramics and marble. Continuous rim for minimal chipping of the material. Can be used wet or dry. Approved to European standard EN 13236

Disc Ø

115mm



Porcelain

Stone

Marbl



## **BONDED ABRASIVE DISC**

Details

For Cutting

Part No	Details	Disc Ø	Bore	Thickness	Pack Qty
CDFCM115222	For Cutting	115mm	22.2mm	2.5mm	50
CDFCM230222	For cutting	230mm	22.2mm	3.2mm	25
CDFCM30020	For Cutting	300mm	20mm	3.2mm	25

Used for cutting various types of metals.

```
• High stability
```

• Long life

Part No

CDTP115222

• High cutting speed



Pack Qty



Concrete

SOFT



Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
CDCGDE115	For Grinding	115mm	22.2mm	10mm	1

A double row silver brazed wheel, for smoothing and removing shutter marks from medium density concrete.

Approved to European standard EN 13236

## CHIMAERA MULTI-MATERIAL BLADE

Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
CDMM115222	For Cutting	115mm	22.2mm	10mm	1
CDMM125222	For Cutting	125mm	22.2mm	10mm	1
CDMM230222	For Cutting	230mm	22.2mm	10mm	1
CDMM30020	For Cutting	300mm	20mm	10mm	1
CDMM300222	For Cutting	300mm	22.2mm	10mm	1
CDMM35020	For Cutting	350mm	20mm	10mm	1
CDMM350254	For Cutting	350mm	25.4mm	10mm	1



A high quality multi-material blade designed for cutting construction materials. Continuous rim turbo segmented blade for smooth cutting of construction material and reinforced concrete. Reinforced centre to prevent warping Approved to European standard EN 13236 and oSa requirements

segments for longer life and faster

cutting

## PREMIUM LASER WELDED BLADE

	Part No	Details	Disc Ø	Bore	Segment Height	Pack Qty
	CDGPPL115222	For Cutting	115mm	22.2mm	12mm	1
	CDGPPL125222	For Cutting	125mm	22.2mm	12mm	1
	CDGPPL230222	For Cutting	230mm	22.2mm	12mm	1
	CDGPPL30020	For Cutting	300mm	20mm	12mm	1
	CDGPPL300222	For Cutting	300mm	22.2mm	12mm	1
	CDGPPL35020	For Cutting	350mm	20mm	12mm	1
The same water	CDGPPL350254	For Cutting	350mm	25.4mm	12mm	1
	CDGPPL450254	For Cutting	450mm	25.4mm	12mm	1
NFORCED HARD CON CONCRETE SLABS CONCRETE PAVIORS		FT FACE BRICK PAVIORS S	HARD	bo segme ing mater mon brick	m quality laser weld nted blade. For use ials such as concrete s, paving slabs, kerb	in build- e, com- os, lin-
	AND- CONCRETE HAP TONE TILES SLA				roof tiles and natura p 12mm turbo diam	







SHEET

A CONTRACTOR

A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

• High quality M3 grade HSS steel cutting edge

• Diameter stamped onto body for ease of size recognition

• Cutting Depth : Wood – 38mm, Thin sheet Metal – 3mm

Part No	Saw Ø	Arbor to Suit	Pack Qty
958HS14	14mm	AA4, AA1, SDSA1	1
958HS16	16mm	AA4, AA1, SDSA1	1
958HS17	17mm	AA4, AA1, SDSA1	1
958HS19	19mm	AA4, AA1, SDSA1	1
958HS20	20mm	AA4, AA1, SDSA1	1
958HS21	21mm	AA4, AA1, SDSA1	1
958HS22	22mm	AA4, AA1, SDSA1	1
958HS24	24mm	AA4, AA1, SDSA1	1
958HS25	25mm	AA4, AA1, SDSA1	1
958HS27	27mm	AA4, AA1, SDSA1	1
958HS29	29mm	AA4, AA1, SDSA1	1
958HS30	30mm	AA4, AA1, SDSA1	1
958HS32	32mm	AA2, SDSA2	1
958HS35	35mm	AA2, SDSA2	1
958HS37	37mm	AA2, SDSA2	1
958HS38	38mm	AA2, SDSA2	1
958HS40	40mm	AA2, SDSA2	1
958HS41	41mm	AA2, SDSA2	1
958HS43	43mm	AA2, SDSA2	1
958HS44	44mm	AA2, SDSA2	1
958HS46	46mm	AA2, SDSA2	1
958HS48	48mm	AA2, SDSA2	1
958HS51	51mm	AA2, SDSA2	1
958HS52	52mm	AA2, SDSA2	1
958HS54	54mm	AA2, SDSA2	1
958HS57	57mm	AA2, SDSA2	1
958HS60	60mm	AA2, SDSA2	1
958HS64	64mm	AA2, SDSA2	1
958HS65	65mm	AA2, SDSA2	1
958HS67	67mm	AA2, SDSA2	1
958HS68	68mm	AA2, SDSA2	1
958HS70	70mm	AA2, SDSA2	1
958HS73	73mm	AA2, SDSA2	1
958HS76	76mm	AA2, SDSA2	1
958HS79	79mm	AA2, SDSA2	1
958HS83	83mm	AA2, SDSA2	1
958HS86	86mm	AA2, SDSA2	1
958HS89	89mm	AA2, SDSA2	1
958HS92	92mm	AA2, SDSA2	1
958HS95	95mm	AA2, SDSA2	1
958HS98	98mm	AA2, SDSA2	1
958HS102	102mm	AA2, SDSA2	1
958HS105	105mm	AA2, SDSA2	1
958HS108	108mm	AA2, SDSA2	1
958HS111	111mm	AA2, SDSA2	1

### **HOLESAW - VARIABLE PITCH**

Part No	Saw Ø	Arbor to Suit	Pack Qty
958HS114	114mm	AA2, SDSA2	1
958HS121	121mm	AA2, SDSA2	1
958HS127	127mm	AA2, SDSA2	1
958HS140	140mm	AA2, SDSA2	1
958HS152	152mm	AA2, SDSA2	1

### **HOLESAW - VARIABLE PITCH - CONTINUED**

## **HOLESAW - CONSTANT PITCH**

Part No	Saw Ø	Arbor to Suit	Pack Qty
958HSC16	16mm	AA4, AA1, SDSA1	1
958HSC17	17mm	AA4, AA1, SDSA1	1
958HSC20	20mm	AA4, AA1, SDSA1	1
958HSC22	22mm	AA4, AA1, SDSA1	1
958HSC25	25mm	AA4, AA1, SDSA1	1
958HSC30	30mm	AA4, AA1, SDSA1	1
958HSC32	32mm	AA2, SDSA2	1
958HSC35	35mm	AA2, SDSA2	1
958HSC37	37mm	AA2, SDSA2	1
958HSC40	40mm	AA2, SDSA2	1
958HSC46	46mm	AA2, SDSA2	1
958HSC48	48mm	AA2, SDSA2	1
958HSC51	51mm	AA2, SDSA2	1
958HSC60	60mm	AA2, SDSA2	1
958HSC64	64mm	AA2, SDSA2	1
958HSC68	68mm	AA2, SDSA2	1
958HSC70	70mm	AA2, SDSA2	1
958HSC76	76mm	AA2, SDSA2	1
958HSC79	79mm	AA2, SDSA2	1
958HSC86	86mm	AA2, SDSA2	1
958HSC89	89mm	AA2, SDSA2	1
958HSC95	95mm	AA2, SDSA2	1
958HSC102	102mm	AA2, SDSA2	1
958HSC108	108mm	AA2, SDSA2	1
958HSC165	165mm	AA2, SDSA2	1





SHEET







SOFTWOOD









A constant pitch tooth pattern ensures smooth cutting and less "chatter" when drilling metal, particularly thin sheet. High quality M42 grade 8% Cobalt HSS steel. Ideal for stainless steel.

- High quality M42 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size
- recognition
- Cutting Depth : Wood 38mm, Thin sheet Metal 3mm, Stainless Steel – 2mm













## TITANIUM COATED BI-METAL MULTI TOOL BLADES

5
1
1

Cutting Depth: 54mm Teeth Pitch: 1.4mm

Ideal for a fine and straight cut into hard/softwoods, ferrous and non-ferrous pipes/sheet and plastics.

## **BI-METAL MULTI TOOL BLADES**

639MT10BI	Fine Cut, Wood/Metal Multi-Tool Blade 10mm	1
639MT20BI	Fine-Cut, Wood/Metal Multi-Tool Blade 20mm	1
639MT32BI	Fine-Cut, Wood/Metal Multi-Tool Blade 32mm	1
639MT69BI	Fine-Cut, Wood/Metal Multi-Tool Blade 69mm	1

Cutting Depth: 42mm Teeth Pitch: 1.4mm

Ideal for a fine and straight cut into hard/softwoods, ferrous and non-ferrous pipes/sheet and plastics.

639MTR87TN	Wood/Metal Radial Multi Tool Blade 87mm, Titanium coated, 1.3 TPI	
639MTR87BI	Wood/Metal Radial Multi Tool Blade 87mm 1.3 TPI	1

Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

## CARBON STEEL MULTI TOOL BLADES

639MT10FT	Flush-Cut, Wood Multi-Tool Blade 10mm	1
639MT20FT	Flush-Cut, Wood Multi-Tool Blade 20mm	1

Cutting Depth: 40mm Teeth Pitch: 1.4mm An economic blade with hardened teeth, designed for a fine, clean cut into hard/soft woods, plastics, plasterboard and soft materials.

639MT32FT	Flush-Cut, Wood Multi-Tool Blade 32mm	1

Cutting Depth: 40mm Teeth Pitch: 1.4mm An economic blade with hardened teeth, designed for a fine, clean cut into hard/soft woods, plastics, plasterboard and soft materials.

639MT32CT Coarse-Cut, Wood Multi-Tool Blade 32mm 1

Cutting Depth: 42mm Teeth Pitch: 1.69mm 32mm blade for general work. Coarse cut blades are designed to give a quick, coarse cut into wood, plasterboard and many types of plastic.



## **CARBON STEEL MULTI TOOL BLADES**

「「「「「」	Part No		Qty
LEATHER CARDBOARD CARPET	639MT69SE	Multi-Tool Serrated Wavy Edge Blade 69mm	1
		ated blades is ideal for cutting soft materials such as c ene, carpet, rubber and leather.	ardboard,
	639MT52SC	Flexible Scraper Multi-Tool Blade 52mm 1	
PAINT GLUE SILICONE	Ideal for many sc	raping applications such as removing paint, glues and	silicone.
	639MT69CT	Flush-Cut, Wood Multi-Tool Blade 69mm V Shape Tee	eth 1
		ng a large area of material. Coarse cut blades are desig plasterboard and many types of plastic.	ned for a quick
	639MT69FT	Flush-Cut, Wood Multi-Tool Blade 69mm 1	
		ting a large area of material. Fine cut blades are desig I, plasterboard and many types of plastic.	ned for a fine,
CRX	639MTR65CG	Carbide Grit, Radial Muti-Tool Blade 65mm	1
		l for cutting tiles, porous concrete and plaster.	
אחס	639MTR87CS	Wood Radial Multi Tool Blade 87mm 1.4 TPI	1
		ature a flat side for working flush against a flat work song skirting or trims.	urface.



ADDA

RODAX

RODAX

639MTBOOT	Diamond Boot Multi Tool Blade 59mm
-----------	------------------------------------

1


The boot design rapidly removes the grout without damaging the tiles.











These blades have a cutting depth of 68mm (standard blade=40mm). Suitable for cutting wood and plastics.

639SH78RP	78mm Carbide Rasp	1

These blades are perfect for coarse sanding of filler, tile adhesive, concrete, stone and wood.



These blades have special teeth for universal use on wood, plasterboard, fibre glass, reinforced plastic and many types of plastic.

Bi-Metal Precision plunge-cutting saw blade for hard wood.

SH Bi-l
F

Metal 35mm Titanium Hardwood Blade

Bi-Metal Precision plunge-cutting saw blade for Hard Wood. Titanium coated for longer life.

	639SH35BM	35mm	n Bi-Me	tal Blad	le				1					
	bladaa aan ba	upod op	o wido	rongo	ofmot	oriala	Motol	and	wood	oppr	ovin	notal	( )m	m
e	blades can be		a wide										y ∠m	m













Part No	Description	Qty	
639SH35EC	35mm Carbide End Cut Blade	1	

Perfect for chasing into plaster and some bricks for electric sockets/cables. Also used for grout removal. For extended life, clean out the carbide grit with a wire brush.

639SH80CS	80mm	Circular S	Saw Blade		

Suitable for cutting fibreglass, hard woods, drywall and metal up to 20 gauge. When the blade is blunt on one side, it can be turned in the arbor of the tool for a fresh start.

639SH90DB	90mm Diamond Blade	1

The diamond coated surface of this blade outlasts carbide grit versions 2 to 1 in grout removal. 1.7mm thick. It can also be used for making small cuts out of some ceramic tiles. The semi circular design allows the blade to access right into the corners without over cutting.

	639SC35WB	35mm Wood Blade SUPERCUT fitting only	1			
These blades have special teeth for universal use on wood, plasterboard, fibre-glass, rein- forced plastic and many types of plastic.						



63mm Carbide Blade SUPERCUT fitting only

The 63mm Carbide Blade quickly grinds out grout without damaging surrounding tiles. This blade has one flat side so you can cut to corners or adjoining surfaces without over-cutting. The cutting width on this blade is 1/16". Also used for plunge cutting into drywall and cutting porous concrete block.

## SANDING TOOL AND SHEETS





639MT93SP Delta Sanding Pad 93mm 1

To be used in conjunction with the triangular sanding sheets. For sanding wood, metal and plastics.

639MTP60	Delta Sanding Sheets 60 Grit—Coarse	10
639MTP80	Delta Sanding Sheets 80 Grit—Medium	10
639MTP100	Delta Sanding Sheets 100 Grit—Medium	10
639MTP120	Delta Sanding Sheets 120 Grit—Medium	10
639MTP180	Delta Sanding Sheets 180 Grit	10

These blades are a direct fit with both the old and new style Fein Multimasters, all Bosch multi tools and many other multi tools. They can also be used on the Worx Sonicrafter when used with the Worx adaptor.










## **MULTI TOOL BLADE SETS**



Convenient eight piece mixed set of popular blades. Ideal for multiple applications.



Convenient four piece mixed set of popular blades. Ideal for multiple applications.



3x Bi-metal blade

- 3x 35mm Coarse cut blades
- 3x 65mm blade

639SH13CS 1			
	3 Blade Case Set		1
1x 35mm blade		1x 20mm \	Wood blade
1x Coarse Cut blade		1x 10mm \	Nood blade
1x 35mm Wood blade		1x 63mm (	Carbide blade
1x 35mm Coarse Cut blade		1x 76mm (	Carbide Rasp
1x 35mm Bi-metal blade		1x 90mm \$	Segmented blade
(for use on non-ferrous metals)		1x 80mm (	Circular Saw blade
1x 65mm Wood blade		1x 50 Rigi	d Scraper blade
1x 30mm Wood blade		1x 50mm l	Flexible Scraper bla

These blades are a direct fit with both the old and new style Fein Multimasters, all Bosch multi tools and many other multi tools. They can also be used on the Worx Sonicrafter when used with the Worx adaptor.













## SANDPAPER ROLL

Part No	Size	Abrasive Grade	Qty
	YELLOW—180G	BACKING PAPER	
231541	115mm x 10m	Coarse (P40 - P60 Grit)	1
231999	115mm x 10m	Medium (P80 - P100 Grit)	1
231405	115mm x 10m	Fine (P120 - P150 Grit)	1

Ideal for preparation of intricate and delicate applications.

GREEN—225G BACKING PAPER				
231022	115mm x 10m	Coarse (P40 - P60 Grit)	1	
231117	115mm x 10m	Medium (P80 - P100 Grit)	1	
231823	115mm x 10m	Fine (P120 - P150 Grit)	1	

Ideal for hand and powertool sanding.

RED—250G BACKING PAPER				
	231004	115mm x 10m	Coarse (P40 - P60 Grit)	1
	231210	115mm x 10m	Medium (P80 - P100 Grit)	1
	231311	115mm x 10m	Fine (P120 - P150 Grit)	1

For excellent material removal in a wide variety of woodworking, painting and decorating applications.

## SANDING SHEETS-RED

231002	230 x 280mm	Medium (P80 - P100 Grit)	5
231191	230 x 280mm	Fine (P120 - P150 Grit)	5
231505	230 x 280mm	Extra Fine (P180 - P240 Grit)	5
231123	230 x 280mm	Assorted (80, 120, 180 Grit)	5

Ideal for heavy hand or power sanding on wood, paint, varnish, plaster and filler.

## SANDING SHEETS—BLACK

23	81485	230 x 280mm	Ultra Fine (P240 - P600 Grit)	5
23	81636	230 x 280mm	Ultra Fine (P240 - P1200 Grit)	5
23	31357	230 x 280mm	Assorted (180. 320 Grit)	5

When used in conjunction with water this paper gives a smoother surface compared to dry sanding on metal, wood, paint and varnish whilst reducing dust.

## DETAIL SANDING PADS- RED

231753	95 x 136mm	Medium (P80 - P100 Grit)	5
231081	95 x 136mm	Fine (P120 - P150 Grit)	5
231811	95 x 136mm	Extra Fine (P180 - P240 Grit)	5

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

## SANDING BELTS- RED



Designed to maintain sanding performance, prolong lifespan and meet the extreme requirements of modern belt sanders.

Part No	Size	Abrasive Grade	Qty
231069	75 x 533mm	Coarse (P40 - P60 Grit)	5
231841	75 x 533mm	Medium (P80 - P100 Grit)	5
231645	75 x 533mm	Fine (P120 - P150 Grit)	5
231429	75 x 457mm	Coarse (P40 - P60 Grit)	5
231987	75 x 457mm	Medium (P80 - P100 Grit)	5
231321	75 x 457mm	Fine (P120 - P150 Grit)	5
231147	100 x 610mm	Coarse (P40 - P60 Grit)	5
231258	100 x 610mm	Medium (P80 - P100 Grit)	5
231369	100 x 610mm	Fine (P120 - P150 Grit)	5

## DELTA SANDING PADS- RED



Compatible with most leading brands of oscillating multi-tools. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

ith most s of os-	231005	95 x 95mm	Coarse (P40 - P60 Grit)	5
-tools.	231119	95 x 95mm	Medium (P80 - P100 Grit)	5
y power ood,	231410	95 x 95mm	Fine (P120 - P150 Grit)	5
, plaster	231360	95 x 95mm	Extra Fine (P180 - P240 Grit)	5
	231909	95 x 95mm	Extra Fine (P180 - P240 Grit)	5
	231333	95 x 95mm	Assorted (80, 120, 180 Grit)	5

## RANDOM ORBITAL SANDING DISCS-RED



Ideal for heavy power sanding o wood, paint, var nish, plaster and filler.

	231019	5" x 125mm	Coarse (P40 - P60 Grit)	5
	231555	5" x 125mm	Medium (P80 - P100 Grit)	5
	231378	5" x 125mm	Fine (P120 - P150 Grit)	5
	231200	5" x 125mm	Extra Fine (P180 - P240 Grit)	5
eavy ding on	231992	5" x 125mm	Assorted (80,120,180 Grit)	5
nt, var-	231084	5" x 150mm	Coarse (P40 - P60 Grit)	5
er and	231080	5" x 150mm	Medium (P80 - P100 Grit)	5
	231144	5" x 150mm	Fine (P120 - P150 Grit)	5
	231719	5" x 150mm	Extra Fine (P180 - P240 Grit)	5
	231859	5" x 150mm	Assorted (80,120,180 Grit)	5

## 1/3 SANDING SHEETS—PUNCHED/UNPUNCHED



231050	93 x 185mm	Medium (P80 - P100 Grit) -Punched	5
231855	93 x 185mm	Fine (P120 - P150 Grit) -Punched	5
231666	93 x 185mm	Extra Fine (P180 - P240 Grit) -Punched	5
231112	93 x 185mm	Assorted (80,120,180 Grit) -Punched	5
231467	93 x 230mm	Coarse (P40 - P60 Grit) -Unpunched	5
231900	93 x 230mm	Medium (P80 - P100 Grit) -Unpunched	5
231751	93 x 230mm	Fine (P120 - P150 Grit) -Unpunched	5
231222	93 x 230mm	Extra Fine (P180 - P240 Grit)	5
231599	93 x 230mm	Assorted (80,120,180 Grit)	5

## **CABIN HOOKS**







Part No.	Details	Box Qty
922600	Brass Cabin Hook 6"	10
9221000	Brass Cabin Hook 10"	10
9221200	Brass Cabin Hook 12"	10
9236	Chrome Cabin Hook 6"	10
92388	Chrome Cabin Hook 8"	10
92310	Chrome Cabin Hook 10"	10
92312	Chrome Cabin Hook 12"	10
922610	Black Cabin Hook 6"	10
922810	Black Cabin Hook 8"	10
9221001	Black Cabin Hook 10"	10
9221201	Black Cabin Hook 12"	10
922820	White Cabin Hook 8"	10
9221020	White Cabin Hook 10"	10
9221220	White Cabin Hook 12"	10

## **PREMIUM CABIN HOOKS**



922808	Premium Brass Cabin Hook 8"	10
92388	Premium Chrome Cabin Hook 8"	10

## **DOOR CHAINS**


9245	Brass Door Chain	1
9246	Chrome Door Chain	1



## **DOOR RESTRICTORS**

Part no	Description	Box Qty	Outer Qty
SLDR	Door Restrictor Stay	20	100







## FLAT GLAZING PACKERS


Part No.	Details	Box Qty
980100201	20mm x 100mm x 1mm GREEN	1000
980100202	20mm x 100mm x 2mm BLACK	1000
980100203	20mm x 100mm x 3mm WHITE	1000
980100204	20mm x 100mm x 4mm GREY	1000
980100205	20mm x 100mm x 5mm BLUE	1000
980100206	20mm x 100mm x 6mm RED	1000
980100241	24mm x 100mm x 1mm GREEN	1000
980100242	24mm x 100mm x 2mm BLACK	1000
980100243	24mm x 100mm x 3mm WHITE	1000
980100244	24mm x 100mm x 4mm GREY	1000
980100245	24mm x 100mm x 5mm BLUE	1000
980100246	24mm x 100mm x 6mm RED	1000
980100281	28mm x 100mm x 1mm GREEN	1000
980100282	28mm x 100mm x 2mm BLACK	1000
980100283	28mm x 100mm x 3mm WHITE	1000
980100284	28mm x 100mm x 4mm GREY	1000
980100285	28mm x 100mm x 5mm BLUE	1000
980100286	28mm x 100mm x 6mm RED	1000
980100301	30mm x 100mm x 1mm GREEN	1000
980100302	30mm x 100mm x 2mm BLACK	1000
980100303	30mm x 100mm x 3mm WHITE	1000
980100304	30mm x 100mm x 4mm GREY	1000
980100305	30mm x 100mm x 5mm BLUE	1000
980100306	30mm x 100mm x 6mm RED	1000
980100321	32mm x 100mm x 1mm GREEN	1000
980100322	32mm x 100mm x 2mm BLACK	1000
980100323	32mm x 100mm x 3mm WHITE	1000
980100324	32mm x 100mm x 4mm GREY	1000
980100325	32mm x 100mm x 5mm BLUE	1000
980100326	32mm x 100mm x 6mm RED	1000
98010040100	40mm x 100mm x 1mm GREEN	1000
98010040200	40mm x 100mm x 2mm BLACK	1000
98010040300	40mm x 100mm x 3mm WHITE	1000
98010040400	40mm x 100mm x 4mm GREY	1000
98010040500	40mm x 100mm x 5mm BLUE	1000
980100406	40mm x 100mm x 6mm RED	500

## **MIXED FLAT GLAZING PACKERS**

98110028	28mm MIXED x 100	10
98110030	30mm MIXED x 100	10
98110032	32mm MIXED x 100	10
9811002800	28mm MIXED x 1000	1
9811003200	32mm MIXED x 1000	1

## TIMCO INDIVIDUAL FLAT GLAZING PACKERS

|--|--|







Part No.	Details	Box Qty
P1GREENBU	28mm x 100mm x 1mm GREEN	1000
P2BLACKBU	28mm x 100mm x 2mm BLACK	1000
P3WHITEBU	28mm x 100mm x 3mm WHITE	1000
P4GREYBU	28mm x 100mm x 4mm GREY	1000
P5BLUEBU	28mm x 100mm x 5mm BLUE	1000
P6REDBU	28mm x 100mm x 6mm RED	1000
P1GREEN	28mm x 100mm x 1mm GREEN	200
P2BLACK	28mm x 100mm x 2mm BLACK	200
P3WHITE	28mm x 100mm x 3mm WHITE	200
P4GREY	28mm x 100mm x 4mm GREY	200
P5BLUE	28mm x 100mm x 5mm BLUE	200
P6RED	28mm x 100mm x 6mm RED	200

## ASSORTED FLAT GLAZING PACKERS

920744957	24 x 100 x 1.0mm Green (Qty 200) 24 x 100 x 2.0mm Black (Qty 160) 24 x 100 x 3.0mm White (Qty 200) 24 x 100 x 4.0mm Grey (Qty 120) 24 x 100 x 5.0mm Blue (Qty 200) 24 x 100 x 6.0mm Red (Qty 120)	1000
920744224	28 x 100 x 1.0mm Green (Qty 200) 28 x 100 x 2.0mm Black (Qty 160) 28 x 100 x 3.0mm White (Qty 200) 28 x 100 x 4.0mm Grey (Qty 120) 28 x 100 x 5.0mm Blue (Qty 200) 28 x 100 x 6.0mm Red (Qty 120)	1000
920744258	32 x 100 x 1.0mm Green (Qty 200) 32 x 100 x 2.0mm Black (Qty 160) 32 x 100 x 3.0mm White (Qty 200) 32 x 100 x 4.0mm Grey (Qty 120) 32 x 100 x 5.0mm Blue (Qty 200) 32 x 100 x 6.0mm Red (Qty 120)	1000

## 28MM PACKERS-400 QTY


PACKERTUB	28 x 100 x 1.0mm Green (Qty 60) 28 x 100 x 2.0mm Black (Qty 80) 28 x 100 x 3.0mm White (Qty 100) 28 x 100 x 4.0mm Grey (Qty 40) 28 x 100 x 5.0mm Blue (Qty 40)	400
-----------	--	-----


## 28MM PACKERS-200 QTY

PACKER	28 x 100 x 1.0mm Green (Qty 30) 28 x 100 x 2.0mm Black (Qty 40) 28 x 100 x 3.0mm White (Qty 50) 28 x 100 x 4.0mm Grey (Qty 20) 28 x 100 x 5.0mm Blue (Qty 20) 28 x 100 x 6.0mm Red (Qty 40)	200
--------	--	-----


A solution for multiple applications, used to ensure correct weight distribution of glazed units and increase security around fixing points during frame fitting.

- Polypropylene material
- Resistant to weather changes
- Waterproof
- Strong and durable














## **BRIDGE PACKERS**

984100155	100mm x 15mm x 5mm	1000
984100204	100mm x 20mm x 4mm	1000
984100205	100mm x 20mm x 5mm	1000
984100225	100mm x 22mm x 5mm	1000
984100245	100mm x 24mm x 5mm	1000
9841002410	100mm x 24mm x 10mm	1000
984100265	100mm x 26mm x 5mm	1000
984100284	100mm x 28mm x 4mm	1000
984100306	100mm x 30mm x 6mm	1000
984100325	100mm x 32mm x 5mm	1000
984100404	100mm x 40mm x 4mm	1000

## WEDGE PACKERS

985602413	60mm x 24mm x 1-3mm GREEN	1000
985602435	60mm x 24mm x 3-5mm BLUE	1000
985602446	60mm x 24mm x 4-6mm BLACK	1000
985802813	80mm x 28mm x 1-3mm GREEN	1000
985802824	80mm x 28mm x 2-4mm YELLOW	1000
985802835	80mm x 28mm x 3-5mm BLUE	1000
985803035	80mm x 30mm x 3-5mm BLUE	1000


## **MIXED HORSESHOE PACKERS**


Part No	Description	Box Qty
981SHIM	MIXED BAG x 200	8

# **GLAZING SHOVEL (PADDLE)**

830201 Glazing Shovel







HICKNESS







## BAGS (200)

982243551	43mm x 55mm x 1mm Yellow	200
982243552	43mm x 55mm x 2mm Green	200
982243553	43mm x 55mm x 3mm Blue	200
982243554	43mm x 55mm x 4mm Red	200
982243555	43mm x 55mm x 5mm Brown	200
982243556	43mm x 55mm x 6mm Black	200
9822435510	43mm x 55mm x 10mm Grey	200

# BOXES (1000)

982307615	30mm x 76mm x 1.5mm Black	1000
98230763	30mm x 76mm x 3mm Black	1000
98245601	45mm x 60mm x 1mm White	1000
98245602	45mm x 60mm x 2mm Red	1000
98245603	45mm x 60mm x 3mm Grey	1000
98245604	45mm x 60mm x 4mm Green	1000
98245605	45mm x 60mm x 5mm Black	1000
98245606	45mm x 60mm x 6mm Blue	1000
982456010	45mm x 60mm x 10mm Natural	1000
98262502	62mm x 50mm x 2mm Yellow	1000
98262503	62mm x 50mm x 3mm Red	1000
98262505	62mm x 50mm x 5mm Green	1000

# MIXED TUB HORSESHOE PACKERS-400 QTY

Part No	Description	Box Qty
	45 x 35 x 1.0mm Yellow (Qty 40)	
	45 x 35 x 2.0mm Green (Qty 40)	
	45 x 35 x 3.0mm Blue (Qty 40)	
	45 x 35 x 4.0mm Red (Qty 40)	
	45 x 35 x 5.0mm Brown (Qty 20)	
	45 x 35 x 6.0mm Black (Qty 20)	400
SHIMTUB	100 x 50 x 1.0mm Yellow (Qty 40)	400
	100 x 50 x 2.0mm Green (Qty 40)	
	100 x 50 x 3.0mm Blue (Qty 40)	
	100 x 50 x 4.0mm Red (Qty 40)	
	100 x 50 x 5.0mm Brown (Qty 20)	
	100 x 50 x 6.0mm Black (Qty 20)	

## **METAL HORSESHOE PACKERS**

98250501M	50mm x 50mm x 1mm Metal	100
98250503M	50mm x 50mm x 3mm Metal	100
98250505M	50mm x 50mm x 5mm Metal	100
982501001M	50mm x 100mm x 1mm Metal	100
982501003M	50mm x 100mm x 3mm Metal	100
982501005M	50mm x 100mm x 5mm Metal	100

	Constanting		10 - 11 - 11 - 11 - 11 - 11 - 11 - 11 -	1.10
	av	w		
Part of	the P	otSale	tamily	

÷ **停 停** ŵ

GLAS	SS FITTING		Stay	PetSafe famil		Walls	Single/Double	Wood/Panel		() ()
Part No.	l)otaile		Overall Size	ut out Size	Lining Thick- ness				Box Qty	Colour
S270EF S280EF	4 Way Locking Large Cat Small Dog	4 Way	l 292mm Ø V 292mm	263mm	-	-	~	~	4	Frosted White
PANE	L FITTING	· · · · · · · · · · · · · · · · · · ·				Walls	Single/Double	Wood/Panel		U
Part No.	Details	Locka ble	- Overall Size	Cut out Size	Lining Thick- ness				Box Qty	Colour
S715EFS S730EF S740EF	Original 2 Way Small Pet Door	2 Way	H 236mm W 198mm H 352mm	H 185mm W 158mm		✓	✓	✓	4	White Brown White
S755EF S760EF	Original 2 Way Medium P Door	2 vvay	W 294mm H 456mm	H 281mm W 237mm		✓	✓	$\checkmark$	4	Brown White
S775EF	Original 2 Way Large Pet Door	2 Way	W 385mm H 224mm	H 370mm W 314mm	-	✓	✓	✓	4	Brown
S917W	Manual 4 Way Locking Classic	4 Way	W 224mm	H 169mm W 169mm Ø 210mm		✓	✓	$\checkmark$	4	White
S932EF	Magnetic 4 Way Locking Classic	4 Way	H 224mm W 224mm	H 169mm W 169mm Ø 210mm	65mm	~	~	~	4	White
S320EFS	4 Way Locking Deluxe Ca Flap	<sup>at</sup> 4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	-	~	~	~	4	Brown
S310W	Tunnel Extension for 300				-	$\checkmark$	-	-	4	White
S400EF S420EF	Magnetic 4 Way Locking Deluxe Cat Flap	4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	5cm	~	~	~	4	White Brown
S500EFS	Infra-Red 4 Way Locking Deluxe White	4 Way	H 252mm W 241mm	H 168mm W 175mm Ø 212mm	-	~	~	~	4	White
S580BLUE	Infra-Red Collar Key Pac	<			-	-	-	-	4	Blue



1



## **GLASS FITTING**



			anel
Walls	Single	Double	Wood/P

Part No.	Details	Lock- able	Overall Size	Cut out Size	Lining Thick- ness					Box Qty	Colour
PTG-CD	Cat Door Original	4 Way	Ø 270mm	Ø 245mm	3-10mm	-	$\checkmark$		-	1	White Clear
PTG- SDDSL	Cat Door (Maxi Slimline)	4 Way	Ø 304mm	Ø 267mm	3-20mm	-	$\checkmark$		-	1	White Clear
PTG- SDD	Multi Dual Large Cat/ Small Dog	4 Way	Ø 304mm	Ø 267mm	3-27mm	-	~		-	1	White Clear
PTG-	Cat Door Multi Magnetic	4 Way	Ø 270mm	Ø 245mm	3-26mm	-	$\checkmark$	$\checkmark$	-	1	White
PTG-DD	Medium Dog Door	4 Way	H 430mm W 415mm	Ø 385mm	3-32mm	-	~	~	-	1	White Clear
PTC-M	Pet-Tek Replacement					-		-	-	2	

## **PANEL FITTING**



0



4

÷.







#### WINDOW FIXING BRACKETS

## 150mm Fixing

Part No	Description	Box Qty
5700299	150mm Eurologic	250
5700501	150mm Kommerling 58	250
5700502	150mm Kommerling Gealan	250
5700507	150mm HIS 70	250
5700509	150mm Kommerling 70	250
5700510	150mm VEKA 58	250
5700514	150mm Rehau 706 (70mm)	250
5700515	150mm Rehau S921	250
5700516	150mm WHS (70mm)	250
5700529	150mm WHS HALO System	250
5700531	150mm Rehau Tritec Veka 70	250
5700535	150mm Aluplast Duraflex	250
5700536	150mm Eurocell	250
5700538	150mm HW70 Deeplas 2800	250
5700541	150mm HW Elite 63	250
5700549	150mm Spectus Elite 70	250
5700551	150mm Swish 24/7	250
5700552	150mm Camden Profiles	250
5701508	150mm Rehau 70 / Tritec	250
5701532	150mm TIMBER	250
5701535	150mm Profile 22	250
57150MMBKT	150mm Plain Fixing Bracket	250

#### 200mm Fixing Lugs

5700542	200mm Rehau Tritec	250
5700554	200mm Camden Profiles	250
57KAWNEER200	200mm Kawneer Profile	250
57PRO2260	200mm Profile 22 60 System	250
57PRO2270	200mm Profile 22 70 System	250
57UNI	200mm Unifix Window Bracket	250
57200MMBKT	200mm Plain Fixing Bracket	250

## 240mm Fixing Lugs

5702513	240mm Rehau Tritec/Veka 70 x 250	150
5702514	240mm Rehau 70 x 250	150
5702601	240mm Kommerling 58 x 250	150
5702609	240mm Kommerling 70 x 250	150
5700539	240mm WHS x 250	150


Lugs for profiles not listed are available on request











## SURFACE PROTECTION

Part No.	Details	Box Qty
920365270	Stair Dust Sheet 24ft x 3ft	1
920365271	Harris Stair Dust Sheet 24ft x 3ft	1
9203653	Laminated Cotton Dust Sheet 12ft x 9ft	1
920CDSL63	Laminated Cotton Dust Sheet 3ft x 6ft Handy Size	1
920CDSL129	Laminated Cotton Dust Sheet 9ft x 12ft	1
920CDS129	Professional Cotton Dust Sheet 9ft x 12ft	1
920CDS1212	Professional Cotton Dust Sheet 12ft x 12ft	1
920CDSS243	Professional Cotton Stair Sheet 24ft x 3ft	1
920365260	Heavy Duty Cotton Dust Sheet 3.1m x 2.4m	1

## LIGHT DUTY TARPAULIN

920TTL23	Light Duty Tarpaulin 2m x 3m	1
920TTL45	Light Duty Tarpaulin 4m x 5m	1
920TTL58	Light Duty Tarpaulin 5m x 8m	1

A tarpaulin for tougher jobs. Manufactured when a heavier gauge 14 x 14 weave for increased durability. Reinforced corners for double strength tie down points. Heavy duty (180+ gsm)

## **HEAVY DUTY TARPAULIN**

920TTH23	Heavy Duty Tarpaulin 2m x 3m	1
920TTH45	Heavy Duty Tarpaulin 4m x 5m	1
920TTH58	Heavy Duty Tarpaulin 5m x 8m	1
920365272	Blue Plastic Tarpaulin Heavy Duty 3.6m x 5.4m	1

A lighter weight everyday tarpaulin with an 8 x 8 weave. Great for convenient covering of external equipment and materials to protect from the elements. Light duty (80gsm)

## SOUDAL SURFACE PROTECTION

0S124762	Cotton Dust Sheet Heavy Duty 3.6m x 2.4m	1
0S124258	Stair Dust Sheet 24ft x 3ft	1

## **SOUDAL TARPAULIN**

0S131208	SOUDAL Tarpaulin Economy 18ft x 12ft	1
0S127791	SOUDAL Tarpaulin Heavy Duty 18ft x 12ft	1
0S127061	SOUDAL Tarpaulin Heavy Duty 9ft x 12ft	1

Heavy duty tarpaulin, double laminated fabric.

## **ECONOMY DUST SHEETS**

0S131207	SOUDAL Dust Sheet Economy 12ft x 9ft	1
920CDS129P3	Economy Cotton Dust Sheet 9ft x 12ft	3

Economy dust sheet, natural cotton.







Large plastic sheets with a thickness of 32 microns providing a waterproof protective barrier during decorating and building renovation work.

Highly visible temporary fencing made from a durable, weatherproof and reusable plastic. Suitable for cordoning restricted areas.

Pack Dimensions L x W x H (mm): 1200 x 130 x 130

## **PROTECTION FILM**

Part No	Details	Box Qty
	Protective Carpet Film	
883-25CP	Carpet Protection Film (Shield) 0.6 x 25m	9
883-50CP	Carpet 0.6 x 50m	9
883-100CP	Carpet 0.6 x 100m	9
Protective Glass Film		
883-25WP	Glass Protection Film (Shield) 0.6 x 25m	
883-50WP	Window 0.6 x 50m	9
	Protective Hard Surface Film	
883-25HP	Hardwood Protection Film (Shield) 0.6 x 25m	9
883-50HP	Hard Surface 0.6 x 50m	9

# SAFETY GLASS FILM (S1000SPF)

3640	500mm x 100m

883

1

## **RUBBLE SACKS**

920365280	508mm x 762mm BLUE	100
920365275	508mm x 762mm BLACK	100
920SRSHD6090	Heavy Duty Rubble Sacks 600mm x 900mm x 10	10
920SRSHD80120	Heavy Duty Rubble Sacks 800mm x 1200mm x 10	10
920SRS30	Rubble Sack Roll 535mm x 820mm x 30	30

## **PROTECTIVE ZIPPER DOOR**

920PZD	Protective Zipper Door 2.1m x 1.2m	1

## **GENERAL PURPOSE BUILDERS SHEET**

920DPS254	General Purpose Builders Sheet 25m x 4m	1
920DPS504	General Purpose Builders Sheet 50m x 4m	1



## **BARRIER FENCING**

920775248 Plastic Barrier Fencing 50m Orange



## **PROTECTIVE CLING SHEET**















920PCS504 Protective Cling Sheet 50m x 4m

\*FREE sheet cutter included

## PLASTIC SHEET CUTTER

920PSCUTTER Plastic Sheet Cutter

6

# **RAM BOARD® - HEAVY DUTY FLOOR PROTECTION**

92046RB38-100	Heavy Duty Temporary Floor Protection 38" x 100ft	1
920775250	Shield Protective Board 0.9 x 27.5m	1

## RAM BOARD RAM JAMB™ DOOR FRAME PROTECTOR

920RBJP60 Ram J

Ram Jamb-Door Frame Protection 60"

## RAM BOARD SEAM TAPE<sup>TM</sup>

920RBST3164 Ram Board-Seam Tape 3" x 164ft 1

Perfect solution for joining Ram Board seams. Its 3" width gives more of an allowance to cover Ram Board seams. The Kraft backing makes it easy to tear off and install as well as making it recyclable. Because of it's contractor grade adhesive, it should not be taped directly to finished floors and surfaces.

## RAM BOARD EDGE TAPE

920RBPT25-180 Ram Board-Edge Tape 2.5" x 180ft

Edge Tape provides easy release from floors, yet it's tough enough to hold Ram Board edges securely in place. Edge Tape is engineered to secure the edges of Ram Board directly to the floor without damaging your flooring surfaces, walls and stairs.

## RAM BOARD VAPOR-CURE® TAPE

920RBVCT3-108 Ram Board-Vapor Cure Tape 3" x 108ft

When used to join Ram Board seams, it prevents cure lines and promotes even finishes in curing floors. This breathable tape allows vapours and moisture to escape from concrete, glue down floors, stained floors, epoxy floors, refinished floors, VCT, and most other floor types.

## RAM BOARD MULTI-CUTTER

920RBMULTICUTTER Ram Board-Multi Cutter 24 x 18mm 1

## **SECURITY GLAZING TAPE**





Offered in a variety of widths and • thicknesses, our security glazing tape is designed to prevent the unauthorised removal of glass units from externally glazed windows

Ensures water tightness and • draught proofing between the frame and glass

High performance double sided • acrylic tape bonds to the timber and glass

- Cost-effective and easy to install •
- Available in Black and White •

BLACK		
Part No.	Details	Box Qty
8826501	6mm x 50m x 1mm Black	30
8826615	6mm x 15m x 6mm Black	30
8828204	8mm x 20m x 4mm Black	30
88210501	10mm x 50m x 1mm Black	30
88210402	10mm x 40m x 2mm Black	30
88210253	10mm x 25m x 3mm Black	30
88210204	10mm x 20m x 4mm Black	30
88210155	10mm x 15m x 5mm Black	30
88212501	12mm x 50m x 1mm Black	25
88212402	12mm x 40m x 2mm Black	25
88212253	12mm x 25m x 3mm Black	25
88212204	12mm x 20m x 4mm Black	25
88212155	12mm x 15m x 5mm Black	25
88212156	12mm x 15m x 6mm Black	25
88212108	12mm x 10m x 8mm Black	25
88215501	15mm x 50m x 1mm Black	20
88215402	15mm x 40m x 2mm Black	20
88215253	15mm x 25m x 3mm Black	20
88215204	15mm x 20m x 4mm Black	20
88215155	15mm x 15m x 5mm Black	20
88215156	15mm x 15m x 6mm Black	20

17mm x 15m x 5mm Black

20mm x 20m x 4mm Black

## WHITE

88217155

88220204

882105011	10mm x 50m x 1mm White	30
882104021	10mm x 40m x 2mm White	30
882102531	10mm x 25m x 3mm White	30
882102041	10mm x 20m x 4mm White	30
882101551	10mm x 15m x 5mm White	30
882125011	12mm x 50m x 1mm White	25
882124021	12mm x 40m x 2mm White	25
882122531	12mm x 25m x 3mm White	25
882122041	12mm x 20m x 4mm White	25
882121551	12mm x 15m x 5mm White	25
882121561	12mm x 15m x 6mm White	25
882155011	15mm x 50m x 1mm White	20
882152531	15mm x 25m x 3mm White	20
882202041	20mm x 20m x 4mm White	20
882225011	22mm x 50m x 1mm White	20

Other sizes available on request

20

## HANDY WRAPPING



Part No.	Details	Box Qty
88215020	Handy Wrapping System 100mm x 150m	20
882150201	Handy Wrapping System 100mm x 150m No Handle	20
882150401	Handy Wrapping System 100mm x 150m	40
88215030	Handy wrap Handle	1



# **GEORGIAN BAR TAPE**

88218	18mm x 50m x 1mm WHITE	16
882181	18mm x 50m x 1mm BLACK	16



## NUMBER PLATE TAPE

760600	25mm x 1mm x 25m BLACK	25
760601	25mm x 1mm x 25m WHITE	25

# **DUCK TAPE**

8823050	Duck Tape 30mm x 50m BLACK	1
8823850	Duck Tape 38mm x 50m BLACK	1
8824550	Duck Tape 45mm x 50m BLACK	1
8825050	Duck Tape 50mm x 50m SILVER	1
8825055	Duck Tape 50mm x 50m BLACK	1



72024	3M Masking Tape 24mm x 50m	36
72048	3M Masking Tape 48mm x 50m	20
72096	3M Masking Tape 96mm x 50m	10



## **PACKING TAPE**

720PT	66m Buff x 6 rolls	6	
720PTC	66m Clear x 6 rolls	6	



#### **Builders Gloves**

Our Builders Gloves feature a polycotton shell teamed with a textured latex palm in order to create a comfortable, fitted glove that is tough and durable. EN388-2-1-2-1

#### Thermal Grip Orange Gloves

In cold conditions the motor skills of the hands are greatly reduced, increasing the risk of injury and reducing productivity. An acrylic thermal liner to ensure warmth and a crinkle latex grip to enhance grip in slippery conditions.

#### Topaz Ice

With a textured latex palm for superb grip, our versatile Topaz Ice gloves are ideal for a range of general handling and warehousing activities. EN388- 2-2-4-2

Micro Fine Woven Gloves Electron PU palm coating for extra grip. Perfect when you need sensitivity and dexterity and ideal for precision tasks. EN 388 levels 3-1-2-1

#### Vvnatrile Gloves


With a textured finish for extra grip, these practical and reliable disposable gloves are perfect for janitorial and laboratory work.

Kevlar Sleeve with Leather Patch An essential choice for those who work within the glass and construction industries. EN388- 4-4-4-4

#### Overshoes

A simple and effective solution to your hygiene needs . Elasticated ankle opening. Textured for grip. Heat sealed seams .

#### **Mechanical Hazard** N 388 Abrasion resistance (1 - 4)



Puncture resistance (1 - 4)



## **BUILDERS GLOVES**

Part No.	Size	Box Qty
LGTSL	LARGE	12
LGTSXL	EXTRA LARGE	12

## **ORANGE THERMAL GLOVES**

_GT10	Size 10	12	





LGTOPAZM	MEDIUM	12	
LGTOPAZL	LARGE	12	
LGTOPAZXL	EXTRA LARGE	12	
LGTOPAZXXL	XX LARGE	12	

**TOPAZ ICE ACRYLIC GLOVES** 

### **MICRO-FINE WOVEN GLOVES**

LG28772	MEDIUM	12	
LG28773	LARGE	12	
LG28774	EXTRA LARGE	12	
LG28775	XX LARGE	12	



## VYNATRILE GLOVES (POWDERFREE)

LV04	LARGE	100	
LV05	EXTRA LARGE	100	

## **KEVLAR SLEEVE WRIST GUARDS**

Part No	Sleeve Length	Qty	Price
LG28611	10 INCH	1	
LG28612	14 INCH	1	
LG28613	18 INCH	1	
LG28614	22 INCH	1	

### **OVERSHOES**

920187	Disposable Overshoes Blue 16"	100	
920188	Deluxe Disposable Overshoes White / Blue 16"	40	
920189	Deluxe Disposable Overshoes	40	







Part No	Description	Box Qty
920MED904	Deluxe Eye Wash Station-Integral Aura box inc Bracket	1
2 x Eye Pad Di 2 x Eye Wash 2 x Eye Wash 1 x Mirror	500ml Bottles	

### SALINE EYE WASH 500ML

920MED900 Saline E

920MED901

Saline Eye Wash 500ml

Eye Wash Pods 20ml

1

25

## **EYE WASH PODS 20ML**



920MEDX050	Heavy Bleed & Burns Kit	1
1 x Adhesive D	ressing 7.5 x 7.5cm	
10 x Assorted V	Washproof Plasters	
4 x Burn Dressi	ings 10 x 10cm	
2 x Burn Gel 3.	5g Sachets	
10 x Cleansing	Wipes	
2 x Conforming	Bandages 7.5cm x 4m	
1 x Foil Surviva	I Blanket	
1 x Medium HS	E Dressing 12 x 12cm	
2 x Nitrile Glove	es (Pairs)	
1 x Resuscitation	on Face Shield	
1 x Shears		
1 x Trauma Dre	essing 10 x 18cm	
1 x Triangular E	Bandage	
1 x Guidance L	eaflet	



### PERSONAL PROTECTIVE EQUIPMENT



920905	E10 Safety Glasses Yellow	1
920907	E20 Safety Glasses Clear/Black	1
920BOLBANPSF	Bolle Bandido Safety Glasses (Smoke)	1



920901	Ear Defenders	1



DNKN95	KN95 Protective Mask (PFE 95%) x 10	10
DNGBKN95	KN95 Protective Mask FFP2 EN149 x 2	2





- 4 x Medium
- Sterile Dressing 1 x Large Sterile Dressing
- 2 x Triangular Bandage
- 6 x Safety Pins
- 2 x Sterile Eyepad
- 40 x Waterproof Plasters
- 20 x Sterile Saline Wipes
- 1 x Microporous Tape
- 6 x Nitrile Gloves (Pairs)
- 2 x Sterile Finger Dressing
- 1 x Resuscitation Face Shield
- 1 x Foil Blanket
- 1 x Hydrogen Burn Dressing
- 1 x Scissors
- 1 x Conforming Bandage

Part No	Description	Box Qty
WS160	British Standard Workplace	1
	First Aid Kit	1

## LARGE FIRST AID TRAVEL KIT

BRITISH STANDARD WORKPLACE FIRST AID KIT

- 1 x Pair of scissors
- 1 x Medium sterile dressing
- 1 x Eyepad sterile dressing 1 x Non-woven triangular bandage
- 1 x HSE first aid guide leaflet
- 2 x Pairs of medium sized gloves
- 1 x Bag of safety pins
- 4 x Alcohol free cleansing wipes
- 20 x Assorted hypo-allergenic plasters

## BRITISH STANDARD WORKPLACE FIRST AID KIT (90PC)

- 1 x Burn Dressing 10 x 10cm 2 x Eye Pad Dressings

British Standard Workplace First Aid Kit 1



- 2 x Finger Dressings
- 4 x Medium HSE Dressings 12 x 12cm
- 1 x Large HSE Dressing 18 x 18cm
- 40 x Assorted Washproof Plasters
- 1 x Conforming Bandage 7.5cm x 4m
- 2 x Triangular Bandages

## BRITISH STANDARD WORKPLACE FIRST AID KIT (135PC)

- 2 x Burn Dressings 10cm x 10cm British Standard Workplace First Aid Kit 3 x Eye Pad Dressings 1 920MED343 3 x Finger Dressings (135pc) 6 x Medium HSE Dressings 12cm x 12cm 2 x Large HSE Dressings 18cm x 18cm
- 60 x Assorted Washproof Plasters
- 2 x Conforming Bandages 7.5cm x 4m
- 3 x Triangular Bandages
- 2 x Foil Survival Blankets
- 1 x Microporous Tape 2.5cm x 5m
- 30 x Cleansing Wipes
- 9 x Nitrile Gloves (pairs)
- 1 x Resuscitation Face Shield
- 12 x Safety Pins
- 1 x Shears
- 1 x Guidance Leaflet




- - 20 x Cleansing Wipes
  - 6 x Nitrile Gloves (pairs)
  - 1 x Resuscitation Face Shield

- 6 x Safety Pins
- 1 x Shears



- - 1 x Foil Survival Blanket





- 920MED330 (90pc)

- Large First Aid Travel Kit

WS105





## BRITISH STANDARD WORKPLACE FIRST AID KIT (210PC)

2x Burn Dressings 10cm x 10cm

4 x Eye Pad Dressings

4 x Finger Dressings

8 x Medium HSE Dressings 12cm x 12cm

2 x Large HSE Dressings 18cm x 18cm

100 x Assorted Washproof Plasters

2 x Conforming Bandages 7.5cm x 4m

- 4 x Triangular Bandages
- 3 x Foil Survival Blankets
- 1 x Microporous Tape 2.5cm x 5m
- 40 x Cleansing Wipes
- 12 x Nitrile Gloves (pairs)
- 2 x Resuscitation Face Shields
- 24 x Safety Pins
- 1 x Shears

- 1 x Guidance Leaflet

Part No Description British Standard Workplace First Aid Kit 1 920MED348

Box Qty

(210pc)

HSE - 10 Person Workplace First Aid

HSE - 20 Person Workplace First Aid



920MED112

920MED113

- 2 x Eye Pad Dressings 6 x Medium HSE Dressings 12cm
- x 12cm 2 x Large HSE Dressings 18cm x 18cm
- 20 x Assorted Washproof Plasters
- 4 x Triangular Bandages
- 6 x Cleansing Wipes
- 1 x Nitrile Gloves
- 8 x Safety Pins
- 1 x Guidance Leaflet

## HSE—20 PERSON WORKPLACE FIRST AID KIT



4 x Eye Pad Dressings 9 x Medium HSE Dressings 12cm

- x 12cm
- 3 x Large HSE Dressings 18cm x 18cm
- 40 x Assorted Washproof Plasters
- 6 x Triangular Bandages
- 10 x Cleansing Wipes
- 2 x Nitrile Gloves
- 12 x Safety Pins
- 1 x Guidance Leaflet



E6 x ye Pad Dressings 12 x Medium HSE Dressings 12cm x 12cm 4 x Large HSE Dressings 18cm x 18cm 60 x Assorted Washproof Plasters 8 x Triangular Bandages 20 x Cleansing Wipes 3 x Nitrile Gloves 16 x Safety Pins 1 x Guidance Leaflet

## HSE—50 PERSON WORKPLACE FIRST AID KIT

920MED114

HSE - 50 Person Workplace First Aid

#### 1

## **CAR & VAN FIRST AID KIT**

920MED3014

Car & Van First Aid Kit



1 x Adherent Dressing 7.5 x 7.5cm

- 2 x Burn Dressings 10 x 10cm 10 x Cleansing Wipes
- 1 x Medium HSE Dressing 12 x
- 12cm
- 1 x Foil Survival Blanket
- 2 x Nitrile Gloves (pairs)
- 1 x Resuscitation Face Shield
- 1 x Medium Trauma Dressing
- 1 x Triangular Bandage 1 x Shears
- 10 x Assorted Washproof Plasters
- 1 x Guidance Leaflet







## TOOLS

Part No.	Details	Box Qty
921453	FIXED BLADE GASKET SHEARS	1
921454	STANLEY BLADE GASKET SHEARS	1
921456	REPLACEMENT BLADES FOR FIXED SHEARS	1

920100FAITH	Folding Utility Knife with Blade Lock	1
920253017	Folding Utility Knife & Blades	1

920253412	Safety Utility Knife	1
-----------	----------------------	---

920253483	Snap Off Utility Knife & Blades 100 x 18 x 0.6	1
UBSNAP9	Snap Off Utility Knife Blades 80 x 9 x 0.6	10
UBSNAP18	Snap Off Utility Knife Blades 100 x 18 x 0.6	10

920823 HEAVY DUTY UTILITY KNIFE 1

920STA028654	STANLEY PUTTY KNIFE	1
--------------	---------------------	---

920804	DON CARLOS KNIFE	1
920805	SPRUE KNIFE (DON CARLOS COPY)	1
920811	XPERT TRADE MOON KNIFE	10

920807	10in1 CHISEL KNIFE		10
1. P	ointed Scraper	6. Roller Cleaner	
2. S	preader	7. Nail/ Tack Remover	
3. F	lat Surface Scraper	8. Convex Scraper	
4. P	aint Can Opener	9. Bottle Opener	
5. C	oncave	10. Hammer	











## TOOLS

920775 GENERAL PURPOSE PLASTIC TUB 40L 1

920RBUBPB BLACK BUILDERS BUCKET 3 Gallon

1

920667	5m SEALFIX TAPE MEASURE	1
920669	8m SEALFIX TAPE MEASURE	1

920665	5m TAPE MEASURE	1
920668	8m TAPE MEASURE	1

92066696N	TAPE MEASURE	1
92066656N	8m STANLEY TAPE MEASURE	1

9205MTAPEM	Tape Measure 5m/16ft x 25mm	1
9208MTAPEM	Tape Measure 8m/26ft x 25mm	1

0S117773	SILICONE TWIST NOZZLES	5
310	SPARE SILICONE NOZZLES	20

UNI1582528	UNIBOND Sealant Finishing Tool	1
------------	--------------------------------	---

801WC1	MUTTON CLOTH ROLL 750g	1
801CB800	STOCKINETTE COTTON 800g	1
920SSR400	Stockinette Cotton Roll 400g	1
920973138	Assorted Wiping Rag 10kg	1

925202

XPERT ANGLE FINDER

1

1

92532 GLASS-O-METER WITH CASE



Part No.	Details	Box
920708	25mm HAMMER WHITE WOODEN HANDLE	1
920710	32mm HAMMER WHITE PLASTIC HANDLE	1
920710W	32mm HAMMER WHITE WOODEN HANDLE	1
9207105	38mm HAMMER WHITE PLASTIC HANDLE	1

920710103	25mm WHITE REPLACEMENT ENDS	1
920710102	25mm GREY REPLACEMENT ENDS	1
920710101	32mm WHITE REPLACEMENT ENDS	1
920710100	32mm GREY REPLACEMENT ENDS	1
920710052	38mm WHITE REPLACEMENT ENDS	1
9207101051	38mm GREY REPLACEMENT ENDS	1

920711 16in RUBBER MALLET

92

8" diameter pad

carrying case

8" diameter pad

8" diameter pad 150kg Lifting capacity

Pump acting type Built in pressure gauge Supplied in a plastic carrying case

57kg Lifting capacity Metal Handle

Supplied in a plastic carrying case

•

68kg lifting capacity Supplied in a plastic

# **CARPENTERS PENCILS**

920863946 Carpenters Pencils 180mm

12

1

1

Qty

## SURE GRIP VACUUM LIFTER

920100S338

Sure Grip Vacuum Lifter

# WOODS POWR GRIP VACUUM PUMP

920100W4950

Woods Power Grip Lifter

# **OCTOPUS SINGLE PAD SUCTION LIFTER**

WITH BUILT IN PRESSURE GAUGE

9201000510	Octopus Suction Lifter	1	

# **ALUMINIUM GLASS LIFTERS**

9201001	Single- 40kg	1
92010020	Double- 60kg	1
92010030	Triple- 100kg	1







Ideal for quickly securing light loads during transit or storage.



## **BUNGEE CORDS**

Part No.	Size	Working	Pack
92060BUN	Dia.8mm x 60cm	30	2
920100BUN	Dia.8mm x 100cm	30	2

## BUNGEE CORDS—8 Mixed Tube

Ideal for quickly securing light loads during transit or storage.



Dia.4.5mm x 25cm	
020BUMIX8 Dia.8mm x 60cm 30 8	
Dia.8mm x 80cm	
Dia.4.5mm x 25cm	
Dia.8mm x 45cm	
D20BUMIX20         Dia.8mm x 50cm         30         20	
Dia.8mm x 60cm	
Dia.8mm x 75cm	

High quality durable flat lifting slings designed for the safe moving of heavy loads on site. Woven from a high tenacity polyester material ensuring a reduced risk of damage to the item being lifted, that can occur when using steel lifting mechanisms such as chains. Double stitched duplex layer for maximum durability with reinforced becket eye to ensure strength and longevity.



## LIFTING SLING

	Working Load 2000kg							
9	920723485	60mm x 2m	1					
1	920723413	60mm x 3m	1					
	Working Load 3000kg							
	920723604	90mm x 2m	1					
	920723684	90mm x 3m	1					

## **BRICK LINE**

Ideal for staking sites prior to concreting, landscaping or bricklaying. Used as guidelines for building & landscaping.

- Impact resistant will not unravel if struck by trowel
- High moisture and mildew resistance
- High elasticity to prevent sagging




	Part No.	Туре	Size	Pack Qty
		Pli	NK	
١	920PBL100W	Winder	Dia.1.5mm x 100m	1
	920PBL100T Tube only		Dia.1.5mm x 100m	1
, 		YELI	LOW	
	920YBL100W	Winder	Dia.1.5mm x 100m	1
	920YBL100T	Tube Only	Dia.1.5mm x 100m	1

Working Load (kg): 25 Break Strength (kg): 50 Ideal for quickly securing light loads during transit or storage.

Ideal for quickly securing light loads during transit or storage.







## **S HOOK RATCHET STRAPS - STANDARD DUTY**

250/ 350 kg			
	S Hook—Working Load	d 250kg	
9205RS2S	25mm x 5m	500	2
9205RS4S	25mm x 5m	500	4
	J Hook—Working Load	l 350kg	
9205RS2J	25mm x 5m	500	2

## J HOOK RATCHET STRAPS - COMMERCIAL DUTY

0 1000 kg	J Hook—Working I		0
	o Hook—working i	Load Toooky	
920217585	25mm x 5m	800	1
9206RS2J	35mm x 6m	2000	2

Ideal for quickly securing medium loads during transit or storage.



# **J HOOK RATCHET STRAP - HEAVY DUTY**

2500 kg		<b>6</b>	
	J Hook—Working I	Load 2500kg	
9205RS1J	50mm x 5m	5000	1
92010RS1J	50mm x 10m	5000	1
920217586	50mm x 10m	5000	1

Ideal for quickly securing heavy loads during transit or storage.

#### **Application Guide**


#### Sealant joint length in linear Metres from a 300ml cartridge

Width (mm)	nm) Depth (mm)										
	5	6	7	8	9	10	11	12	13	14	15
5	12.00	10.00	8.57	7.50	6.67	6.00	5.45	5.00	4.62	4.29	4.00
6	10.00	8.33	7.14	6.25	5.56	5.00	4.55	4.17	3.85	3.57	3.33
7	8.57	7.14	6.12	5.36	4.76	4.29	3.90	3.57	3.30	3.06	2.86
8	7.50	6.25	5.36	4.69	4.17	3.75	3.41	3.13	2.88	2.68	2.50
9	6.67	5.56	4.76	4.17	3.70	3.33	3.03	2.78	2.56	2.38	2.22
10	6.00	5.00	4.29	3.75	3.33	3.00	2.73	2.50	2.31	2.14	2.00
11	5.45	4.55	3.90	3.41	3.03	2.73	2.48	2.27	2.10	1.95	1.82
12	5.00	4.17	3.57	3.13	2.78	2.50	2.27	2.08	1.92	1.79	1.67
13	4.62	3.85	3.30	2.88	2.56	2.31	2.10	1.92	1.78	1.65	1.54
14	4.29	3.57	3.06	2.68	2.38	2.14	1.95	1.79	1.65	1.53	1.43
15	4.00	3.33	2.86	2.50	2.22	2.00	1.82	1.67	1.54	1.43	1.33
16	3.75	3.13	2.68	2.34	2.08	1.88	1.70	1.56	1.44	1.34	1.25
17	3.53	2.94	2.52	2.21	1.96	1.76	1.60	1.47	1.36	1.26	1.18
18	3.33	2.78	2.38	2.08	1.85	1.67	1.52	1.39	1.28	1.19	1.11
19	3.16	2.63	2.26	1.97	1.75	1.58	1.44	1.32	1.21	1.13	1.05
20	3.00	2.50	2.14	1.88	1.67	1.50	1.36	1.25	1.15	1.07	1.00
21	2.86	2.38	2.04	1.79	1.59	1.43	1.30	1.19	1.10	1.02	0.95
22	2.73	2.27	1.95	1.70	1.52	1.36	1.24	1.14	1.05	0.97	0.91
23	2.61	2.17	1.86	1.63	1.45	1.30	1.19	1.09	1.00	0.93	0.87
24	2.50	2.08	1.79	1.56	1.39	1.25	1.14	1.04	0.96	0.89	0.83
25	2.40	2.00	1.71	1.50	1.33	1.20	1.09	1.00	0.92	0.86	0.80
26	2.31	1.92	1.65	1.44	1.28	1.15	1.05	0.96	0.89	0.82	0.77
27	2.22	1.85	1.59	1.39	1.23	1.11	1.01	0.93	0.85	0.79	0.74
28	2.14	1.79	1.53	1.34	1.19	1.07	0.97	0.89	0.82	0.77	0.71
29	2.07	1.72	1.48	1.29	1.15	1.03	0.94	0.86	0.80	0.74	0.69
30	2.00	1.67	1.43	1.25	1.11	1.00	0.91	0.83	0.77	0.71	0.67

	Code 3		Code 4		Code 5	
Weight per m <sup>2</sup>	14.97kg		20.41kg		25.40kg	
Thickness	1.32mm		1.80mm		2.24mm	
Standard Widths	3m	6m	3m	6m	3m	6m
	kg	kg	kg	kg	kg	kg
150mm	7	13	9	18	11	23
180mm	8	16	11	22	14	27
240mm	11	22	15	29	18	37
300mm	13	27	18	37	23	46
360mm	16	32	22	44	27	55
390mm	18	35	24	48	30	59
450mm	20	40	28	55	34	69
600mm	27	54	37	73	46	91
760mm	34	68	47	93	58	116
800mm	36	72	49	98	61	122
900mm	40	81	55	110	69	137
1000mm	45	90	61	122	76	152
1200mm	54	108	73	147	91	183
2400mm	108	216	147	294	183	366

#### **Nominal Lead Roll Weights**

To calculate the approximate weight of a piece of Rolled Lead Sheet multiply the length in metres by the width in metres and them multiply by the Code weight per m<sup>2</sup> shown in the table.



# NOTES...



Unit A3- A5 Blacknest Industrial Estate Blacknest Road Blacknest Alton GU34 4PX

# Contact Us

Telephone |01420 520805 Email | info@sealfix.co.uk Website | www.sealfix.co.uk

# **Business Hours**

Mon	8:30 - 17:00				
Tue	8:30 - 17:00				
Wed	8:30 - 17:00				
Thu	8:30 - 17:00				
Fri	8:30 - 16:30				
Sat	Closed				
Sun	Closed				

https://www.facebook.com/ SealfixLtd

https://www.linkedin.com

in



https://www.instagram.com /sealfixltd